

2011 Water Quality Report

By the Numbers...

Our water quality team conducts more than 300,000 tests per year in our statecertified water quality laboratory. Scientists, chemists, and microbiologists test the water for more than 140 contaminants with equipment so sensitive it can detect levels as low as one part per billion that's like one pinch of salt in a 400-ton bag of potato chips, one sheet in a roll of toilet paper stretched three times around the equator, or three seconds in a century.



Rancho Dominguez District City of Hawthorne Water System

2632 W. 237th Street, Torrance, CA 90505 (310) 257-1400 infoRD@calwater.com www.calwater.com

At California Water Service Company (Cal Water), we are committed to providing a reliable, high-quality water supply to you and your family at the lowest price possible.

In this report, you'll see how your water compares to state and federal standards. We are pleased to confirm that your water met or surpassed all primary and secondary water quality standards in this reporting period.

Although tap water costs a fraction of the price of bottled water, water rates throughout the country are increasing, due in part to increasingly strict water quality and environmental standards, infrastructure replacement needs, and higher costs for everything from electricity to labor. So using water as efficiently as possible is critical not only to ensure that we have enough water to meet your needs and reduce per capita water use by 20% by 2020 as required by state law, but also to help you control your water bill.

If you have any questions, suggestions, or concerns, please contact your local Customer Center, either by phone or through our web site. Also, please watch for bill inserts (which are also available online for customers using paperless billing), where you will find announcements about any water-related public meetings and important information about your water. Additional information and time-sensitive announcements can be found at www.calwater.com.

Henry Wind

District Manager Rancho Dominguez District

About Your Water System

In 1996, we entered into a 15-year lease agreement with the City of Hawthorne and assumed responsibility for maintaining and operating the City's water system. We were selected again by the City of Hawthorne in 2011 as the successful bidder for an additional 15-year term. Water supplied to our Hawthorne customers consists of purchased surface water imported by the Metropolitan Water District of Southern California from the Colorado River and the State Water Project in northern California.

Since we began operating the City's water system, we have made significant upgrades to the water system infrastructure and have worked diligently to provide service that exceeds our customers' expectations. Cal Water proactively maintains and upgrades its facilities to ensure a reliable, high-quality supply.

Use Water Wisely. It's Essential.

You're busy. So why should you add water conservation to your mile-long to-do list? Simply put, water's got things to do, too – it keeps us clean and healthy, protects us from fire, and is used to grow our food and make the products we use every day. And there's no way to increase the earth's finite water supply. That's why we're here to help you use water wisely – because it's essential.

Inder the Microscope..

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the United States Environmental Protection Agency (USEPA) Safe Drinking Water Hotline at (800) 426-4791.

The sources of drinking water (both tap and bottled) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or human activity. Contaminants that may be present in source water include:

Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

Inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.

Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.

Organic chemical contaminants, including synthetic and volatile organic chemicals, which are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.

Radioactive contaminants, which can be naturally occurring or the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the USEPA and the California Department of Public Health (CDPH) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. CDPH regulations also establish limits for contaminants in bottled water, which must provide the same protection for public health.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised people, such as those with cancer undergoing chemotherapy, those who have undergone organ transplants, those with HIV/AIDS or other immune system disorders, some elderly people, and infants, can be particularly at risk from infections. These people should seek advice from their health care providers about drinking water. USEPA/Centers for Disease Control and Prevention (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline at (800) 426-4791.

Lead in Water

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water comes primarily from materials and components associated with service lines and home plumbing.

The water delivered by Cal Water to your meter meets all water quality standards, but your home plumbing can affect water quality. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to two minutes before using water for drinking or cooking.

If you are concerned about lead in your water, you may wish to have your water tested by a private lab. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at www.epa.gov/safewater/lead.


Inside the Bill...

You've reduced your water use, but your water bill keeps going up – so what gives? The fact is, water rates throughout the country are rising because the costs of providing water utility services are rising.

When new water quality standards are set that require additional testing and treatment, water costs go up. When aging water infrastructure needs to be replaced, water costs go up. When costs for electricity, fuel, and labor rise, water costs go up. And the issue of conservation isn't as simple as it may

seem, because many of the costs associated with providing water remain the same, whether you use a drop of water or not.

The good news is that when you conserve water, you will control your bill, because in most areas we have increasing block rates that reward conservation. And in the long term, if we can avoid constructing a new well or buying more wholesale water, that will help keep water costs down. Considering all it takes to get a reliable, clean water supply to your tap, it is still a good value.



Drinking Water Source Assessment and Protection Program (DWSAPP)

By the end of 2002, Cal Water had submitted to the California Department of Public Health a DWSAPP report for each water source in the water system. The DWSAPP report identifies possible sources of contamination to aid in prioritizing cleanup and pollution prevention efforts. All reports are available for viewing or copying at our Customer Center.

The water sources in your district are considered most vulnerable to drinking water treatment plants, existing and historic gas stations, dry cleaners, known contaminant plumes, underground storage tanks, agriculture, recreation, urban/stormwater runoff, increasing urbanization in the watershed, wildlife, and drinking water treatment plants.

We encourage customers to join us in our efforts to prevent water pollution and protect our most precious natural resource.

Key Definitions

Exceeded Standard: Over a primary MCL, a secondary MCL, or an action level, as determined by the California Department of Public Health. For some compounds, compliance is determined by averaging the results for one source for a year.

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs protect public health and are set as close to the PHGs (or MCLGs) as are economically and technologically feasible. Secondary MCLs relate to the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the United States Environmental Protection Agency (USEPA).

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not

reflect the benefits of the use of disinfectants to control microbial contaminants. *Notification Level (NL)*: A health-based advisory level for an unregulated contaminant in drinking water. It is used by the California Department of Public Health to provide guidance to drinking water systems.

Primary Drinking Water Standard (PDWS): MCLs and MRDLs for contaminants that affect health, along with their monitoring, reporting, and water treatment requirements. Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency's Office of Environmental Health Hazard Assessment without regard to cost or available detection and treatment technologies.

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other required action by the water provider.

Treatment Technique (Π): A required process intended to reduce the level of a contaminant in drinking water.

Your Water Quality Report

Primary Drinking Water Stand Radiological								
	Year Tested	Unit	MCL	PHG (MCIG)	Exceeded Standard?	Range	Average	Source of Substance
Gross alpha particle activity	2011	pCi/L	15	(0)	No	ND-3	ND	Erosion of natural deposits
Gross beta particle activity	2011	pCi/L	50	0	No	ND-6	2	Decay of natural and man-made deposits
Uranium	2011	pCi/L	20	0.43	No	ND-2	1.5	Erosion of natural deposits
Inorganic Chemicals	Year Tested	Unit	MCL(SMCL)	PHG	Exceeded Standard?	Range	Average	Source of Substance
Aluminum	2009-2011	ppm	1 (0.2)	0.6	No	ND-0.2	0.1	Erosion of natural deposits; residue from some surface water treatment processes
Fluoride (treatment by MWD) ¹	2011	ppm	2	1	No	0.2-1.0	0.8	Water additive for dental health
Nitrate (as nitrate)	2011	ppm	45	45	No	ND-2.3	1.1	Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits
With the (as intrate)	2011	ppiii	73	73	140	ND 2.5	Lowest Monthly	ranon and reaching from retained use, reaching from septic tanks and sewage, crosson or natural deposits
Inorganic Chemicals	Year Tested	Unit	MCL	PHG (MCLG)	Exceeded Standard?	Highest Level	Percent	Source of Substance
Turbidity (surface water requiring filtration) ²	2011	NTU	TT=0.3	n/a	No	0.06	100	Soil runoff
, , ,							Highest Running	
DBP Precursor	Year Tested	Unit	MCL	PHG (MCLG)	Exceeded Standard?	Range	Annual Average	Source of Substance
Total organic carbon ³	2011	ppm	Π	n/a	No	1.6-2.9	2.1	Various natural and man-made sources
							Highest Running	
Disinfectant and Disinfection Byproducts	Year Tested	Unit	MCL	(MCLG)	Exceeded Standard?	Range	Annual Average	Source of Substance
Bromate	2011	ppb	10	(0)	No	ND-8.8	5.9	Byproduct of drinking water chlorination
							Highest Running	
Disinfectant and Disinfection Byproducts	Year Tested	Unit	MCL		Exceeded Standard?	Range	Annual Average	Source of Substance
Chloramine	2011	ppm	4	4	No	0.4-3.1	2.2	Drinking water disinfectant added for treatment
Total haloacetic acids	2011	ppb	60	n/a	No	ND-36.4	16.2	Byproduct of drinking water chlorination
Total trihalomethanes	2011	ppb	80	n/a	No	7.1-57.9	35.6	Byproduct of drinking water chlorination
Microbiological	Year Tested	Unit	MCL	(MCLG)	Exceeded Standard?	•	Monthly	Source of Substance
Total coliform (systems with >40 samples/	2011	positive	5%	(0)	No		2	Naturally present in the environment
month) (Total Coliform Rule)		samples						
Other Regulated Substances								
Other Regulated Substances								
	Varatastast	11-14	Δ1	DITC	Funnadad Chandanda	OOAh Danaarila	# Sites > AL / Total #	
Metals	Year Tested	Unit	AL	PHG	Exceeded Standard?	90th Percentile	Sites Sampled	Source of Substance
Metals Copper	2009	ppm	1.3	0.3	Exceeded Standard?	90th Percentile 0.06		
Metals Copper Secondary Drinking Water Sta	2009 Indards and	ppm d Unreg	1.3 ulated Co	0.3 mpounds	No	0.06	Sites Sampled 0/31	Source of Substance Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
Metals Copper Secondary Drinking Water Stationganic Chemicals	2009 andards and Year Tested	ppm d Unrego Unit	1.3 ulated Cor SMCL	0.3 mpounds PHG (MCLG)	No Exceeded Standard?	0.06 Range or Result	Sites Sampled 0/31 Average	Source of Substance Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives Source of Substance
Metals Copper Secondary Drinking Water Stallorganic Chemicals Boron	2009 andards and Year Tested 2009–2011	ppm d Unregu Unit ppm	1.3 ulated Cor SMCL NL=1	0.3 mpounds PHG (MCLG) n/a	No Exceeded Standard? No	0.06 Range or Result 130-190	Sites Sampled 0/31 Average 160	Source of Substance Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives Source of Substance Erosion of natural deposits
Metals Copper Secondary Drinking Water Stationary Drinking Water Stationary Inorganic Chemicals Boron Calcium	2009 andards and Year Tested 2009–2011 2009–2011	ppm d Unregu Unit ppm ppm	1.3 ulated Cor SMCL NL=1 n/a	0.3 mpounds PHG (MCLG) n/a n/a	No Exceeded Standard? No No	0.06 Range or Result 130-190 26-54	Sites Sampled 0/31 Average 160 38	Source of Substance Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives Source of Substance Erosion of natural deposits Erosion of natural deposits
Metals Copper Secondary Drinking Water Stationary Drinking Water Drinking Wa	2009 andards and Year Tested 2009–2011 2009–2011 2011	ppm d Unregu Unit ppm ppm ppm	1.3 ulated Cor SMCL NL=1 n/a 500	0.3 npounds PHG (MCLG) n/a n/a n/a	No Exceeded Standard? No No No	0.06 Range or Result 130-190 26-54 59-76	Sites Sampled 0/31 Average 160 38 67	Source of Substance Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives Source of Substance Erosion of natural deposits Erosion of natural deposits Erosion of natural deposits; seawater influence
Metals Copper Secondary Drinking Water State Inorganic Chemicals Boron Calcium Chloride Color	2009 2009 2009-2011 2009-2011 2011 2011	ppm d Unregu Unit ppm ppm ppm units	1.3 ulated Cor SMCL NL=1 n/a 500 15	0.3 mpounds PHG (MCLG) n/a n/a n/a	No Exceeded Standard? No No No No	0.06 Range or Result 130-190 26-54 59-76 1-2	Sites Sampled 0/31 Average 160 38 67 1.5	Source of Substance Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives Source of Substance Erosion of natural deposits Erosion of natural deposits Erosion of natural deposits; seawater influence Naturally occurring organic matter
Metals Copper Secondary Drinking Water State Inorganic Chemicals Boron Calcium Chloride Color Hardness	2009 Andards and Year Tested 2009-2011 2009-2011 2011 2011 2011	ppm d Unregu Unit ppm ppm ppm units ppm	1.3 ulated Cor SMCL NL=1 n/a 500 15 n/a	0.3 mpounds PHG (MCLG) n/a n/a n/a n/a	No Exceeded Standard? No No No No No No	0.06 Range or Result 130-190 26-54 59-76 1-2 60-250	Sites Sampled 0/31 Average 160 38 67 1.5 140	Source of Substance Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives Source of Substance Erosion of natural deposits Erosion of natural deposits Erosion of natural deposits; seawater influence Naturally occurring organic matter Erosion of natural deposits
Metals Copper Secondary Drinking Water Stallorganic Chemicals Boron Calcium Chloride Color Hardness Magnesium	2009 andards and Year Tested 2009-2011 2009-2011 2011 2011 2011 2011	ppm d Unregu Unit ppm ppm ppm Units ppm	1.3 ulated Cor SMCL NL=1 n/a 500 15 n/a n/a	0.3 mpounds PHG (MCLG) n/a n/a n/a n/a n/a	No Exceeded Standard? No No No No No No No No	0.06 Range or Result 130-190 26-54 59-76 1-2 60-250 12-21	Sites Sampled 0/31 Average 160 38 67 1.5	Source of Substance Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives Source of Substance Erosion of natural deposits Erosion of natural deposits Erosion of natural deposits; seawater influence Naturally occurring organic matter Erosion of natural deposits Erosion of natural deposits
Metals Copper Secondary Drinking Water Stationary Drinking Water Drinking Wa	2009 andards and Year Tested 2009-2011 2009-2011 2011 2011 2011 2011 2011 2011	ppm d Unregu Unit ppm ppm ppm Units ppm units ppm ppm	1.3 ulated Cor SMCL NL=1 n/a 500 15 n/a n/a 3	0.3 mpounds PHG (MCLG) n/a n/a n/a n/a n/a n/a n/a n/a	No Exceeded Standard? No	0.06 Range or Result 130-190 26-54 59-76 1-2 60-250 12-21 2	Sites Sampled 0/31 Average 160 38 67 1.5 140 15	Source of Substance Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives Source of Substance Erosion of natural deposits Erosion of natural deposits Erosion of natural deposits; seawater influence Naturally occurring organic matter Erosion of natural deposits Erosion of natural deposits Erosion of natural deposits Naturally occurring organic matter
Metals Copper Secondary Drinking Water State Inorganic Chemicals Boron Calcium Chloride Color Hardness Magnesium Odor pH	2009 andards and Year Tested 2009-2011 2001-2011 2011 2011 2011 2011 2011	ppm d Unregu Unit ppm ppm ppm Units ppm units ppm units ppm Units units Units	1.3 ulated Cor SMCL NL=1 n/a 500 15 n/a n/a 3	0.3 mpounds PHG (MCLG) n/a	No Exceeded Standard? No	0.06 Range or Result 130-190 26-54 59-76 1-2 60-250 12-21 2 7.8-8.8	Sites Sampled 0/31 Average 160 38 67 1.5 140 15 8.2	Source of Substance Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives Source of Substance Erosion of natural deposits Erosion of natural deposits Erosion of natural deposits Erosion of natural deposits; seawater influence Naturally occurring organic matter Erosion of natural deposits Erosion of natural deposits Naturally occurring organic matter
Metals Copper Secondary Drinking Water State Inorganic Chemicals Boron Calcium Chloride Color Hardness Magnesium Odor pH Sodium	2009 andards and Year Tested 2009-2011 2001-2011 2011 2011 2011 2011 2011	ppm d Unregi Unit ppm ppm ppm Units ppm units ppm Units ppm Units ppm Units ppm	1.3 ulated Cor SMCL NL=1 n/a 500 15 n/a n/a 3 n/a n/a	0.3 mpounds PHG (MCLG) n/a n/a n/a n/a n/a n/a n/a n/	No Exceeded Standard? No	0.06 Range or Result 130-190 26-54 59-76 1-2 60-250 12-21 2 7.8-8.8 52-76	Sites Sampled 0/31 Average 160 38 67 1.5 140 15	Source of Substance Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives Source of Substance Erosion of natural deposits Erosion of natural deposits Erosion of natural deposits Erosion of natural deposits; seawater influence Naturally occurring organic matter Erosion of natural deposits Erosion of natural deposits; seawater influence
Metals Copper Secondary Drinking Water Stationary Drinking Water Stati	2009 ndards and Year Tested 2009-2011 2009-2011 2011 2011 2011 2011 2011 2011 2011	ppm d Unregt Unit ppm ppm ppm Units ppm units ppm ppm Units ppm ppm Units units Units	1.3 vilated Cor SMCL NL=1 n/a 500 15 n/a n/a 3 n/a n/a 1600	0.3 mpounds PHG (MCLG) n/a n/a n/a n/a n/a n/a n/a n/	No Exceeded Standard? No	0.06 Range or Result 130-190 26-54 59-76 1-2 60-250 12-21 2 7.8-8.8 52-76 320-870	Sites Sampled 0/31 Average 160 38 67 1.5 140 15 8.2 62 565	Source of Substance Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives Source of Substance Erosion of natural deposits Erosion of natural deposits Erosion of natural deposits Erosion of natural deposits; seawater influence Naturally occurring organic matter Erosion of natural deposits Erosion of natural deposits Naturally occurring organic matter Inherent characteristic of water Erosion of natural deposits; seawater influence Erosion of natural deposits; seawater influence Erosion of natural deposits; seawater influence
Metals Copper Secondary Drinking Water State Inorganic Chemicals Boron Calcium Chloride Color Hardness Magnesium Odor pH Sodium Specific conductance Sulfate	2009 ndards and Year Tested 2009-2011 2009-2011 2011 2011 2011 2011 2011 2011 2011	ppm d Unregt Unit ppm ppm ppm Units ppm Units ppm Units Units Units ppm	1.3 vilated Cor SMCL NL=1 n/a 500 15 n/a n/a 3 n/a n/a 1600 500	0.3 npounds PHG (MCLG) n/a	No Exceeded Standard? No No No No No No No No No N	0.06 Range or Result 130-190 26-54 59-76 1-2 60-250 12-21 2 7.8-8.8 52-76 320-870 54-170	Sites Sampled 0/31 Average 160 38 67 1.5 140 15 8.2 62 565 103	Source of Substance Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives Source of Substance Erosion of natural deposits Erosion of natural deposits Erosion of natural deposits; seawater influence Naturally occurring organic matter Erosion of natural deposits Erosion of natural deposits Naturally occurring organic matter Inherent characteristic of water Erosion of natural deposits; seawater influence Runoff/leaching from natural deposits; industrial wastes
Metals Copper Secondary Drinking Water Stallnorganic Chemicals Boron Calcium Chloride Color Hardness Magnesium Odor pH Sodium Specific conductance Sulfate Total dissolved solids	2009 andards and Year Tested 2009-2011 2009-2011 2011 2011 2011 2011 2011 2011 2011	ppm d Unregt Unit ppm ppm ppm Units ppm Units ppm units ppm Units Units units	1.3 ulated Cor SMCL NL=1 n/a 500 15 n/a n/a 3 n/a n/a 1600 500	0.3 npounds PHG (MCLG) n/a n/a n/a n/a n/a n/a n/a n/	No Exceeded Standard? No No No No No No No No No N	0.06 Range or Result 130-190 26-54 59-76 1-2 60-250 12-21 2 7.8-8.8 52-76 320-870 54-170 280-480	Sites Sampled 0/31 Average 160 38 67 1.5 140 15 8.2 62 565 103 360	Source of Substance Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives Source of Substance Erosion of natural deposits Erosion of natural deposits Erosion of natural deposits; seawater influence Naturally occurring organic matter Erosion of natural deposits Erosion of natural deposits Naturally occurring organic matter Inherent characteristic of water Erosion of natural deposits; seawater influence Runoff/leaching from natural deposits; industrial wastes Runoff/leaching from natural deposits
Metals Copper Secondary Drinking Water Stationarganic Chemicals Boron Calcium Chloride Color Hardness Magnesium Odor pH Sodium Specific conductance Sulfate Total dissolved solids Turbidity (groundwater)	2009 andards and Year Tested 2009-2011 2009-2011 2011 2011 2011 2011 2011 2011 2011	ppm d Unregi Unit ppm ppm ppm Units ppm units ppm ppm Units Units units units	1.3 ulated Con SMCL NL=1 n/a 500 15 n/a n/a 3 n/a n/a 1600 500 1000 5	0.3 npounds PHG (MCLG) n/a n/a n/a n/a n/a n/a n/a n/	No Exceeded Standard? No No No No No No No No No N	0.06 Range or Result 130-190 26-54 59-76 1-2 60-250 12-21 2 7.8-8.8 52-76 320-870 54-170 280-480 0.02-0.09	Sites Sampled 0/31 Average 160 38 67 1.5 140 15 15 8.2 62 565 103 360 0.04	Source of Substance Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives Source of Substance Erosion of natural deposits Erosion of natural deposits Erosion of natural deposits; seawater influence Naturally occurring organic matter Erosion of natural deposits Trosion of natural deposits Erosion of natural deposits Naturally occurring organic matter Inherent characteristic of water Erosion of natural deposits; seawater influence Erosion of natural deposits; seawater influence Erosion of natural deposits; seawater influence Runoff/leaching from natural deposits; industrial wastes Runoff/leaching from natural deposits Soil runoff
Metals Copper Secondary Drinking Water Stallnorganic Chemicals Boron Calcium Chloride Color Hardness Magnesium Odor pH Sodium Specific conductance Sulfate Total dissolved solids	2009 andards and Year Tested 2009-2011 2009-2011 2011 2011 2011 2011 2011 2011 2011	ppm d Unregt Unit ppm ppm ppm Units ppm Units ppm units ppm Units Units units	1.3 ulated Cor SMCL NL=1 n/a 500 15 n/a n/a 3 n/a n/a 1600 500	0.3 npounds PHG (MCLG) n/a n/a n/a n/a n/a n/a n/a n/	No Exceeded Standard? No No No No No No No No No N	0.06 Range or Result 130-190 26-54 59-76 1-2 60-250 12-21 2 7.8-8.8 52-76 320-870 54-170 280-480	Sites Sampled 0/31 Average 160 38 67 1.5 140 15 8.2 62 565 103 360 0.04 1.7	Source of Substance Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives Source of Substance Erosion of natural deposits Erosion of natural deposits Erosion of natural deposits; seawater influence Naturally occurring organic matter Erosion of natural deposits Erosion of natural deposits Naturally occurring organic matter Inherent characteristic of water Erosion of natural deposits; seawater influence Runoff/leaching from natural deposits; industrial wastes Runoff/leaching from natural deposits
Metals Copper Secondary Drinking Water Stationarganic Chemicals Boron Calcium Chloride Color Hardness Magnesium Odor pH Sodium Specific conductance Sulfate Total dissolved solids Turbidity (groundwater) Vanadium	2009 Indards and Year Tested 2009-2011 20011 2011 2011 2011 2011 2011 201	ppm d Unregu Unit ppm ppm Units ppm ppm Units ppm Units units ppm	1.3 ulated Co1 SMCL NL=1 n/a 500 15 n/a n/a 3 n/a n/a 1600 500 1000 5 NL=50	0.3 npounds PHG (MCLG) n/a n/a n/a n/a n/a n/a n/a n/	No Exceeded Standard? No No No No No No No No No N	0.06 Range or Result 130-190 26-54 59-76 1-2 60-250 12-21 2 7.8-8.8 52-76 320-870 54-170 280-480 0.02-0.09 ND-3.4	Sites Sampled 0/31 Average 160 38 67 1.5 140 15 8.2 62 565 103 360 0.04 1.7 Highest Annual	Source of Substance Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives Source of Substance Erosion of natural deposits Erosion of natural deposits Erosion of natural deposits; seawater influence Naturally occurring organic matter Erosion of natural deposits Erosion of natural deposits Erosion of natural deposits Naturally occurring organic matter Inherent characteristic of water Erosion of natural deposits; seawater influence Erosion of natural deposits; seawater influence Erosion of natural deposits; industrial wastes Runoff/leaching from natural deposits Soil runoff Erosion of natural deposits; manufacturing of alloys and steel
Metals Copper Secondary Drinking Water Stallorganic Chemicals Boron Calcium Chloride Color Hardness Magnesium Odor pH Sodium Specific conductance Sulfate Total dissolved solids Turbidity (groundwater) Vanadium Disinfection Byproducts	2009 andards and Year Tested 2009-2011 2009-2011 2011 2011 2011 2011 2011 2011 2011	ppm d Unregt Unit ppm ppm Units ppm ppm Units ppm ppm Units units ppm ppm NTU ppb Unit	1.3 ulated Cor SMCL NL=1 n/a 500 15 n/a n/a 3 n/a 1600 500 1000 5 NL=50 MCL	0.3 npounds PHG (MCLG) n/a n/a n/a n/a n/a n/a n/a n/	No Exceeded Standard? No No No No No No No No No N	0.06 Range or Result 130-190 26-54 59-76 1-2 60-250 12-21 2 7.8-8.8 52-76 320-870 54-170 280-480 0.02-0.09 ND-3.4 Range	Sites Sampled 0/31 Average 160 38 67 1.5 140 15 8.2 62 565 103 360 0.04 1.7 Highest Annual Average	Source of Substance Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives Source of Substance Erosion of natural deposits Erosion of natural deposits Erosion of natural deposits; seawater influence Naturally occurring organic matter Erosion of natural deposits Erosion of natural deposits Naturally occurring organic matter Inherent characteristic of water Erosion of natural deposits; seawater influence Erosion of natural deposits; seawater influence Erosion of natural deposits; seawater influence Erosion of natural deposits; industrial wastes Runoff/leaching from natural deposits Soil runoff Erosion of natural deposits; manufacturing of alloys and steel Source of Substance
Metals Copper Secondary Drinking Water Stationarganic Chemicals Boron Calcium Chloride Color Hardness Magnesium Odor pH Sodium Specific conductance Sulfate Total dissolved solids Turbidity (groundwater) Vanadium	2009 Indards and Year Tested 2009-2011 20011 2011 2011 2011 2011 2011 201	ppm d Unregu Unit ppm ppm Units ppm ppm Units ppm Units units ppm	1.3 ulated Co1 SMCL NL=1 n/a 500 15 n/a n/a 3 n/a n/a 1600 500 1000 5 NL=50	0.3 npounds PHG (MCLG) n/a n/a n/a n/a n/a n/a n/a n/	No Exceeded Standard? No No No No No No No No No N	0.06 Range or Result 130-190 26-54 59-76 1-2 60-250 12-21 2 7.8-8.8 52-76 320-870 54-170 280-480 0.02-0.09 ND-3.4	Sites Sampled 0/31 Average 160 38 67 1.5 140 15 8.2 62 565 103 360 0.04 1.7 Highest Annual	Source of Substance Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives Source of Substance Erosion of natural deposits Erosion of natural deposits Erosion of natural deposits; seawater influence Naturally occurring organic matter Erosion of natural deposits Erosion of natural deposits Erosion of natural deposits Naturally occurring organic matter Inherent characteristic of water Erosion of natural deposits; seawater influence Erosion of natural deposits; seawater influence Erosion of natural deposits; industrial wastes Runoff/leaching from natural deposits Soil runoff Erosion of natural deposits; manufacturing of alloys and steel

1 In November 2007, Metropolitan Water District of Southern California (MWD) began fluoridating its treated surface water, which Cal Water purchases. The range of fluoride concentrations are the fluoride levels in samples collected from MWD's water. Samples are collected throughout the distribution system every month to verify the actual levels at various locations. The optimal fluoride level for the City of Hawthorne system is 0.8 ppm, with a control range of 0.7–1.3 ppm.

2 For surface water systems, the treatment technique dictates that the turbidity level of the filtered water be less than or equal to 0.3 NTU in 95% of the measurements taken each month and shall not exceed 1 NTU at any time. Turbidity is a measurement of the cloudiness of water. We monitor it because it is a good indicator of the effectiveness of our filtration system.

3 Total organic carbon (TOC) has no health effects; however, TOC provides a medium for the formation of disinfection byproducts. These byproducts include trihalomethanes (THMs) and haloacetic acids (HAAs). Drinking water containing these byproducts in excess of the MCL may lead to adverse health effects, such as liver, kidney, or nervous system problems, and may lead to an increased risk of cancer. Concerns regarding disinfection byproducts are based upon exposure over many years.

How to Read This Table

Cal Water tests your water for more than 140 regulated contaminants and dozens of unregulated contaminants. A list of regulated contaminants can be found in the Water Quality section of calwater.com. The table lists only those contaminants that were detected

In the table, water quality test results are divided into two main sections: "Primary Drinking Water Standards" and "Secondary Drinking Water Standards and Unregulated Compounds." Primary standards protect public health by limiting the levels of certain constituents in drinking water. Secondary standards are set for substances that could affect the water's taste, odor, or appearance. Selected unregulated substances (hardness and sodium, for example) are listed for your information.

μS/cm = measure of specific conductance

n/a = not applicable

ND = not detected

NTU = nephelometric turbidity unit

pCi/L = picoCuries per liter (measure of radioactivity)

ppb = parts per billion
(micrograms per liter)

ppm = parts per million
(milligrams per liter)

ppt = parts per trillion
(nanograms per liter)

SMCL = secondary maximum contaminant level

Rancho Dominguez District 2632 W. 237th Street Torrance, CA 90505 (310) 257-1400 www.calwater.com

PRESORTED STANDARD US POSTAGE PAID LOS ANGELES, CA PERMIT NO. 32365

Este informe contiene información muy importante sobre su agua potable. Tradúzcalo o hable con alguien que lo entienda bien.



About Your Water...

We're sitting down for an up close and personal interview with your water to find out what you want to know...

Interviewer: Thanks for being here. I understand you've come a long way.

Water: Yes, it took some doing to get here. I don't just magically appear at the tap.

Interviewer: I'm sorry to ask a sensitive question, but you look so good for someone your age. What's your secret?

Water: [Laughs.] That's okay, I'm flattered. Yes, I have been here ever since the earth was formed. I've even been in the presence of dinosaurs! What keeps me looking good? It's the people who take care not to pollute the places where I travel. And of course, going through a filtration plant doesn't hurt either!

Interviewer: What do you say to people who say you're too hard?

Water: [Getting serious.] Well, that hurts. If I'm hard, it just means I have more minerals than my softer counterparts. Water is considered soft if its hardness is less than 75 parts per million (ppm), moderately hard at 75 to 150 ppm, hard at 150 to 300 ppm, and very hard at 300 ppm or higher. In this area, average hardness is 140 ppm. Hard water does not pose any health concerns, but

some people prefer to use water softeners.

Interviewer: Another serious question for you: what's the deal with fluoride?

Water: State law requires Cal Water to add fluoride to drinking water if public funding is available to pay for it, and it is a practice endorsed by the American Medical Association and the American Dental Association to prevent tooth decay. In this area, local water is blended with imported water that has fluoride in it. Show the table in this report to your dentist to see if he or she recommends giving your children fluoride supplements.

Interviewer: You look so clean and clear right now, but why do you sometimes contain sand or sediment?

Water: Sand or dirt can occur in groundwater, or get into water lines during repairs. The easiest thing to do is flush your faucets until the sediment disappears. That's why Cal Water occasionally flushes water from fire hydrants – to remove sediment and ensure good water quality.

Interviewer: My Aunt Betty's hot water smelled bad, but her cold water smelled fine – what's going on?

Water: Water heaters need to be maintained according to manufacturers' directions, or they can affect water quality.

Interviewer: And speaking of odor, why does water sometimes smell like chlorine?

Water: In many places, water is treated to prevent the spread of germs that can cause serious illness. This can cause the water to smell like chlorine, but usually, it's fine if you refrigerate it before you drink it.

Interviewer: Water, I know you have a lot of important things to do, and I can't thank you enough for being here.