Consumer Confidence Report
Certification Form

Water System Name: **FILLMORE IRRIGATION CO**
Water System Number: **5601105**

The water system named above hereby certifies that its Consumer Confidence Report was distributed on 4/5/12 (date) to customers (and appropriate notices of availability have been given). Further, the system certifies that the information contained in the report is correct and consistent with the compliance monitoring data previously submitted to the Department of Public Health.

Certified By: Name Chris Woodard

Signature Chris Woodard

Title Water Superintendent

Phone Number (805) 746-7001 Date 4-13-12

==========

To summarize report delivery used and good-faith efforts taken, please complete the below by checking all items that apply and fill-in where appropriate:

✓ CCR was distributed by mail or other direct delivery methods. Specify other direct delivery method used: _____

_____

___ "Good faith" efforts were used to reach non-bill paying customers. Those efforts included the following methods:

__ Posted the CCR on the internet at www._____

__ Mailed the CCR to postal patrons within the service area (attach zip codes used)

__ Advertised the availability of the CCR in news media (attach copy of press release)

__ Publication of the CCR in a local newspaper of general circulation (attach a copy of the published notice, including name of the newspaper and date published)

__ Posted the CCR in public places (attach a list of locations)

__ Delivery of multiple copies of CCR to single bill addresses serving several persons, such as apartments, businesses and schools

__ Delivery to community organizations (attach a list of organizations)

__ For systems serving at least 100,000 persons: Posted CCR on a publicly-accessible internet site at the following address: www._____

__ For privately-owned utilities: Delivered the CCR to the California Public Utilities Commission

(Submit this form and a copy of your CCR to the Department of health Services)

2011 Consumer Confidence Report

Water System Name: **FILLMORE IRRIGATION CO** Report Date: March 2012

We test the drinking water quality for many constituents as required by state and federal regulations. This report shows the results of our monitoring for the period of January 1 - December 31, 2011

Este informe contiene información muy importante sobre su agua beber. Tradúzcalo ó hable con alguien que lo entienda bien.

Type of water sources(s) in use: According to DHS records, this Source is Groundwater. This Assessment was done using the Default Groundwater System Method.

Your water comes from 2 sources: Well 02 and Well 03.

For more information about this report, or for any questions relating to your drinking water, please call (805) 746 - 7001 and ask for Chris Woodard.

TERMS USED IN THIS REPORT:

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency.

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Primary Drinking Water Standards (PDWS): MCLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Secondary Drinking Water Standards (SDWS): MCLs for contaminants that affect taste, order, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Variances and Exemptions: Department permission to exceed an MCL or not comply with a treatment technique under certain conditions.

ND: not detectable at testing limit
ppm: parts per million or milligrams per liter (mg/L)
ppb: parts per billion or micrograms per liter (µg/L)
ppt: parts per trillion or nanograms per liter (ng/L)
ppq: parts per quadrillion or picograms per liter (pg/L)
pCi/l: picocuries per liter (a measure of radioactivity)

The sources of drinking water(both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, spring, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

2011Consumer Confidence Report

Contaminants that may be present in source water include:

- *Microbial contaminants*, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.
- *Inorganic contaminants*, such as salts and metals, which can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.
- *Pesticides and herbicides*, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- *Radioactive contaminants*, which can be naturally occurring or the result of oil production and mining activities.
- *Organic chemical contaminants*, including synthetic and volatile organic chemicals, which are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.

In order to ensure that tap water is safe to drink, the U.S. Environmental Protection Agency (USEPA) and the California Department of Health Services (Department) prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. Department regulations also establish limits for contaminants in bottled water that must provide the same protection for public health.

Tables 1,2,3,4,5 and 6 list all of the drinking water contaminants that were detected during the most recent sampling for the constituents. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The Department allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the data, though representative of the water quality, are more than one year old.

TABLE 1 - SAMPLING RESULTS SHOWING THE DETECTION OF COLIFORM BACTERIA

Microbiological Contaminants (complete if bacteria detected)	**Highest No.of Detections**	**No. of Months in Violation**	**MCL**	**MCLG**	**Typical Sources of Contaminant**
Total Coliform Bacteria	2/mo. (2011)	1	no more than 1 positive monthly sample	0	Naturally present in the environment.

Any violation of MCL,AL or MRDL is shaded. Additional information regarding the violation is provided later in this report.

TABLE 2 - SAMPLING RESULTS SHOWING THE DETECTION OF LEAD AND COPPER

Lead and Copper (complete if lead or copper detected in the last sample set)	**No. of Samples Collected**	**90th Percentile Level**	**No. Site Exceeding AL**	**AL**	**PHG**	**Typical Sources of Contaminant**
Lead (Pb) (ppb)	5 (2011)	1.15	0	15	0.2	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers, erosion of natural deposits
Copper (ppm)	5 (2011)	1.081	1	1.3	.17	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives

TABLE 3 - SAMPLING RESULTS FOR SODIUM AND HARDNESS						
Chemical or Constituent (and reporting units)	**Sample Date**	**Level Detected**	**Range of Detections**	**MCL (MRDL)**	**PHG (MCLG)**	**Typical Sources of Contaminant**
Sodium (ppm)	2010	72	72 - 72	none	none	Salt present in the water and is generally naturally occurring
Hardness (ppm)	2010	500	500 - 500	none	none	Sum of polyvalent cations present in the water, generally magnesium and calcium, and are usually naturally occurring

TABLE 4 - DETECTION OF CONTAMINANTS WITH A PRIMARY DRINKING WATER STANDARD						
Chemical or Constituent (and reporting units)	**Sample Date**	**Level Detected**	**Range of Detections**	**MCL (MRDL)**	**PHG (MCLG) [MRDLG]**	**Typical Sources of Contaminant**
Barium (Ba) ppm	2011	0.03	0.03 - 0.03	1	2	Discharge from oil drilling wastes and from metal refineries; erosion of natural deposits
Nitrate (NO3) ppm	2011	8.2	4 - 13	45	45	Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits
Nitrate + Nitrite as N ppm	2010	1.55	0.7 - 2.4	10	10	Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits
Selenium (Se) ppb	2011	6.0	6 - 6	50	30	Discharge from petroleum, glass, and metal refineries; erosion of natural deposits; discharge from mines and chemical manufacturers; runoff from livestock lots(feed additive)
Total Radium 228 pCi/L	2008	0.23	ND - 0.7	5	n/a	Erosion of natural deposits

TABLE 5 - DETECTION OF CONTAMINANTS WITH A SECONDARY DRINKING WATER STANDARD						
Chemical or Constituent (and reporting units)	**Sample Date**	**Level Detected**	**Range of Detections**	**MCL (MRDL)**	**PHG (MCLG)**	**Typical Sources of Contaminant**
Chloride ppm	2010	51	38 - 64	500	n/a	Runoff/leaching from natural deposits; seawater influence
Color (Unfiltered) Units	2011	6	6 - 6	15	n/a	Naturally-occurring organic materials
Specific Conductance umhos/cm	2010	1240	1240 - 1240	1600	n/a	Substances that form ions when in water; seawater influence
Sulfate (SO4) ppm	2010	360	360 - 360	500	n/a	Runoff/leaching from natural deposits; industrial wastes
TDS ppm	2010	860	860 - 860	1000	n/a	Runoff/leaching from natural deposits

TABLE 6 - DETECTION OF UNREGULATED CONTAMINANTS					
Chemical or Constituent (and reporting units)	**Sample** Date	**Level Detected**	**Range of Detections**	**Notification Level**	**Health Effects Language**
Boron ppm	2010	1	1 - 1 (2010)	1	The babies of some pregnant women who drink water containing boron in excess of the notification level may have an increased risk of developmental effects, based on studies in laboratory animals.

Additional General Information on Drinking Water

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA`s Safe Drinking Water Hotline (800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care provider. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791)

For Lead (Pb), If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. *FILLMORE IRRIGATION CO* is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Summary Information for Contaminants Exceeding an MCL, MRDL, or AL, or a violation of Any Treatment Technique or Monitoring and Reporting Requirement

About our Total Coliform Bacteria: Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other, potentially-harmful, bacteria may be present. Coliforms were found in more samples than allowed and this was a warning of potential problems.

2011Consumer Confidence Report

Drinking Water Source Assessment Information

Assessment Info
A source water assessment was conducted for the WELL 02 of the FILLMORE IRRIGATION CO water system in March, 2001, as well as for the WELL 03 of the FILLMORE IRRIGATION CO water system in June, 2002.

Well 02 - is considered most vulnerable to the following activities not associated with any detected contaminants:
Chemical/petroleum processing/storage

Well 03 - is considered most vulnerable to the following activities not associated with any detected contaminants:
Crops, irrigated [Berries, hops, mint, orchards, sod, greenhouses,

Discussion of Vulnerability
Well 02 - No discussion.

Well 03 - There have been no contaminants detected in the water supply, however the source is still considered vulnerable to activities located near the drinking water source.

Acquiring Info
A copy of the complete assessment may be viewed at:
DHS Drinking Water Field Operations Branch
1180 Eugenia Place Suite 200
Carpinteria, CA 93013

You may request a summary of the assessment be sent to you by contacting:
Jeff Densmore
Sanitary Engineer
805 566 1326
805 745 8196 (fax)

FILLMORE IRRIGATION CO
Analytical Results By FGL - 2011

MICROBIOLOGICAL CONTAMINANTS								
		Units	MCLG	CA-MCL	PHG	Sampled	Result	Avg. Result(a)	Range (b)
Total Coliform Bacteria			0	5%				50.0 %	1 - 2
1416GrndAvn-(Sp	SP 1112840-001					12/14/2011	Absent		
WELL#02	SP 1111879-001					11/16/2011	<1.0		
WELL#03	SP 1111879-002					11/16/2011	<1.0		
1416GrndAvn-(Sp	SP 1111880-001					11/16/2011	Absent		
1416GrndAvn-(Sp	SP 1110604-001					10/14/2011	Absent		
1416GrndAvn-(Sp	SP 1109337-001					09/14/2011	Absent		
WELL#02	SP 1108099-001					08/10/2011	<1.0		
WELL#03	SP 1108099-002					08/10/2011	<1.0		
1416GrndAvn-(Sp	SP 1108101-001					08/10/2011	Absent		
1416GrndAvn-(Sp	SP 1107065-001					07/15/2011	Absent		
1416GrndAvn-(Sp	SP 1105908-001					06/15/2011	Absent		
1416GrndAvn-(Sp	SP 1104726-001					05/13/2011	Absent		
WELL#02	SP 1104727-001					05/13/2011	<1.0		
WELL#03	SP 1104727-002					05/13/2011	<1.0		
1416GrndAvn-(Sp	SP 1103853-001					04/19/2011	Absent		
WELL#03	SP 1103136-001					03/29/2011	<1.0		
1416GrndAvn-(Sp	SP 1102634-001					03/15/2011	Absent		
WELL#03	SP 1101864-001					02/23/2011	13.7		
1416GrndAvn-(Sp	SP 1101791-001					02/22/2011	Absent		
WELL#03	SP 1101792-001					02/22/2011	40.6		
WELL#02	SP 1101792-002					02/22/2011	<1.0		
1416GrndAvn-(Sp	SP 1100542-001					01/18/2011	Absent		

LEAD AND COPPER RULE									
		Units	MCLG	CA-MCL	PHG	Sampled	Result	90th Percentile	# Samples
Lead (Pb)		ppb	0	15	0.2			1.15	5
822 N. Oak Ave.	SP 1106111-001	ppb				06/21/2011	0.700		
1413 Grand Ave.	SP 1106111-002	ppb				06/21/2011	1.30		
1172 N. Oak Ave	SP 1106111-003	ppb				06/21/2011	1.00		
1159 Cliff Ave.	SP 1106111-004	ppb				06/21/2011	0.500		
966 W. Bridge S	SP 1106111-005	ppb				06/21/2011	0.200		
WELL#03	SP 1105909-001	ppb				06/15/2011	1.20		
Copper		ppm		1.3	.17			1.081	5
822 N. Oak Ave.	SP 1106111-001	ppm				06/21/2011	0.167		
1413 Grand Ave.	SP 1106111-002	ppm				06/21/2011	1.84		
1172 N. Oak Ave	SP 1106111-003	ppm				06/21/2011	0.0680		
1159 Cliff Ave.	SP 1106111-004	ppm				06/21/2011	0.322		
966 W. Bridge S	SP 1106111-005	ppm				06/21/2011	0.00400		

SAMPLING RESULTS FOR SODIUM AND HARDNESS									
		Units	MCLG	CA-MCL	PHG	Sampled	Result	Avg. Result(a)	Range (b)
Sodium		ppm		none	none			72	72 - 72
WELL#03	SP 1006550-001	ppm				07/07/2010	72.0		
Hardness		ppm		none	none			500	500 - 500
WELL#03	SP 1006550-001	ppm				07/07/2010	500		

PRIMARY DRINKING WATER STANDARDS (PDWS)									
		Units	MCLG	CA-MCL	PHG	Sampled	Result	Avg. Result(a)	Range (b)
Barium (Ba)		ppm	2	1	2			0.03	0.03 - 0.03
WELL#03	SP 1105909-001	ppm				06/15/2011	0.0254		
Nitrate (NO3)		ppm		45	45			8.2	4 - 13
WELL#03	SP 1107116-001	ppm				07/18/2011	12.9		
WELL#02	SP 1102632-001	ppm				03/15/2011	3.60		
Nitrate + Nitrite as N		ppm		10	10			1.55	0.7 - 2.4

FILLMORE IRRIGATION CO
Analytical Results By FGL - 2011

PRIMARY DRINKING WATER STANDARDS (PDWS)									
		Units	MCLG	CA-MCL	PHG	Sampled	Result	Avg. Result(a)	Range (b)
Nitrate + Nitrite as N									
Well #2	SP 1006995-001	ppm				07/16/2010	0.700		
WELL#03	SP 1006550-001	ppm				07/07/2010	2.40		
Selenium (Se)		ppb	50	50	30			6.0	6 - 6
WELL#03	SP 1105909-001	ppb				06/15/2011	6.00		
Total Radium 228		pCi/L		5				0.23	0.0 - 0.7
WELL#02	SP 0813744-001	pCi/L				12/17/2008	0.000		
WELL#03	SP 0813744-002	pCi/L				12/17/2008	0.664		
WELL#02	SP 0809185-001	pCi/L				08/22/2008	0.372		
WELL#03	SP 0809185-002	pCi/L				08/22/2008	0.000		
Well 02	SP 0805387-001	pCi/L				05/20/2008	0.322		
Well 02	SP 0805387-001	pCi/L				05/20/2008	0.322		
Well 03	SP 0805387-002	pCi/L				05/20/2008	0.000		
Well 03	SP 0805387-002	pCi/L				05/20/2008	0.000		

SECONDARY DRINKING WATER STANDARDS (SDWS)									
		Units	MCLG	CA-MCL	PHG	Sampled	Result	Avg. Result(a)	Range (b)
Chloride		ppm		500				51	38 - 64
Well #2	SP 1006995-001	ppm				07/16/2010	38.0		
WELL#03	SP 1006550-001	ppm				07/07/2010	64.0		
Color (Unfiltered)		Units		15				6	6 - 6
WELL#03	SP 1105909-001	Units				06/15/2011	6.00		
Specific Conductance		umhos/cm		1600				1240	1240 - 1240
WELL#03	SP 1006550-001	umhos/cm				07/07/2010	1240		
Sulfate (SO4)		ppm		500				360	360 - 360
WELL#03	SP 1006550-001	ppm				07/07/2010	360		
TDS		ppm		1000				860	860 - 860
WELL#03	SP 1006550-001	ppm				07/07/2010	860		

UNREGULATED CONTAMINANTS									
		Units	MCLG	CA-MCL	PHG	Sampled	Result	Avg. Result(a)	Range (b)
Boron		ppm		NS				1	1 - 1
WELL#03	SP 1006550-001	ppm				07/07/2010	1.10		

FILLMORE IRRIGATION CO
CCR Login Linkage - 2011

FGL CODE	DATE SAMPLED	LAB ID	METHOD	DESCRIPTION	PROPERTY
1159 Cliff Ave.	06/25/2008	SP 0806945-004	Metals, Total	1159 Cliff Ave.	Copper & Lead Monitoring
	06/21/2011	SP 1106111-004	Metals, Total	1159 Cliff Ave.	Copper & Lead Monitoring
1172 N. Oak Ave	06/25/2008	SP 0806945-003	Metals, Total	1172 N. Oak Ave.	Copper & Lead Monitoring
	06/21/2011	SP 1106111-003	Metals, Total	1172 N. Oak Ave.	Copper & Lead Monitoring
1413 Grand Ave.	06/25/2008	SP 0806945-002	Metals, Total	1413 Grand Ave.	Copper & Lead Monitoring
	06/21/2011	SP 1106111-002	Metals, Total	1413 Grand Ave.	Copper & Lead Monitoring
1416GrndAvn-(Sp	01/18/2011	SP 1100542-001	Coliform	1416 Grand Avenue (Spigot)	Drinking Water Monitoring
	02/22/2011	SP 1101791-001	Coliform	1416 Grand Avenue (Spigot)	Drinking Water Monitoring
	03/15/2011	SP 1102634-001	Coliform	1416 Grand Avenue (Spigot)	Drinking Water Monitoring
	04/19/2011	SP 1103853-001	Coliform	1416 Grand Avenue (Spigot)	Drinking Water Monitoring
	05/13/2011	SP 1104726-001	Coliform	1416 Grand Avenue (Spigot)	Drinking Water Monitoring
	06/15/2011	SP 1105908-001	Coliform	1416 Grand Avenue (Spigot)	Drinking Water Monitoring
	07/15/2011	SP 1107065-001	Coliform	1416 Grand Avenue (Spigot)	Drinking Water Monitoring
	08/10/2011	SP 1108101-001	Coliform	1416 Grand Avenue (Spigot)	Drinking Water Monitoring
	09/14/2011	SP 1109337-001	Coliform	1416 Grand Avenue (Spigot)	Drinking Water Monitoring
	10/14/2011	SP 1110604-001	Coliform	1416 Grand Avenue (Spigot)	Drinking Water Monitoring
	11/16/2011	SP 1111880-001	Coliform	1416 Grand Avenue (Spigot)	Drinking Water Monitoring
	12/14/2011	SP 1112840-001	Coliform	1416 Grand Avenue (Spigot)	Drinking Water Monitoring
2767 Grand Aven	08/12/2008	SP 0808742-001	EPA 551.1	2767 Grand Avenue	Stage 1 DBP Monitoring
	08/12/2008	SP 0808742-001	EPA 552.2	2767 Grand Avenue	Stage 1 DBP Monitoring
2767GrndAvn	08/12/2009	SP 0908011-001	EPA 551.1	2767 Grand Avenue	Stage 1 DBP Monitoring
	08/12/2009	SP 0908011-001	EPA 552.2	2767 Grand Avenue	Stage 1 DBP Monitoring
822 N. Oak Ave.	06/25/2008	SP 0806945-001	Metals, Total	822 N. Oak Ave.	Copper & Lead Monitoring
	06/21/2011	SP 1106111-001	Metals, Total	822 N. Oak Ave.	Copper & Lead Monitoring
966 W. Bridge S	06/25/2008	SP 0806945-005	Metals, Total	966 W. Bridge St.	Copper & Lead Monitoring
	06/21/2011	SP 1106111-005	Metals, Total	966 W. Bridge St.	Copper & Lead Monitoring
Well #2	07/16/2010	SP 1006995-001	Metals, Total	Well #2	Well 2 Aquifer Test
	07/16/2010	SP 1006995-001	TOC	Well #2	Well 2 Aquifer Test
	07/16/2010	SP 1006995-001	Wet Chemistry	Well #2	Well 2 Aquifer Test
Well 02	03/28/2008	SP 0803342-001	Wet Chemistry	Well 02	Perchlorate Monitoring
	03/28/2008	SP 0803344-001	EPA 524.2	Well 02	Well 02 Water Monitoring
	03/28/2008	SP 0803344-001	EPA 524.2	Well 02	Well 02 Water Monitoring
	03/28/2008	SP 0803344-001	Wet Chemistry	Well 02	Well 02 Water Monitoring
	03/28/2008	SP 0803344-001	Wet Chemistry	Well 02	Well 02 Water Monitoring
	05/20/2008	SP 0805387-001	Radio Chemistry	Well 02	Ra 228 Monitoring
Well 03	03/28/2008	SP 0803342-002	Wet Chemistry	Well 03	Perchlorate Monitoring
	03/28/2008	SP 0803346-001	EPA 524.2	Well 03	Well 03 Water Monitoring
	03/28/2008	SP 0803346-001	EPA 524.2	Well 03	Well 03 Water Monitoring
	05/20/2008	SP 0805387-002	Radio Chemistry	Well 03	Ra 228 Monitoring
	06/25/2008	SP 0806946-001	Metals, Total	Well 03	Well 03 Water Monitoring
	06/25/2008	SP 0806946-001	Wet Chemistry	Well 03	Well 03 Water Monitoring
	07/09/2008	SP 0807452-001	Wet Chemistry	Well 03	Well 03 Water Monitoring
	08/12/2008	SP 0808743-001	Wet Chemistry	Well 03	Perchlorate Monitoring
WELL#02	08/22/2008	SP 0809185-001	Radio Chemistry	Well 02	Ra 228 Monitoring
	08/22/2008	SP 0809186-001	Wet Chemistry	Well 02	FILLMORE IRRIGATION CO
	12/17/2008	SP 0813744-001	Radio Chemistry	Well 02	Ra 228 Monitoring
	03/12/2009	SP 0902464-001	General Mineral	Well 02	Well 02 Water Monitoring
	03/12/2009	SP 0902464-001	Metals, Total	Well 02	Well 02 Water Monitoring
	03/12/2009	SP 0902464-001	Wet Chemistry	Well 02	Well 02 Water Monitoring
	03/10/2010	SP 1002330-001	Wet Chemistry	Well 02	Well 02 Water Monitoring
	02/22/2011	SP 1101792-002	Coliform	Well 02	Quarterly Bacti
	03/15/2011	SP 1102632-001	EPA 507	Well 02	Well 02 Water Monitoring
	03/15/2011	SP 1102632-001	Wet Chemistry	Well 02	Well 02 Water Monitoring
	05/13/2011	SP 1104727-001	Coliform	Well 02	Source Bacteriological
	08/10/2011	SP 1108099-001	Coliform	Well 02	Source Bacteriological
	08/10/2011	SP 1108103-001	Wet Chemistry	Well 02	Perchlorate Monitoring
	11/16/2011	SP 1111879-001	Coliform	Well 02	Source Bacteriological
WELL#03	08/22/2008	SP 0809185-002	Radio Chemistry	Well 03	Ra 228 Monitoring
	12/17/2008	SP 0813744-002	Radio Chemistry	Well 03	Ra 228 Monitoring

FILLMORE IRRIGATION CO
CCR Login Linkage - 2011

FGL CODE	DATE SAMPLED	LAB ID	METHOD	DESCRIPTION	PROPERTY
WELL#03	07/20/2009	SP 0907195-001	Wet Chemistry	Well 03	Well 03 Water Monitoring
	07/07/2010	SP 1006550-001	General Mineral	Well 03	Well 03 Water Monitoring
	02/22/2011	SP 1101792-001	Coliform	Well 03	Quarterly Bacti
	02/23/2011	SP 1101864-001	Coliform	Well 03	Well #3 Qtrly Bacti (Resample)
	03/29/2011	SP 1103136-001	Coliform	Well 03	Well #3 Qtrly Bacti (Resample)
	05/13/2011	SP 1104727-002	Coliform	Well 03	Source Bacteriological
	06/15/2011	SP 1105909-001	EPA 507	Well 03	Well 03 Water Monitoring
	06/15/2011	SP 1105909-001	Metals, Total	Well 03	Well 03 Water Monitoring
	06/15/2011	SP 1105909-001	Wet Chemistry	Well 03	Well 03 Water Monitoring
	07/18/2011	SP 1107116-001	Wet Chemistry	Well 03	Well 03 Water Monitoring
	08/10/2011	SP 1108099-002	Coliform	Well 03	Source Bacteriological
	08/10/2011	SP 1108103-002	Wet Chemistry	Well 03	Perchlorate Monitoring
	11/16/2011	SP 1111879-002	Coliform	Well 03	Source Bacteriological