## Compton/Willowbrook 2012/2013

# Consumer Confidence Report and Annual Water Quality Report



#### Where Your Water Comes From


In 2012, the Park Compton/Willowbrook system obtained 100% of its source water from the Metropolitan Water District of Southern California (MWD). The MWD imports water from the Colorado River Aqueduct and from the Sacramento-San Joaquin Delta by way of the State Water Project.

#### About the Metropolitan Water District of Southern California

MWD is a consortium of 26 cities and water districts that provides drinking water to nearly 18 million people in parts of Los Angeles, Orange, San Diego, Riverside, San Bernardino and Ventura counties. MWD currently delivers an average of 1.7 billion gallons of water per day to a 5,200-square-mile service area. The mission of the MWD is to provide its service area with adequate and reliable supplies of high-quality water to meet present and future needs in an environmentally and economically responsible way. MWD continues to add storage, and conservation resources to its already diverse water supply portfolio to insure a reliable water supply well into the future. Further, MWD continues to invest in water quality improvements, including the addition of ozone as a treatment process and the expansion of its treatment capacity that will provide excellent water quality. For more information about MWD, visit their website at www.mwdh2o.com

#### Two Sources of Imported Water Makes a Difference in the Hardness of Your Water

With the decreased availability of State Water Project water to blend with Colorado River water, water supplied to the Park Compton/Willowbrook system by MWD has increased in hardness as Colorado River water now dominates as the source. The Park Compton/Willowbrook system now receives the majority of its water from the MWD Diemer filtration plant in Yorba Linda. In 2012, the Diemer plant source water consisted of 43% State Project water (range from 9 to 98%) and 57% Colorado River water, as opposed to 100% State Project water in recent years. This is why the water quality shown on the back side of this report shows increases from previous years in sulfate, alkalinity, calcium and magnesium salts, all of which comprise the hardness in water.



# What USEPA Says About the Kinds of Contaminants That Might Be Found In Drinking Water

As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. In order to ensure that tap water is safe to drink, the United States Environmental Protection Agency (USEPA) and the California Department of Public Health (CDPH) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The federal Food and Drug Administration (FDA) and CDPH regulations also establish limits for contaminants in bottled water, which must provide the same protection for public health.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, that can be naturally occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.

- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals that are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- Radioactive contaminants, that can be naturally occurring or be the result of oil and gas productions and mining activities.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. The tables in this report indicate which minerals and substances have been detected in the water provided by Park. More information about contaminants and potential health effects can be obtained by calling the USEPA Safe Drinking Water Hotline at 1-800-426-4791. You can also go to the following websites for more information:

USEPA - <u>www.epa.gov/safewater</u>
California Department of Public Health www.cdph.ca.gov/certlic/drinkingwater/Pages/default.aspx

#### What are Drinking Water Standards?

Drinking water standards are regulations that the USEPA sets to control the level of contaminants in the nation's drinking water. USEPA, the CDPH and the California Public Utilities Commission (CPUC) are the agencies responsible for establishing drinking water quality standards in California. These standards are part of the Safe Drinking Water Act's "multiple barrier" approach to drinking water protection, which includes assessing and protecting drinking water sources; protecting wells and surface water; making sure water is treated by qualified operators; ensuring the integrity of distribution systems; and making information available to the public on the quality of their drinking water. With the involvement of USEPA, CDPH and the CPUC, drinking water utilities, communities and citizens, these multiple barriers ensure that tap water is safe to drink. The water delivered to your home meets standards required by USEPA, CDPH and CPUC. To recover the growing cost of meeting and maintaining USEPA, CDPH and CPUC standards, Park submits a General Rate Case to the CPUC every three years. The CPUC is responsible for establishing water rates for Park

If you would like more information about water quality, or to find out about upcoming opportunities to participate in public meetings, please call Bert Mason at 562-299-5117.

This report describes those contaminants that have been detected in the analysis of almost 200 different potential contaminants, nearly 100 of which are regulated by USEPA and CDPH. Park is proud to tell you that there have been no contaminants detected that exceed any federal or state drinking water standards. Hundreds of samples every month and thousands every year by Park and MWD laboratories assure that all primary (health related) and secondary (aesthetic) drinking water standards are being met. See the tables on the following page to see how your water quality rates.

This report is intended to provide information for all water users. If received by an absentee landlord, a business, or a school, please share the information with tenants, employees or students. We will be happy to make additional copies of this report available. Complete records of water quality analyses are open for inspection by the public upon request. You may also access this report on the Park web page at <a href="https://www.parkwater.com">www.parkwater.com</a>.

Este informe contiene informacion muy importante sobre su agua potable. Traduzcalo o hable con alguien que lo entienda bien.

This information is important. Please have someone translate it for you.

Esta información es importante. Por favor pidale a alguien que se la traduzca.

> 这一信息非常重要。 请别人为您翻译一下。

Mahalaga ang impormasyong ito. Mangyaring ipasalin ito.

ਇਹ ਸੂਚਨਾ ਮਹਤੱਵਪੂਰਣ ਹੈ। ਕ੍ਰਿਪਾ ਕਰਕੇ ਕਿਸੀ ਤੋਂ ਇਸ ਦਾ ਅਨੁਵਾਦ ਕਰਾਉ।

Chi tiết này thật quan trọng. Xin nhờ người dịch cho quý vị. 這個資訊非常之重要。 請他人為您翻譯一下。

यह मूचना महत्वपूर्ण है । कृपा करके किसी से :सका अनुवाद करायें ।

> この情報は重要です。 翻訳を依頼してください。

이 안내는 매우 중요합니다. 본인을 위해 번역인을 사용하십시요.

هذه المعلومات هامة الرجاء أن تجعل أحد الأشخاص يساعدك في ترجمتها.

#### **Source Water Assessment Available**

The 1996 Safe Drinking Water Act amendments required states to perform an assessment of potentially contaminating activities near drinking water sources of all water utilities. In California, CDPH designated this to the utilities themselves. Park completed the Source Water Assessment in April of 2003. Park's wells are considered most vulnerable to the following activities associated with contaminants detected in the water supply: landfills and dumps, irrigated crops, and sewer collection systems. In addition, Park's well sources are considered most vulnerable to these additional activities: gas stations, dry cleaners, metal plating/finishing/fabricating shops, military installations, chemical/petroleum processing and storage facilities, and leaking underground storage tanks.

A copy of the complete assessment is available at Park Water Company and at the CDPH Glendale office. You may request a summary of the assessment by contacting Jeanne-Marie Bruno of Park Water Company at 562-299-5123 or by calling Ms. Lei Li, CDPH district engineer at 818-551-2024.

MWD completed its assessment in December of 2002. Its sources, including the Colorado River and the Sacramento-San Joaquin Delta, are considered most vulnerable to treated wastewater and recreation. Recreation may contribute sources of methyl-tert-butyl-ether (MTBE) and other fueling compounds, sediment, viruses, pathogens, and bacteria. Treated wastewater may contribute sources of nutrients, metals, and pathogens. A copy of the assessment is available to the general public upon request by calling CDPH at the above listed phone number.

#### **Issues to Know About**

Lead and Copper Although Park has not found lead or copper to be an issue in our water systems, the following information is required by California CDPH. If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Park is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <a href="https://www.epa.gov/safewater/lead">www.epa.gov/safewater/lead</a>.

#### Sensitive Populations May be More Vulnerable

Some people may be more vulnerable to contaminants in drinking water than the general population. Persons with compromised immune systems such as those with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care provider. The USEPA and the national Centers for Disease Control (CDC) have guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants. These are available by calling the Safe Drinking Water Hotline at 1-800-426-4791.

# WATER RESULTS Park Water Company–Compton/Willowbrook System 2012/2013 Consumer Confidence Report

Water Quality Parameters Detected in Park Water Company Sources (MWD and Wells)

| PRIMARY STANDARDS —Mandatory (health related)                                   | State<br>MCL                   | PHG or<br>(MCLG) | Units<br>of<br>Measurement | MWD Range<br>(including<br>highest value) | Average<br>for<br>MWD           | PWC Range<br>(including<br>highest value) | Average for PWC Wells (a)                  | ( b ) PWC<br>Date of Last<br>Measurement | Potential Sources of Contamination  |
|---|--------------------------------|------------------|----------------------------|---|---------------------------------|---|--|--|---|
| INORGANIC CHEMICALS   | MCL                            | (INICEG)         | Measurement                | ilighest value)                           | MIND                            | mgnest value)                             | Wells ( a )                                | Measurement                              | or contamination  |
| Aluminum  | 1                              | 0.6              | ppb                        | <50 - 340                                 | 150                             |   |  | 2012                                     | Erosion of natural deposits; residue from some<br>surface water treatment processes                         |
|   | 0.3 at least<br>5% of the time | none             | NTU                        | highest<br>= 0.04                         | 100%                            | -   |  | continuous                               | Soil runoff   |
| Fluoride (naturally occurring)  | 2                              | 1                | ppm                        | 0.1 - 0.3                                 | 0.2                             |   |  | 2012                                     | Erosion of natural deposits; discharge from fertilizer and aluminum factories                               |
| Fluoride (treatment added) (d)  | 0.7 - 1.3<br>range *           | 1                | ppm                        | 0.7 - 0.8                                 | 0.8                             |   |  | 2012                                     | Water addictive that promotes strong teeth  |
| Nitrate (as NO3)  | 45                             | 45               | ppm                        | <0.4 - 0.4                                | ND                              |   | Well<br>Used                               | 2012                                     | Erosion of natural deposits; runoff and leaching from fertilizer use; leaching from septic tanks and sewers |
| ORGANIC CHEMICALS   |                                |                  |                            |   |                                 |   |  |  |   |
| Haloacetic Acids (HAA5)   | 60                             | none             | ppb                        | 11 - 19                                   | 16                              |   |  | 2012                                     | By-product of drinking water disinfection   |
| Total Trihalomethanes (TTHM's)  | 80                             | none             | ppb                        | 40 - 50                                   | 45                              | =   | =  | 2012                                     | By-product of drinking water disinfection   |
| RADIONUCLIDES   |                                |                  |                            |   |                                 |   |  |  |   |
| Gross Alpha   | 15                             | (0)              | pCi/L                      | <3 - 3                                    | 3                               |   |  | 2012                                     | Erosion of natural deposits   |
| Gross Beta  | 50                             | (0)              | pCi/L                      | <4 - 4                                    | ND                              |   |  | 2012                                     | Decay of natural and man-made deposits  |
| Uranium   | 20                             | 0.43             | pCi/L                      | 2   | 2                               |   |  | 2012                                     | Erosion of natural deposits   |
| LEAD AND COPPER RULE<br>MONITORING  | Federal<br>Action<br>Level     | PHG              | Units<br>of<br>Measurement | Number of<br>of Samples<br>Taken          | # of Samples<br>Exceeding<br>AL | PWC Range<br>(including<br>highest value) | Amount Detected<br>at 90th<br>Percentile** | (b) PWC<br>Date of Last<br>Measurement   | Potential Sources<br>of Contamination   |
| Copper **   | 1.3                            | 0.3              | ppm                        | 31  | 0                               | <0.050 - 0.076                            | ND   | 2010                                     | Internal corrosion of household plumbing  |
| Lead **   | 1.5                            | 0.3              | ppb                        | 31  | 0                               | <3  | ND   | 2010                                     | Internal corrosion of household plumbing  |
| Lead  | 15                             | 0.2              | рро                        |   |                                 |   | RED IN THE DISTR                           |  | internal corresion of neuscrioid planishing   |
|   |                                |                  | Units                      | MWD Range                                 | Average                         | PWC Range                                 |  | (b)PWC                                   |   |
| DISTRIBUTION SYSTEM   | State<br>MCL                   | PHG or<br>(MCLG) | of<br>Measurement          | (including<br>highest value)              | for<br>MWD                      | (including<br>highest value)              | Average for<br>PWC                         | Date of Last<br>Measurement              | Potential Sources of Contamination  |
| Chlorine residual ( e )   | MRDL = 4                       | MRDLG = 4        | ppm                        | 1.5 - 2.8                                 | 2.3                             | 0.26 - 2.2                                | 1.96                                       | weekly                                   | Added for disinfection purposes   |
| Chlorate  | NL = 800                       | none             | ppb                        | <20 - 80                                  | 55                              | NA  | NA   | quarterly                                | By-product of drinking water disinfection   |
| Color   | 15 #                           | none             | units                      | NA  | NA                              | <1 - 2                                    | <1   | monthly                                  | Naturally occurring organic materials   |
|   | 5% positive                    | (0)              | % positive                 | 0 - 0.5%                                  | 0.1%                            | 0 - 1.9%                                  | 0.1%                                       | weekly                                   | Naturally present in the environment  |
| Fluoride (treatment added) (d)  | 0.7 - 1.3<br>range *           | 1                | ppm                        | 0.7 - 0.8                                 | 0.8                             | 0.7 - 1.2                                 | 0.9  | daily                                    | Water additive for dental health  |
| Heterotrophic Plate Count Bacteria (HPC)  |                                | none             | CFU / ml                   | Π   | TT                              | <1 - 120                                  | 2  | weekly                                   | Naturally present in the environment  |
| Total Trihalomethanes (TTHM's) ##   | 80                             | none             | ppb                        | 8 - 70                                    | 35                              | 11 - 52                                   | 33   | quarterly                                | By-product of drinking water disinfection   |
| Haloacetic acids (HAA5) ##  | 60                             | none             | ppb                        | <1 - 23                                   | 16                              | 3 - 16                                    | 10   | quarterly                                | By-product of drinking water disinfection   |
| N-Nitrosodimethylamine (NDMA)   | NS                             | 3                | ppt                        | <1 - 6.7                                  | ND                              | NA  | NA   | quarterly                                | By-product of drinking water disinfection   |
| SECONDARY STANDARDS Aesthetic Standards (non-health related CHEMICAL PARAMETERS | i) State<br>MCL                | PHG or<br>(MCLG) | Units<br>of<br>Measurement | MWD Range<br>(including<br>highest value) | Average<br>for<br>MWD           | PWC Range<br>(including<br>highest value) | Average for<br>PWC<br>Wells ( a )          | ( b ) PWC<br>Date of Last<br>Measurement | Potential Sources of Contamination  |
| Aluminum  | 200                            | 600              | ppb                        | <50 - 340                                 | 150                             | iligilest value)                          | weils ( a )                                | 2012                                     | Erosion of natural deposits; residue from some  |
| Chloride  | 500                            | none             | ppm                        | 87 - 93                                   | 90                              | -   |  | 2012                                     | surface water treatment processes Runoff / leaching from natural deposits; seawater                         |
|   |                                |                  |                            |   |                                 |   |  |  | influence   |
| Odor Threshold  | 3                              | none             | units                      | 2   | 2                               |   | Well-                                      | 2012                                     | Naturally occurring organic materials   |
| Specific Conductance  | 1,600                          | none             | micromho/cm                | 340 - 930                                 | 780                             | Wate                                      | Used                                       | 2012                                     | Substances that form ions when in water; seawater influence   |
| Sulfate   | 500                            | none             | ppm                        | 160                                       | 160                             | -   |  | 2012                                     | Runoff / leaching from natural deposits; industrial wastes  |
| Total Dissolved Solids (TDS)  | 1,000                          | none             | ppm                        | 490 - 500                                 | 470                             |   |  | 2012                                     | Runoff / leaching from natural deposits   |
| ADDITIONAL PARAMETERS -Unregulated  |                                | DE               | TECTED UNREGL              | JLATED CHEMICALS                          | S THAT MAY BE                   | OF INTEREST TO                            | CONSUMERS                                  |  |   |
| Aggressiveness Index ( f )  | NS                             | none             | units                      | 12.2                                      | 12.2                            | -   | -  | 2012                                     |   |
| Alkalinity (as Ca CO3)  | NS                             | none             | ppm                        | 53 - 120                                  | 98                              |   |  | 2012                                     |   |
| Boron   | NS                             | none             | ppb                        | 130                                       | 130                             | =   |  | 2012                                     |   |
| Calcium   | NS                             | none             | ppm                        | 49 - 53                                   | 51                              | -   |  | 2012                                     |   |
| Chlorate  | NL = 800                       | none             | ppb                        | 55  | 55                              | -   |  | 2012                                     |   |
| Corrosivity (Langlier Index) ( g )  | NS                             | none             | positive /<br>negative     | (+0.35) - (+0.38)                         | +0.36                           |   | Well<br>Used                               | 2012                                     |   |
| Hardness (as Ca CO3)  | NS                             | none             | ppm                        | 84 - 270                                  | 210                             | Matci                                     |  | 2012                                     |   |
| Hardness (grains)   | NS                             | none             | grains                     | 4.9 - 15.8                                | 12.3                            | -   | -  | 2012                                     |   |
| Magnesium   | NS                             | none             | ppm                        | 21  | 21                              | -   |  | 2012                                     |   |
| рН  | NS                             | none             | units                      | 7.9 - 8.4                                 | 8.1                             |   |  | 2012                                     |   |
| Potassium   | NS                             | none             | ppm                        | 4   | 4                               | =   |  | 2012                                     |   |
| Sodium  | NS                             | none             | ppm                        | 80 - 81                                   | 80                              | -   |  | 2012                                     |   |
| Total Organic Carbon (TOC)  | TT                             | none             | ppm                        | 2 - 2.7                                   | 2.4                             |   |  | 2012                                     |   |

### **Key To Abbreviations and Footnotes**

MCL= Maximum Contaminant Level, a drinking water standard

AL= Action Level
ND= Not Detected

NL= Notification Level, the level at which notification of the public water system governing body is required (formerly called Action Level)

NS= No Standard

NA= Not Applicable at this time or not required to analyze for

CFU/ml= Colony Forming Units per milliter

NTU= Nephelometric Turbidity Units. This is a measure of the suspended material in water.

TT = Treatment Technique

ess than (essentially equivalent to ND)
ppm=
ppts per million or milligrams per liter
ppt=
ppts per billion or micrograms per liter
ppt=
ppts per trillion or nanograms per liter

pCi/L= picoCuries per liter

#= CDPH considers 50pCi/L to be the level of concern for beta particles
##= Average value equal to the highest quarter measurements in 2012

\*= Optimal treated fluoride levels for dental health is 0.8 mg/l with an operating control range from 0.7 to 1.3 mg/L.

Lead and Copper are regulated as a Treatment Technique under the Lead and Copper Rule. It requires water systems to take samples at "most vulnerable" consumer taps every three years and treatment steps must be taken if more than 10% of tap samples exceed the AL.  (a)= The average is weighted according to the individual contribution in pumping by each well to the total (active wells only).

(b)= The state allows us to monitor for some contaminants less than once per year because the concentrations of these contaminants in groundwater sources do not change frequently. Some of our data, though representative, are more than one year old. MWD water is monitored more frequently.

(c)= The turbidity level of the MWD filtered water shall be less than or equal to 0.3 NTU in 95% of the measurements taken each month and shall not exceed 1.0 NTU at any time. Turbidity is a measure of the cloudiness of the water and is a good indicator of water quality and filtration performance.

(d)= Fluoridation at MWD treatment plants started the last quarter of 2007. MWD was in compliance with all provisions of the State's Fluoridation System Requirements.

(e)= Measured as Total Chlorine, the sum of the free chlorine and combined chlorine. MWD water is delivered with chloramine as the disinfectant, a combination of chlorine with ammonia. Park well water is delivered with free chlorine as the disinfectant.

(f)= An aggressiveness index of 12 or greater indicates that the water is not aggressive (non-corrosive).

(g)= A positive number Langlier Index indicates that the water is non-corrosive.

#### **Definitions**

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHG's are set by the California Environmental Protection Agency.

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCL's are set as close to the PHG's (or MCLG's) as is economically and technologically feasible. Secondary MCL's are set to protect the odor, taste, and appearance of drinking water.

#### Maximum Contaminant Level Goal (MCLG):

The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLG's are set by the U.S. Environmental Protection Agency.

#### Maximum Residual Disinfectant Level (MRDL):

The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

#### Maximum Residual Disinfectant Level Goal (MRDLG):

The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Regulatory Action Level (AL): The concentration of a contaminant that, if exceeded, triggers treatment or other requirements that a water system must follow. **Primary Drinking Water Standard:** MCL's and MRDL's for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

**Notification Level (NL):** A health-based advisory level for an unregulated contaminant.

**Treatment Technique (TT):** A required process intended to reduce the level of a contaminant in drinking water.

Secondary Drinking Water Standard: Requirements that ensure the appearance, taste and smell of drinking water are acceptable.



P.O. Box 7002 9750 Washburn Road Downey, CA 90241-7002