



125 East College Street • Covina, California 91723-2199

June 2013

Dear Water Customer:

The California Health and Safety Code Section 116470 (Title 22, Chapter 15, Article 20) requires every community water system to prepare an annual Consumer Confidence Report (CCR) and deliver the CCR to customers annually by July 1.

We are pleased to notify you that the City of Covina water supply met or surpassed all State and Federal Water Quality Standards as shown in the attached 2012 Consumer Confidence **Report.** Explanations of several of the items contained in the following pages have also been included in an effort to better educate and inform our customers about the quality of our water.

During calendar year 2012, the City of Covina supplied water to our customers from two sources: Covina Irrigating Company (CIC) and the Metropolitan Water District of Southern California (MWD). CIC's sources of water come from the Main San Gabriel Groundwater Basin and from the San Gabriel River. MWD's sources of water come from either Colorado River and Northern California. The water supply you receive at your home or business is disinfected with chlorine before it enters the underground pipes of our distribution system. This system is continually monitored and tested to ensure that water quality is maintained to your property. We have installed water-sampling stations throughout the system to maintain a high degree of accuracy in the water sample tests. Approximately 50 water quality samples are collected and analyzed for bacteriological quality and disinfectant residual each month. Chemical contaminants are tested in CIC's well water and after filtration and disinfection of their surface water supply.

In addition to supplying you with quality water, we are striving to bring water to you at the lowest possible cost. In order to do this, the City needs your help. Water conservation helps to keep costs down by reducing the amount of water that must be imported into our system at a high price. We strongly encourage you to participate in any water conservation programs or to request water conservation information from SoCal Water Smart Program by calling 1-888-376-3314 or by visiting the <u>www.bewaterwise.com</u> website.

The City of Covina Water Division remains committed to maintaining and improving your water system so that we can continue to supply you with quality water. For information on **required** conservation measures and other City water use restrictions please visit: <u>http://www.covinaca.gov/city-departments/public-works/water/water-conservation</u>.

If you have any questions regarding this report, please contact our office at (626) 384-5219 or by E-mail to phertz@covinaca.gov.

Sincerely,

Paul Hertz Public Works Superintendent

CITY OF COVINA 2012 DRINKING WATER QUALITY

PRIMARY DRINKING WATER STAN Surface Water Treatment Filter Effluent Turbidity (NTU) ^[2] TT = 95% of s0.7 NORGANIC CHEMICALS Aluminum (mg/l) Arsenic (µg/l) Starting (mg/l) Barium (mg/l) Fluoride (mg/l) Nitrate as N03 (mg/l) SECONDARY DRINKING WATER S Aluminum (µg/l)	MCL (M NDARDS = = 1 NTU = at least of samples .2 NTU - 1 - 10 0 1 - 2 - 45 -	PHG MCLG) NA 0.6 0.004 2	Most Recent Test Every 4 Hours		DWATER	SURFAC			
Surface Water Treatment Filter $TT =$ Effluent Turbidity (NTU) ^[2] $TT =$ 95% of ≤ 0.2 NORGANIC CHEMICALS Aluminum (mg/l) Aluminum (mg/l) $ST = 0.2$ Barium (mg/l) $ST = 0.2$ Fluoride (mg/l) $ST = 0.2$ Nitrate as NO3 (mg/l) $ST = 0.2$ SECONDARY DRINKING WATER S' Aluminum (µg/l) Aluminum (µg/l) 2	NDARDS = 1 NTU = at least of samples .2 NTU 1 10 1 2 45	NA 0.6 0.004	Every 4	F41		SURFACE WATER		MCL Violation?	Typical Source of Contaminant
Surface Water Treatment Filter Effluent Turbidity (NTU) ²² TT = 95% of ≤0.2 ORGANIC CHEMICALS Aluminum (mg/l) Aluminum (mg/l) T Barium (mg/l) T Fluoride (mg/l) T Nitrate as NO3 (mg/l) C Aluminum (ug/l) A	= 1 NTU = at least of samples .2 NTU 1 10 0 1 2 45	0.6		Results ^[1]	Range of Detections	Results ^[1]	Range of Detections	VIOlation	
Barlace Water Treatment Filter Effluent Turbidity (NTU) ^[2] TT = 95% of ≤0.2 DRGANIC CHEMICALS Aluminum (mg/l) Aluminum (mg/l) T Barium (mg/l) T Fluoride (mg/l) T Nitrate as NO3 (mg/l) T CONDARY DRINKING WATER S' Aluminum (µg/l) 2	at least of samples .2 NTU 1000 1 2 45	0.6							I
IORGANIC CHEMICALS Aluminum (mg/l) Arsenic (µg/l) Barium (mg/l) Fluoride (mg/l) Nitrate as NO3 (mg/l) ECONDARY DRINKING WATER S' Aluminum (µg/l) 2	1 0 0 1 2 45 5	0.004	1	NR	NR	0.17		No No	Soil runoff
Aluminum (mg/l) Arsenic (µg/l) Barium (mg/l) Fluoride (mg/l) Nitrate as NO3 (mg/l) ECONDARY DRINKING WATERS S Aluminum (µg/l) 2	10 0 1 2 45	0.004							
Arsenic (µg/l) - Barium (mg/l) - Fluoride (mg/l) - Nitrate as NO3 (mg/l) - ECONDARY DRINKING WATER S' - Aluminum (µg/l) 2	10 0 1 2 45	0.004	2012	ND	ND	0.094	0.089 - 0.098	No	Runoff/leaching from natural deposits
Barium (mg/l) Fluoride (mg/l) Nitrate as NO3 (mg/l) SECONDARY DRINKING WATER S' Aluminum (µg/l) 2	1 2 45		2012	3.2	2.2 - 4	6.6	6.6	No	Erosion of natural deposits
Fluoride (mg/l) Nitrate as NO3 (mg/l) SECONDARY DRINKING WATER S Aluminum (µg/l)	2 45		2012	<0.1	ND - 0.14	ND	ND	No	Erosion of natural deposits
Nitrate as NO3 (mg/l) ECONDARY DRINKING WATER S Aluminum (µg/l) 2	45	1	2012	0.38	0.37 - 0.39	0.39	0.36 - 0.42	No	Runoff/leaching from natural deposits
Aluminum (µg/l) 2		45	2012	16	14 - 18	ND	ND	No	Runoff/leaching from fertilizer
Aluminum (µg/l) 2	STANDARDS	 }	Į			ļ		ļ	
	-	600	2012	ND	ND	94	89 - 98	No	Runoff/leaching from natural deposits
	500	NA	2012	39	38 - 39	6.4	2.8 - 6.6	No	Runoff/leaching from natural deposits
Odor (threshold number)	3	NA	2012	1	1	1	1	No	Naturally-occurring organic materials
Sulfate (mg/l) 5	500	NA	2012	33	31 - 35	20	17 - 23	No	Runoff/leaching from natural deposits
Total Dissolved Solids (mg/l) 1,	1,000	NA	2012	310	280 - 330	220	210 - 230	No	Runoff/leaching from natural deposits
Specific Conductance (µmho/cm) 1,	1,600	NA	2012	520	510 - 520	370	350 - 390	No	Substances that form ions when in water
NREGULATED CONTAMINANTS (OF INTERES	ST	I						
		NA	2012	170	160 - 170	180	170 - 180	NA	Runoff/leaching from natural deposits
	NL = 1	NA	2012	0.12	0.12	0.067	0.064 - 0.07	NA	Erosion of natural deposits
Calcium (mg/l)	NA	NA	2012	52	50 - 54	47	43 - 50	NA	Runoff/leaching from natural deposits
Hardness as CaCO3 (mg/l)	NA	NA	2012	170	160 - 180	170	160 - 180	NA	Runoff/leaching from natural deposits
Magnesium (mg/l)	NA	NA	2012	9.5	8.9 - 10.0	12	12	NA	Runoff/leaching from natural deposits
pH (pH units)	NA	NA	2012	7.6	7.6	7.9	7.8 - 8	NA	Hydrogen ion concentration
Potassium (mg/l)	NA	NA	2012	3.6	3.4 - 3.8	3.7	3.5 - 3.8	NA	Runoff/leaching from natural deposits
Sodium (mg/l)	NA	NA	2012	37	35 - 39	12	12	NA	Runoff/leaching from natural deposits
			A treatment ter	chinique is a reqi		e harmful microo	ganisms. Low turbi		ow. ting Company's treated water is a good indicator water that are difficult and sometimes
			A treatment te		uired process int	e harmful microo ended to reduce	ganisms. Low turbi	idity in Covina Irriga minants in drinking v	ting Company's treated water is a good indicator
CONSTITUENT AND (UNITS) (MI		CLG or IRDLG)	Ave		uired process int	e harmful microo ended to reduce	ganisms. Low turbi the level ' of contar	idity in Covina Irriga minants in drinking v	ting Company's treated water is a good indicator
CONSTITUENT AND (UNITS) (MI isinfectant / Disinfection Byproducts	IRDL) (MF	CLG or IRDLG)	Ave Amo	CITY OF (rage ount	COVINA DIS Range of Detections	TRIBUTION MCL Violation?	ganisms. Low turbi the level ' of contar SYSTEM WAT Most Recent Test	idity in Covina Irriga minants in drinking v	ting Company's treated water is a good indicator water that are difficult and sometimes Typical Source of Contaminant
CONSTITUENT AND (UNITS) (MI isinfectant / Disinfection Byproducts Total Trihalomethanes (µg/I) ^[1]	80 (MF	CLG or IRDLG)	Aver Amo 3	CITY OF (rage ount	COVINA DIS Range of Detections 6 - 80	TRIBUTION MCL Violation? No	ganisms. Low turbi the level ' of contar SYSTEM WAT Most Recent Test Quarterly	idity in Covina Irriga minants in drinking v FER QUALITY Byproducts of dri	ting Company's treated water is a good indicator water that are difficult and sometimes Typical Source of Contaminant inking water chlorination
CONSTITUENT AND (UNITS) (Milling isinfectant / Disinfection Byproducts Total Trihalomethanes (µg/l) ^[1] Total Trihalomethanes (µg/l) ^[1] Haloacetic Acids (µg/l) ^[1] Total Trihalomethanes (µg/l) ^[1] Total Trihalomethanes (µg/l) ^[1]	80 60 (MF	CLG or IRDLG)	Aver Amo 3 2	CITY OF (rage ount	COVINA DIS Range of Detections 6 - 80 1.2 - 43	TRIBUTION MCL Violation? No No	ganisms. Low turbi the level ' of contar SYSTEM WAT Most Recent Test Quarterly Quarterly	idity in Covina Irriga minants in drinking v FER QUALITY Byproducts of dri Byproducts of dri	ting Company's treated water is a good indicator vater that are difficult and sometimes Typical Source of Contaminant inking water chlorination inking water disinfection
CONSTITUENT AND (UNITS) (Milling isinfectant / Disinfection Byproducts Total Trihalomethanes (µg/l) ^[1] Haloacetic Acids (µg/l) ^[1] Chlorine Residual (mg/l) ^[1]	80 60 (MF	CLG or IRDLG)	Aver Amo 3 2	CITY OF (rage ount	COVINA DIS Range of Detections 6 - 80	TRIBUTION MCL Violation? No	ganisms. Low turbi the level ' of contar SYSTEM WAT Most Recent Test Quarterly	idity in Covina Irriga minants in drinking v FER QUALITY Byproducts of dri Byproducts of dri	ting Company's treated water is a good indicator water that are difficult and sometimes Typical Source of Contaminant inking water chlorination
CONSTITUENT AND (UNITS) (Milling isinfectant / Disinfection Byproducts Total Trihalomethanes (µg/l) ^[1] Index (µg/l	80 60 (4)	CLG or IRDLG) NA NA (4)	Aver Amo 3 2	CITY OF 0 rage ount	COVINA DIS Range of Detections 6 - 80 1.2 - 43 0.05 - 1.6	TRIBUTION TRIBUTION MCL Violation? No No No	ganisms. Low turbi the level ' of contar SYSTEM WAT Most Recent Test Quarterly Quarterly Weekly	idity in Covina Irriga minants in drinking v FER QUALITY Byproducts of dri Byproducts of dri Drinking water di	ting Company's treated water is a good indicator vater that are difficult and sometimes Typical Source of Contaminant inking water chlorination inking water disinfection sinfectant added for treatment
CONSTITUENT AND (UNITS) (Milling isinfectant / Disinfection Byproducts (Milling Total Trihalomethanes (µg/l) ^[1] (Milling Haloacetic Acids (µg/l) ^[1] (Milling Chlorine Residual (mg/l) ^[1] (Milling esthetic Quality (Milling	IRDL) (MF 80 60 (4) 3	CLG or IRDLG) NA (4) NA	Aver Amo 3 2	CITY OF (rage pount 1 1	COVINA DIS Range of Detections 6 - 80 1.2 - 43 0.05 - 1.6	TRIBUTION MCL Violation? No No	ganisms. Low turbi the level ' of contar SYSTEM WAT Most Recent Test Quarterly Quarterly Weekly Monthly	idity in Covina Irriga minants in drinking v FER QUALITY Byproducts of dri Byproducts of dri Drinking water di	ting Company's treated water is a good indicator vater that are difficult and sometimes Typical Source of Contaminant inking water chlorination inking water disinfection
CONSTITUENT AND (UNITS) (Milling isinfectant / Disinfection Byproducts Image: Construct of the second sec	IRDL) (MF 80 60 60 60 (4) 7 3 15	CLG or IRDLG) NA NA (4)	Ave Amo 3 2	CITY OF 0 rage ount	COVINA DIS Range of Detections 6 - 80 1.2 - 43 0.05 - 1.6	TRIBUTION TRIBUTION MCL Violation? No No No	ganisms. Low turbi the level ' of contar SYSTEM WAT Most Recent Test Quarterly Quarterly Weekly	idity in Covina Irriga minants in drinking v FER QUALITY Byproducts of dri Byproducts of dri Drinking water di	ting Company's treated water is a good indicator vater that are difficult and sometimes Typical Source of Contaminant inking water chlorination inking water disinfection sinfectant added for treatment
CONSTITUENT AND (UNITS) (Milling isinfectant / Disinfection Byproducts Image: Construct of the second sec	IRDL) (MF 80 - 60 - (4) - 3 - 15 - 5 - tt Level; MRDLG - are tested quart	CLG or IRDLG)	Aver Amo 3 2	CITY OF (rage pount 19 1 1 1 3 12 Disinfectant Le ethanes and Ha	COVINA DIS Range of Detections 6 - 80 1.2 - 43 0.05 - 1.6 1 ND - 5 ND - 3.9 evel Goal; µg/l = aloacetic Acids	TRIBUTION MCL Violation? No No No Solution No Solution No Solution Solution No Solution Solut	ganisms. Low turbit the level ' of contar SYSTEM WAT Most Recent Test Quarterly Quarterly Weekly Monthly Monthly Monthly on or micrograms p us are tested mon	In the second se	ting Company's treated water is a good indicator vater that are difficult and sometimes
CONSTITUENT AND (UNITS) (Milling isinfectant / Disinfection Byproducts Image: Construct of the second sec	IRDL) (MF 80 - 60 - (4) - 3 - 15 - 5 - t Level; MRDLG are tested quart is reported as av	CLG or IRDLG)	Aver Amo 3 2	CITY OF (rage ount 39 17 1 1 3 12 Disinfectant Le ethanes and Ha e maximum an	COVINA DIS Range of Detections 6 - 80 1.2 - 43 0.05 - 1.6 1 ND - 5 ND - 3.9 evel Goal; µg/l = aloacetic Acids d minimum of t s (taste, odor, c	TRIBUTION MCL Violation? No No No Total To	ganisms. Low turbit the level ' of contar SYSTEM WAT Most Recent Test Quarterly Quarterly Weekly Monthly Monthly Monthly on or micrograms p us are tested mon	In the second se	ting Company's treated water is a good indicator vater that are difficult and sometimes
CONSTITUENT AND (UNITS) (Milling is infectant / Disinfection Byproducts Total Trihalomethanes (µg/I) ^[1] Image: State is infection Byproducts Total Trihalomethanes (µg/I) ^[1] Image: State is infection Byproducts Total Trihalomethanes (µg/I) ^[1] Image: State is infection Byproducts Chlorine Residual (µg/I) ^[1] Image: State is infection Byproducts Chlorine Residual (µg/I) ^[1] Image: State is infection Byperoducts Color (units) I Image: State is infection Byperoducts Color (units) I Image: State is infection Byperoducts MRDL = Maximum Residual Disinfectant Eight locations in the distribution system at [1] The highest running annual average is [2] This water quality is regulated by a sec .ead and Copper Rule At-the-Tap Samples Ac	IRDL) (MF 80 60 14 3 15 5 15 15 5 16 17 18 19 19 10 10	CLG or IRDLG)	Aver Amo	CITY OF (rage ount 99 1 1 1 3 12 Disinfectant Le ethanes and Ha e maximum an c characteristic	COVINA DIS Range of Detections 6 - 80 1.2 - 43 0.05 - 1.6 1 ND - 5 ND - 3.9 evel Goal; µg/l = aloacetic Acids d minimum of t s (taste, odor, o Sites Exceeding Action Level	Armful microolended to reduce TRIBUTION MCL Violation? No No No No roo parts per billio twelve location twelve location twelve location twelve location	ganisms. Low turbi the level ' of contar SYSTEM WAT Most Recent Test Quarterly Quarterly Weekly Monthly Monthly Monthly Monthly Monthly as are tested mon sults are reported n Level ation?	idity in Covina Irriga minants in drinking v FER QUALITY Byproducts of dri Byproducts of dri Drinking water di Naturally-occurri Soil runoff per liter; thy for color, odor as range of detec	ting Company's treated water is a good indicator vater that are difficult and sometimes
CONSTITUENT AND (UNITS) (Millisinfectant / Disinfection Byproducts Total Trihalomethanes (µg/l) ^[1] 1 Haloacetic Acids (µg/l) ^[1] 1 Chlorine Residual (µg/l) ^[1] 1 esthetic Quality 1 Odor (hrreshold odor number) ^[2] 1 Color (units) ^[2] 1 Turbidity (NTU) ^[2] 1 MRDL = Maximum Residual Disinfectant Eight locations in the distribution system at [1] The highest running annual average is [2] This water quality is regulated by a sec Lead and Copper Rule At-the- Tap Samples Lead (µg/l)	IRDL) (MF 80 - 60 - (4) - 3 - 15 - 5 - 14 Level; MRDLG - a are tested quart - is reported as av - econdary standar - .evel - 15 -	CLG or IRDLG)	Aver Amo 3 2 2 3 3 2 2 3 3 2 2 3 3 3 2 2 3 3 3 2 3 3 3 2 3 3 3 3 2 3 3 3 2 2 3 3 3 2 2 3 3 3 2 2 3 3 3 2 2 3 3 3 2 2 3 3 3 2 2 3 3 3 2 2 3 3 3 2 2 3 3 3 2 2 3 3 3 2 2 3 3 3 2 2 3 3 3 2 2 3 3 3 2 2 3 3 3 2 2 3 3 3 2 2 3 3 3 2 2 3 3 3 2 2 3 3 3 3 2 3 3 3 3 2 3 3 3 2 3	CITY OF (rage ount 39 17 1 1 3 12 Disinfectant Le ethanes and Ha e maximum an c characteristic	COVINA DIS Range of Detections 6 - 80 1.2 - 43 0.05 - 1.6 1 ND - 5 ND - 3.9 evel Goal; µg/l = aloacetic Acids d minimum of t s (taste, odor, c Sites Exceeding Action	Armful microolended to reduce TRIBUTION MCL Violation? No No No No roo parts per billio twelve location twelve location twelve location twelve location	ganisms. Low turbi the level ' of contar SYSTEM WAT Most Recent Test Quarterly Quarterly Weekly Monthly Monthly Monthly Monthly as are tested mon sults are reported	In the second se	ting Company's treated water is a good indicator vater that are difficult and sometimes

is the concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

City of Covina

2012 Consumer Confidence Report for Drinking Water

INTRODUCTION

The City of Covina (City) is committed to keeping you informed on the quality of your drinking water. This report is provided to you annually. It includes information describing where your drinking water comes from, the constituents found in your drinking water and how the water quality compares with the regulatory standards.

WHAT IS IN MY DRINKING WATER?

Your drinking water is regularly tested to ensure its safety. The City routinely tests drinking water from its distribution system for bacterial and chemical contaminants while the Covina Irrigating Company (CIC) is responsible for testing its drinking water purchased by the City. The drinking water quality chart in this report lists all the contaminants **detected** in your drinking water that have federal and state drinking water standards. Detected unregulated contaminants of interest are also included. We are proud to report that during 2012, the drinking water provided by the City met or surpassed all federal and state drinking water standards. We remain dedicated to providing you with a reliable supply of high quality drinking water.

WHERE DOES MY DRINKING WATER COME FROM?

The City purchases drinking water from Covina Irrigating Company. Covina Irrigating Company pumps groundwater from the Main San Gabriel Groundwater Basin and filters surface water from the San Gabriel River. Drinking water is disinfected with chlorine before it is delivered to your home.

WHAT ARE WATER QUALITY STANDARDS?

The United States Environmental Protection Agency (USEPA) and the California Department of Public Health (CDPH) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems to ensure that tap water is safe to drink. CDPH regulations also establish limits for contaminants in bottled water that provide the same protection for public health.

Drinking water standards established by USEPA and CDPH set limits for substances that may affect consumer health or aesthetic qualities of drinking water. The chart in this report shows the following types of water quality standards:

- Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible.
- Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
- Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.
- **Primary Drinking Water Standard:** MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements and water treatment requirements.
- **Treatment Technique:** A required process intended to reduce the level of a contaminant in drinking water.

 Action Level (AL): The concentration of a contaminant, which, if exceeded, triggers treatment or other requirements that a water system must follow.

WHAT IS A WATER QUALITY GOAL?

In addition to mandatory water quality standards, USEPA and the State of California have set voluntary water quality goals for some contaminants. Water quality goals are often set at such low levels that they are not achievable in practice and are not directly measurable, but they nevertheless provide useful guideposts for water management activities. The chart in this report includes three types of water quality goals:

- Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by USEPA.
- Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
- **Public Health Goal (PHG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

WHAT CONTAMINANTS MAY BE PRESENT IN SOURCES OF DRINKING WATER?

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- **Microbial contaminants,** such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.
- **Inorganic contaminants**, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.
- **Pesticides and herbicides,** that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Radioactive contaminants, that can be naturallyoccurring or be the result of oil and gas production and mining activities.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are byproducts of industrial processes and petroleum production, and can also come from gasoline stations, urban stormwater runoff, agricultural applications, and septic systems.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (800-426-4791).

ARE THERE ANY PRECAUTIONS THE PUBLIC SHOULD CONSIDER?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-



CITY OF COVINA 125 EAST COLLEGE STREET COVINA CA 91723-2199 PRESORTED STD U. S. POSTAGE PAID PERMIT NO. 120 COVINA, CA

compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

ARSENIC

The following advisory is issued because in 2012 we recorded an arsenic measurement in the drinking water supply between 5 and 10 micrograms per liter (μ g/l). While your drinking water meets the 10 μ g/l MCL for arsenic, it does contain low levels of arsenic. The arsenic standard balances the current understanding of arsenic's possible health effects against the cost of removing arsenic from drinking water. The USEPA continues to research the health effects of low levels of arsenic, which is a mineral known to cause cancer in humans at high concentrations and in linked to other health effects such as skin damage and circulatory problems.

ABOUT LEAD IN TAP WATER

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The City is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at: http:// water.epa.gov/drink/info/lead/index.cfm.

PUBLIC PARTICIPATION OPPORTUNITY

Regularly scheduled meetings of the City of Covina City Council are held on the first and third Tuesday of each month at 7:30 PM in the City Hall Council Chambers. City Hall is located at 125 East College Street, Covina. These meetings provide an opportunity for public participation in decisions that may affect the quality of your water.

DRINKING WATER SOURCE ASSESSMENT

In accordance with the federal Safe Drinking Water Act, an assessment of the groundwater sources for CIC, from which the purchases water, was completed in July 2002. The purpose of the drinking water source assessment is to promote source water protection by identifying types of activities in the proximity of the drinking water sources which could pose a threat to the water quality. The assessment concluded that CIC's groundwater sources are not considered vulnerable to any activity associated with contaminants detected in the water supply. However, the groundwater sources are considered vulnerable to the following activities or facilities not associated with contaminants detected in the water supply: gasoline stations, known contaminant plumes and leaking underground storage tanks. In addition, a watershed sanitary survey for CIC's surface water source was updated in December 2010. The watershed sanitary survey concluded that CIC's surface water source is vulnerable to erosion, debris removal, forest fires and recreational activities. A copy of the complete as-sessment is available at the City at 125 East College Street, Covina, California 91723. You may request a summary of the assessment by contacting Mr. Paul Hertz at (626) 384-5219.

QUESTIONS?

For more information or questions regarding this report, please contact Mr. Paul Hertz at (626) 384-5219.

Este informe contiene información muy importante sobre su agua potable. Para mas información ó traducción, favor de contactar a Ms. Ana Xulu. Telefono: (626) 384-5230.

此份有關你的食水報告,內有重要資料和訊息,請找

他人為你翻譯及解釋清楚。