# **ATTACHMENT 7**

# **Consumer Confidence Report Certification Form**

(to be submitted with a copy of the CCR)

Water System Name:		Green Valley County Water District								
Water System Number:		1910244								
giver	<u>June</u> 1). Fur	28, 2013 ther, the syste	em certifies	to customers (and apps that the information conf	umer Confidence Report was distributed on propriate notices of availability have been tained in the report is correct and consistent the Department of Public Health.					
Certified by:		: Name:		Laura Vernetti						
		Signatu Title:		District Secretary						
		Phone	Number:	661 270-0836	Date: June 30, 2013					
	CCR metho	was distributeds used:	ted by ma		y methods. Specify other direct delivery ng consumers. Those efforts included the					
	$\boxtimes$		ng methods: Posting the CCR on the Internet:. http://gvcwd.org/pages/ccr/CCR%202011.pd		rg/pages/ccr/CCR%202011.pdf					
		Mailing the	Mailing the CCR to postal patrons within the service area (attach zip codes used)							
		Advertising the availability of the CCR in news media (attach copy of press release								
	Publication of the CCR in a local newspaper of general circulation (attach a published notice, including name of newspaper and date published)									
		Posted the C	CCR in pub	lic places (attach a list of l	locations)					
Delivery of multi as apartments, bu				copies of CCR to single-billed addresses serving several persons, such esses, and schools						
		Delivery to	community	organizations (attach a lis	st of organizations)					
	-	ystems serving llowing addre	=	_	CCR on a publicly-accessible internet site at					
		rivately-owne CR Forms & In		Delivered the CCR to the	California Public Utilities Commission  Revised Feb 2012					

Este informe contiene información muy importante sobre su agua beber. Tradúzcalo ó hable con alguien que lo entienda bien



# **Green Valley County Water District 2012 Consumer Confidence Report**

We test the drinking water quality for many constituents as required by State and Federal Regulations. This report shows the results of our monitoring for the period of January 1 - December 31, 2012

# Our only water source is from eight wells located throughout the valley. Listed below is the location of sources:

Well No. 2a - Calle Cascada
Well No. 4 - Shoreline Drive
Well No. 5 - Calle Cascada (District Office)
Well No. 6 - Calle Agua Feliz
Well No. 7 - Calle Hermosa
Well No. 9 - Calle Laguna
Well No. 11 - Calle Berro
Well No. 12 - Pastel Walk

## **Drinking Water Source Assessment information:**

The Green Valley County Water District conducted a Source Water Assessment Protection Program (SWAP) on our water system on October 2001 on all of the wells listed above. The goal of this program is to identify, develop and implement measures that advance the protection of our drinking water. Nitrates were detected in all the groundwater sources; however, no PCA (possible contaminating activities) has been determined responsible for the occurrence of this contaminant. Nevertheless, these sources are considered most vulnerable to the activity of high density septic systems. A copy of this report is available at the District Office.

#### Time and place of regularly scheduled board meetings for public participation:

Our regularly scheduled meetings are held on the second Thursday of every month at 7:00 PM at the District office located at 39520 Calle Cascada, Green Valley, CA 91390.

For more information, please contact Gary Almsted 661-270-0836 Visit our WEBSITE: <a href="http://gvcwd.org">http://gvcwd.org</a> - email: info@gvcwd.org. We want our valued customers to be informed about their water utility

#### TERMS USED IN THIS REPORT:

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

**Primary Drinking Water Standards (PDWS)**: MCLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

**Secondary Drinking Water Standards (SDWS):** MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

ND: not detectable at testing limit

ppm: parts per million or milligrams per liter (mg/L)

**ppb**: parts per billion or micrograms per liter (ug/L)

**ppt**: parts per trillion or nanograms per liter (ng/L)

pCi/L: picocuries per liter (a measure of radiation)

**Public Health Goal (PHG)**: The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

**Maximum Contaminant Level Goal (MCLG)**: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (USEPA).

**Maximum Residual Disinfectant Level (MRDL):** The level of a disinfectant added for water treatment that may not be exceeded at the consumer's tap.

Maximum Residual Disinfectant Level Goal (MRDLG):
The level of a disinfectant added for water treatment below

The level of a disinfectant added for water treatment below which there is no known or expected risk to health. MRDLGs are set by the U.S. Environmental Protection Agency.

**Treatment Technique (TT)**: A required process intended to reduce the level of a contaminant in drinking water

**Regulatory Action Level (AL)**: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

**Notification Level (NL)** The concentration level of a contaminant in drinking water delivered for human consumption that the department has determined, based on available scientific information, does not pose a significant health risk but warrants notification pursuant to this section.

**Variances and Exemptions**: Department permission to exceed an MCL or not comply with a treatment technique under certain conditions.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.



## Contaminants that may be present in source water include:

- *Microbial contaminants*, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- *Inorganic contaminants*, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.
- Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.
- Total Coliform: Water systems are required to meet a strict standard for coliform bacteria. Coliform bacteria are usually harmless, but their presence in water can be an indication of disease-causing bacteria. When coliform bacteria are found, special follow-up tests are done to determine if harmful bacteria are present in the water supply. If the standard is exceeded, the water supplier must notify the public by newspaper, television or radio.

In order to ensure that tap water is safe to drink, USEPA and the state Department of Public Health (Department) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. Department regulations also establish limits for contaminants in bottled water that must provide the same protection for public health.

The tables starting at the bottom of this page and continued on pages 3 and 4 list all of the drinking water contaminants that were detected during the most recent sampling for the constituent. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The Department allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. Some of the data, though representative of the water quality, are more than one year old.



As you can see by the table, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some contaminants have been detected. The Green Valley County Water District tests for over 150 drinking water contaminants, only the ones detected appear in the table on page 3.

We would like to thank all our customers that help us protect our water sources, which are the heart of our community, our way of life and our children's future.

Distribution System Samples									
	MCL	PHG		Year					
Parameter	(AL)	(MCLG)	Units	Tested	Result	Violation	Major Sources In Drinking Water		
Microbiological Contaminants									
Total Coliform Bacteria	2 or more positive samples per month	0	No. of positive samples per month	2012	0		Naturally present in the environment		
Fecal Coliform and E.coli	A routine sample and a repeat sample are total coliform positive, and one of these is also fecal coliform or E.coli positive	0	No. of positive sampler per year	2012	0	No	Human and animal fecal waste		

	•			Range	Average	
00	NI/A	nnh	2012	140	one annual	By-product of drinking water
80	N/A	ppb	2012	14.9	sample	chlorination
60	N/A	ppb	2012	4	one annual sample	By-product of drinking water chlorination
						Drinking water disinfectant adde
MRDL=4.0	0	ppm	2012	0.5	0.5	for treatment
MCL (AL)	PHG (MCLG)	Units	Year Tested	Range	Average	Major Sources in Drinking Water
15	N1/A	DO:#	2222	10047055	4.0	T
15	N/A	PCi/L	2006	0.347-3.55	1.6	Erosion of natural deposits
	1					T
50	(100)	ppb	2008	2.0 - 3.0	2.9	Discharge from steel and pulp mills and chrome plating; erosior of natural deposits
						Discharge of oil drilling wastes and from metal refineries;
1000	0.2	ppb	2008	6.0 - 108	54.5	erosion of natural deposits
2.0	1	ppm	2010	0.5 - 0.7	0.64	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories  Runoff and leaching from fertilizer use; leaching from
45	45	nnm	2012	0.2 - 31.7	21.2	septic tanks and sewage; erosion of natural deposits
43	45	ррпп	2012	9.2 - 31.7	21.2	or riatural deposits
(50)	N/A	ppm	2005	3.0 - 3.0	3	The babies of some pregnant women who drink water containing vanadium in excess of the notification level may have an increased risk of developmental effects, based on studies in laboratory animals
N/A	N/A	ppb	2005	0 - 2.2	0.5	
_	4					Major Sources in Drinking
	(MCLG)					Water
No Standard		mg/L	2010	24 - 47	26	
No Standard		mg/L	2010	58 - 65	62	
No Standard		mg/L mg/L	2010 2010	58 - 65 5.9 - 6.7	6.5	
No Standard No Standard		mg/L mg/L mg/L	2010	58 - 65 5.9 - 6.7 22 - 30	6.5 27	
No Standard No Standard 1600		mg/L mg/L mg/L umho/cm	2010 2010 2010 2010	58 - 65 5.9 - 6.7 22 - 30 587 - 640	6.5 27 613.8	Substances that form ions when in water; sewer influence
No Standard No Standard 1600 No Standard		mg/L mg/L mg/L umho/cm	2010 2010 2010 2010 2010	58 - 65 5.9 - 6.7 22 - 30 587 - 640 190 - 250	6.5 27 613.8 230	
No Standard No Standard 1600 No Standard No Standard	NIA	mg/L mg/L mg/L umho/cm	2010 2010 2010 2010 2010 2010 2010	58 - 65 5.9 - 6.7 22 - 30 587 - 640 190 - 250 240 - 310	6.5 27 613.8 230 281	in water; sewer influence
No Standard No Standard 1600 No Standard No Standard TT	N/A	mg/L mg/L mg/L umho/cm mg/L mg/L	2010 2010 2010 2010 2010 2010 2010 2010	58 - 65 5.9 - 6.7 22 - 30 587 - 640 190 - 250 240 - 310 0 - 0.02	6.5 27 613.8 230 281 0.08	
No Standard No Standard 1600 No Standard No Standard TT c Standard Establi	shed by the S	mg/L mg/L umho/cm mg/L mg/L cate of Califor	2010 2010 2010 2010 2010 2010 2010 2010	58 - 65 5.9 - 6.7 22 - 30 587 - 640 190 - 250 240 - 310 0 - 0.02 f Public Health	6.5 27 613.8 230 281 0.08	in water; sewer influence Soil run off
No Standard No Standard 1600 No Standard No Standard TT		mg/L mg/L mg/L umho/cm mg/L mg/L ug/L	2010 2010 2010 2010 2010 2010 2010 2010	58 - 65 5.9 - 6.7 22 - 30 587 - 640 190 - 250 240 - 310 0 - 0.02	6.5 27 613.8 230 281 0.08	in water; sewer influence  Soil run off  Erosion of natural deposits
No Standard No Standard 1600 No Standard No Standard TT c Standard Establi 1000 500	shed by the S	mg/L mg/L umho/cm mg/L mg/L mg/L tate of Califor ug/L mg/L	2010 2010 2010 2010 2010 2010 2010 2010	58 - 65 5.9 - 6.7 22 - 30 587 - 640 190 - 250 240 - 310 0 - 0.02 f Public Health 0 - 40 19 - 25	6.5 27 613.8 230 281 0.08 1 5	in water; sewer influence  Soil run off  Erosion of natural deposits  Runoff/leaching from natural deposits Leaching from natural deposits,
No Standard No Standard 1600 No Standard No Standard TT c Standard Establi 1000 500	one on the State of the State o	mg/L mg/L umho/cm mg/L mg/L mg/L tate of Califor ug/L mg/L ug/L	2010 2010 2010 2010 2010 2010 2010 2010	58 - 65 5.9 - 6.7 22 - 30 587 - 640 190 - 250 240 - 310 0 - 0.02 f Public Health 0 - 40 19 - 25 ND	6.5 27 613.8 230 281 0.08 1 5 22	in water; sewer influence  Soil run off  Erosion of natural deposits  Runoff/leaching from natural deposits
No Standard No Standard 1600 No Standard No Standard TT c Standard Establi 1000 500	shed by the S	mg/L mg/L umho/cm mg/L mg/L mg/L tate of Califor ug/L mg/L	2010 2010 2010 2010 2010 2010 2010 2010	58 - 65 5.9 - 6.7 22 - 30 587 - 640 190 - 250 240 - 310 0 - 0.02 f Public Health 0 - 40 19 - 25	6.5 27 613.8 230 281 0.08 1 5	in water; sewer influence  Soil run off  Erosion of natural deposits  Runoff/leaching from natural deposits Leaching from natural deposits, industrial wastes
No Standard No Standard 1600 No Standard No Standard TT c Standard Establi 1000 500	one on the State of the State o	mg/L mg/L umho/cm mg/L mg/L mg/L tate of Califor ug/L mg/L ug/L	2010 2010 2010 2010 2010 2010 2010 2010	58 - 65 5.9 - 6.7 22 - 30 587 - 640 190 - 250 240 - 310 0 - 0.02 f Public Health 0 - 40 19 - 25 ND	6.5 27 613.8 230 281 0.08 1 5 22	in water; sewer influence  Soil run off  Erosion of natural deposits  Runoff/leaching from natural deposits Leaching from natural deposits, industrial wastes  Erosion of natural deposits; discharge from
No Standard No Standard 1600 No Standard No Standard TT c Standard Establi 1000 500 300 (15)	one by the State of the State o	mg/L mg/L umho/cm mg/L mg/L tate of Califor ug/L mg/L ug/L ug/L	2010 2010 2010 2010 2010 2010 2010 2010	58 - 65 5.9 - 6.7 22 - 30 587 - 640 190 - 250 240 - 310 0 - 0.02 f Public Health 0 - 40 19 - 25 ND .2 - 2.5	6.5 27 613.8 230 281 0.08 1 5 22 0	in water; sewer influence  Soil run off  Erosion of natural deposits  Runoff/leaching from natural deposits Leaching from natural deposits, industrial wastes  Erosion of natural deposits; discharge from refineries and factories; runoff from landfills and cropland.
No Standard No Standard 1600 No Standard No Standard TT c Standard Establi 1000 500 300 (15)	one by the State of the State o	mg/L mg/L umho/cm mg/L mg/L tate of Califor ug/L ug/L ug/L ug/L	2010 2010 2010 2010 2010 2010 2010 2010	58 - 65 5.9 - 6.7 22 - 30 587 - 640 190 - 250 240 - 310 0 - 0.02 f Public Health 0 - 40 19 - 25 ND .2 - 2.5	6.5 27 613.8 230 281 0.08 5 22 0 0.83	Soil run off  Erosion of natural deposits  Runoff/leaching from natural deposits Leaching from natural deposits, industrial wastes  Erosion of natural deposits; discharge from refineries and factories; runoff from landfills
	MRDL=4.0  MCL (AL)  15  50  1000  2.0  45  (50)  N/A yzed (Groundwa MCL (NL) No Standard No Standard	MRDL=4.0  MCL (AL)  PHG (MCLG)  15  N/A  50  (100)  1000  0.2  2.0  1  45  45  (50)  N/A  N/A  yzed (Groundwater Samples)  MCL PHG (MCLG)  No Standard No Standard No Standard	MRDL=4.0         MRDLG=4. 0         ppm           MCL (AL)         PHG (MCLG)         Units           15         N/A         PCi/L           50         (100)         ppb           1000         0.2         ppb           2.0         1         ppm           (50)         N/A         ppm           N/A         ppm         ppm           N/A         ppm <td>MRDL=4.0         MRDLG=4. 0         ppm         2012           MCL (AL)         PHG (MCLG)         Units         Year Tested           15         N/A         PCi/L         2006           50         (100)         ppb         2008           1000         0.2         ppb         2008           2.0         1         ppm         2010           45         45         ppm         2012           (50)         N/A         ppm         2005           N/A         ppd         2005           yzed (Groundwater Samples)         Year Tested           NO Standard         Std units         2010           No Standard         Std units         2010</td> <td>MRDL=4.0         MRDLG=4. 0         ppm         2012         0.5           MCL (AL)         PHG (MCLG)         Units         Year Tested         Range           15         N/A         PCi/L         2006         0.347-3.55           50         (100)         ppb         2008         2.0 - 3.0           1000         0.2         ppb         2008         6.0 - 108           2.0         1         ppm         2010         0.5 - 0.7           45         45         ppm         2012         9.2 - 31.7           (50)         N/A         ppm         2005         3.0 - 3.0           N/A         ppb         2005         0 - 2.2           yzed (Groundwater Samples)         Year         Range           (NL)         (MCLG)         Units         Tested         Range           No Standard         Std units         2010         6.4 - 7.4           No Standard         mg/L         2010         235 - 277</td> <td>60         N/A         ppb         2012         4         sample           MRDL=4.0         MRDLG=4. 0         ppm         2012         0.5         0.5           MCL (AL)         PHG (MCLG)         Units         Year Tested         Range         Average           15         N/A         PCi/L         2006         0.347-3.55         1.6           50         (100)         ppb         2008         2.0 - 3.0         2.9           1000         0.2         ppb         2008         6.0 - 108         54.5           2.0         1         ppm         2010         0.5 - 0.7         0.64           45         45         ppm         2012         9.2 - 31.7         21.2           (50)         N/A         ppm         2005         3.0 - 3.0         3           N/A         N/A         ppb         2005         0 - 2.2         0.5           yzed (Groundwater Samples)         MCL         PHG (NL)         Year (MCLG)         Tested Units         Range Tested Tested         Average Range         Average Average</td>	MRDL=4.0         MRDLG=4. 0         ppm         2012           MCL (AL)         PHG (MCLG)         Units         Year Tested           15         N/A         PCi/L         2006           50         (100)         ppb         2008           1000         0.2         ppb         2008           2.0         1         ppm         2010           45         45         ppm         2012           (50)         N/A         ppm         2005           N/A         ppd         2005           yzed (Groundwater Samples)         Year Tested           NO Standard         Std units         2010           No Standard         Std units         2010	MRDL=4.0         MRDLG=4. 0         ppm         2012         0.5           MCL (AL)         PHG (MCLG)         Units         Year Tested         Range           15         N/A         PCi/L         2006         0.347-3.55           50         (100)         ppb         2008         2.0 - 3.0           1000         0.2         ppb         2008         6.0 - 108           2.0         1         ppm         2010         0.5 - 0.7           45         45         ppm         2012         9.2 - 31.7           (50)         N/A         ppm         2005         3.0 - 3.0           N/A         ppb         2005         0 - 2.2           yzed (Groundwater Samples)         Year         Range           (NL)         (MCLG)         Units         Tested         Range           No Standard         Std units         2010         6.4 - 7.4           No Standard         mg/L         2010         235 - 277	60         N/A         ppb         2012         4         sample           MRDL=4.0         MRDLG=4. 0         ppm         2012         0.5         0.5           MCL (AL)         PHG (MCLG)         Units         Year Tested         Range         Average           15         N/A         PCi/L         2006         0.347-3.55         1.6           50         (100)         ppb         2008         2.0 - 3.0         2.9           1000         0.2         ppb         2008         6.0 - 108         54.5           2.0         1         ppm         2010         0.5 - 0.7         0.64           45         45         ppm         2012         9.2 - 31.7         21.2           (50)         N/A         ppm         2005         3.0 - 3.0         3           N/A         N/A         ppb         2005         0 - 2.2         0.5           yzed (Groundwater Samples)         MCL         PHG (NL)         Year (MCLG)         Tested Units         Range Tested Tested         Average Range         Average Average

Lead and Copper Monitoring Program								
Contaminant	AL = Action Level	No. of samples collected	Unit Measurement	Year Tested	90th percentile level detected	•	Likely Source of Contamination	
Lead (ppb)	15	10	ppb	2010	2.2	1 of 10	Internal corrosion of household water plumbing systems; discharges from industrial manufactorers; erosion of natural deposits; leaching from wood preservatives	
Copper (ppm)	1.3	10	ppm	2010	0.37	1 of 10	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives	

### **Additional General Information On Drinking Water**

**Copper** is an essential nutrient, but some people who drink water containing copper in excess of the action level over a relatively short amount of time may experience gastrointestinal distress. Some people who drink water containing copper in excess of the action level over may years may suffer liver or kidney damage. People with Wilson's Disease should consult their personal doctor.

**Lead:** Infants and young children are typically more vulnerable to lead in drinking water than the general population. It is possible that lead levels at your home may be higher than at other homes in the community as a result of materials used in your home's plumbing. If you are concerned about elevated lead levels in your home's water, you may wish to have your water tested and flush your tap for 30 seconds to 2 minutes before using tap water. Additional information is available from the USEPA Safe Drinking Water Hotline (1-800-426-4791).

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

**Nitrate:** Nitrate in drinking water at levels above 45 mg/L is a health risk for infants of less than six months of age. Such nitrate levels in drinking water can interfere with the capacity of the infant's blood to carry oxygen, resulting in serious illness; symptoms include shortness of breath and blueness of the skin. Nitrate levels above 45 mg/L may also affect the ability of the blood to carry oxygen in other individuals, such as pregnant women and those with specific enzyme deficiencies. If you are caring for an infant, or you are pregnant, you should ask advice from your health care provider. **TTHMs [Total Trihalomethanes]:** Some people who use water containing trihalomethanes in excess of the MCL over many years may experience liver, kidney, or central nervous system problems and may have an increased risk of getting cancer.



Green Valley County Water District 39520 Calle Cascada, Green Valley, CA 91390 (661) 270-0836

WEBSITE: http://gvcwd.org EMAIL: Info@gvcwd.org

OFFICE HOURS:

Mon - Th 8AM – 3PM Fri – 8AM – 12PM Regular Meetings of the Board of Directors are held on the 2<sup>nd</sup> Thursday of every month at 7:00 PM at the District Office