

ATTACHMENT 7

Consumer Confidence Report Certification Form

(to be submitted with a copy of the CCR)

(to certify electronic delivery of the CCR, use the certification form on the State Board's website at http://www.waterboards.ca.gov/drinking_water/certlic/drinkingwater/CCR.shtml)

Water System Name: Greenfield County Water District

Water System Number: 1510024

The water system named above hereby certifies that its Consumer Confidence Report was distributed on July 1, 2015 (date) to customers (and appropriate notices of availability have been given). Further, the system certifies that the information contained in the report is correct and consistent with the compliance monitoring data previously submitted to the State Water Resources Control Board, Division of Drinking Water.

Certified by: Name: Windy Rojas; Signature: [Handwritten Signature]; Title: Office Manager; Phone Number: (661) 831-0989; Date: 04/06/2016

To summarize report delivery used and good-faith efforts taken, please complete the below by checking all items that apply and fill-in where appropriate:

[X] CCR was distributed by mail or other direct delivery methods. Specify other direct delivery methods used:

[X] "Good faith" efforts were used to reach non-bill paying consumers. Those efforts included the following methods:

- [] Posting the CCR on the Internet at www.
[] Mailing the CCR to postal patrons within the service area (attach zip codes used)
[] Advertising the availability of the CCR in news media (attach copy of press release)
[] Publication of the CCR in a local newspaper of general circulation (attach a copy of the published notice, including name of newspaper and date published)
[X] Posted the CCR in public places (attach a list of locations)
Greenfield County Water District 551 Taft Highway, Bakersfield, CA 93307
[] Delivery of multiple copies of CCR to single-billed addresses serving several persons, such as apartments, businesses, and schools
[] Delivery to community organizations (attach a list of organizations)
[] Other (attach a list of other methods used)

[] For systems serving at least 100,000 persons: Posted CCR on a publicly-accessible internet site at the following address: www.

[] For privately-owned utilities: Delivered the CCR to the California Public Utilities Commission

This form is provided as a convenience and may be used to meet the certification requirement of section 64483(c), California Code of Regulations.

Greenfield County Water District

551 Taft Highway

Bakersfield, California 93307

Phone: (661) 831-0989

July 1, 2015

Consumer Confidence Report For Calendar Year 2014

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality of water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water.

Este informe contiene informacion muy importante sobre su agua potable. Traduzcalo o hable con alguien que lo entienda bien.

This report shows our water quality and what it means. If you have any questions about this report or concerning your water utility, please contact **Mel Johnson, General Manager at (661) 831-0989 at 551 Taft Hwy, Bakersfield, CA 93307.**

We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled Board of Director meetings for public participation.

Meeting Location: District Office 551 Taft Hwy, Bakersfield, CA 93307

Meeting Time: Second Monday of each month, 7:00 PM

Greenfield County Water District routinely monitors for constituents in your drinking water according to Federal and State laws. This report shows the results of our monitoring for the period of January 1st to December 31st, 2014. However the State allows us to monitor for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of our data, though representative of the water quality, are more than one year old.

Type of water sources in use: Five water wells.

A source water assessment was conducted for the water supply wells of Greenfield County Water District water system in April 2001. The sources are considered most vulnerable to the following activities associated with contaminants detected in the water supply: septic systems, fertilizer-pesticide/herbicide application, storm water detention facilities, auto repair shops, parks, and junk/scrap/salvage yards. The sources are considered most vulnerable to the following activities not associated with any detected contaminants: automobile-gas stations, historic gas stations, and transportation corridors – freeway/state highways. A copy of the completed assessment may be viewed at the Greenfield County Water District office, 551 Taft Hwy, Bakersfield, CA 93307.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- **Microbial contaminants**, such as viruses and bacteria that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- **Inorganic contaminants**, such as salts and metals, that can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- **Pesticides and herbicides**, that may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- **Organic chemical contaminants**, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also, come from gas stations, urban storm water runoff, agricultural application, and septic systems.
- **Radioactive contaminants**, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the USEPA and the State Department of Public Health prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. Department regulations also establish limits for contaminants in bottled water that provide the same protection for public health.

In our continuing efforts to maintain a safe and dependable water supply, and to comply with State and Federal regulations, it may be necessary to make improvements to your water system. The costs may be reflected in the rate structures, because rate adjustments may be necessary in order to make these improvements. These improvements are sometimes reflected as rate structure adjustments. Thank you for your understanding.

The tables in this report list all of the drinking water contaminants that were detected during the most recent sampling for the constituent. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk.

DEFINITIONS:

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (USEPA).

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfecting Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Primary Drinking Water Standards (PDWS): MCLs and MRDLs for contaminants that affect health alone with their monitoring and reporting requirements, and water treatment requirements.

Secondary Drinking Water Standards (SDWS): MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Variations and Exemptions: Department permission to exceed an MCL or not comply with a treatment technique under certain conditions.

ND: Not detectable at testing limit.

ppm: Parts per million or milligrams per liter (mg/L).

ppb: Parts per billion or micrograms per liter (ug/L).

ppt: Parts per trillion or Nano grams per liter (ng/L).

ppq: Parts per quadrillion or pictogram per liter (pg/L).

PCi/L: Picocuries per liter (a measure of radiation).

Table 1 – Sampling Results Showing the Detection of Coliform Bacteria

Microbiological Contaminants	Highest No. of Detections	No. of Months in Violation	MCL	MCLG	Typical Source of Bacteria
Total Coliform Bacteria	(In a Month) 0	0	More than 1 sample in a month with detection.	0	Naturally present in the environment.
Fecal Coliform or E. coli	(In a Year) 0	0	A routine sample and a repeat sample detect total coliform and either sample also detects fecal coliform or E. coli.	0	Human and animal fecal waste.

Table 2 – Sampling Results Showing the Detection of Lead and Copper

Contaminant and Sample Date	No. of Samples Collected	90 th Percentile Level Detected	No. of Sites Exceeding AL	AL	MCLG	Typical Source of Contaminant
Lead mg/L 08/2014	20	.0032	1	.015	.02	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits.
Copper mg/L 08/2014	20	.18	0	1.3	0.3	Internal corrosion of household water plumbing systems; erosion of natural deposits; leaching from wood preservatives.

Table 3 – Sampling Results for Sodium and Hardness

Chemical or Constituent and Sample Dates	Average Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant
Sodium (ppm) 01/04/2012 07/05/2012	44.4	37 – 52	None	None	Generally found in ground and surface water.
Hardness (ppm) 01/04/2012 07/05/2012	147.4	57 – 200	None	None	Generally found in ground and surface water.

Water Softeners: the well water provided by the District is considered to be soft. Softening is almost entirely a matter of personal aesthetic preference. If a water softener is installed, it is generally used to reduce the amount of soap for washing laundry. Persons on low sodium diets SHOULD NOT drink water softened with the typical ION exchange home-type softener since these drastically raise the sodium content of the water. For additional information call the District Office.

Table 4 – Detection of Contaminants with a Primary Drinking Water Standard

Chemical or Constituent	Sample Date	Average Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant
Aluminum (ppb)	01/04/2012 07/05/2012	<50	<50	1000	N/A	Erosion of natural deposits; residual from some surface water treatment processes.
*Arsenic (ppb)	01/2014 03/2014 05/2014 07/2014 10/2014	8.9	5.2 - 11	10	N/A	Erosion of natural deposits; runoff from orchards, glass & electronics production wastes.
Barium (ppb)	01/04/2012 07/05/2012	119.2	56 – 170	1000	2000	Discharge of oil drilling wastes & from metal refineries; erosion of natural deposits.
Chromium (ppb)	01/04/2012 07/05/2012	<9	5 – 10	50	2.5	Discharge from steel and pulp mills and chrome plating; erosion of natural deposits.
Fluoride (ppm)	01/04/2012 07/05/2012	0.176	0.13 – 0.22	2	1	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories.
Nitrate (ppm)	2014	21.7	2.3 - 32	45	N/A	Runoff and leaching from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits.
Selenium (ppb)	01/04/2012 07/05/2012	2.54	<2 – 3.6	50	50	Discharge from petroleum, glass and metal refineries; erosion of natural deposits; discharge from mines & chemical manufacturers; runoff from livestock lots (feed additive).
Gross Alpha Activity (pCi/L)	01/04/2012 07/05/2012	5.21	1.56 – 12.5	15	0	Erosion of natural deposits.

*** We routinely monitor for the presence of drinking water contaminants. Testing results collected during 2014 show that our system exceeds the standard or MCL for arsenic which is 10 ppb. Compliance is based on a running annual average (RAA) of four consecutive quarterly samples for each well. Greenfield County Water District is working with the State Water Resources Control Board, Division of Drinking Water to resolve this problem as soon as possible.**

Table 5 – Detection of Contaminants with a Secondary Drinking Water Standard

Chemical or Constituent	Sample Date	Average Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant
Aluminum (ppb)	01/04/2012 07/05/2012	<50	<50	200	N/A	Erosion of natural deposits; residual from some surface water treatment processes.
Iron (ppb)	01/04/2012 07/05/2012	140.4	<50 – 410	300	N/A	Leaching from natural deposits; industrial wastes.
Total Dissolved Solids (ppm)	01/04/2012 07/05/2012	298	170 – 400	100	N/A	Runoff/leaching from natural deposits.
Turbidity (units)	01/04/2012 07/05/2012	0.53	0.15 1.4	5 units	N/A	Soil runoff.
Specific Conductance (micromhos)	01/04/2012 07/05/2012	484.2	253 – 602	1600	N/A	Substances that form ions when in water; seawater influence.
Chloride (ppm)	01/04/2012 07/05/2012	28.3	8.3 – 48	500	N/A	Runoff/leaching from natural deposits; seawater influence.
Sulfate (ppm)	01/04/2012 07/05/2012	38.2	15 – 55	500	N/A	Runoff/leaching from natural deposits; industrial wastes.

Table 6 – Disinfection By-products

	Sample Date	MCL	PHG	Violation	Range	Highest Annual Average	Typical Source of Contaminant
Total Tri-Halomethanes	08/2014	80	N/A	No	0 – 80	ND	By-products of drinking water chlorination.
Total Haloacetic Acids	08/2014	60	N/A	No	0 – 60	ND	By-products of drinking water chlorination.

Table 7 – Disinfectants

Disinfectant	Sample Date	MRDL	Violation	Range	Average	Typical Source of Contaminant
Chlorine	2013	4	No	0.2 – 1.0	0.6	Drinking water disinfectant added for treatment.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or manmade. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at (800) 426-4791.

MCLs are set at very stringent levels. The MCKs are set such that out of every 10,000 or 1,000,000 people (depends upon how the MCL was developed) drinking 2 liters of water every day for a lifetime, only 1 of those people may experience the described health effect.

Some people who drink water containing barium in excess of the MCL over many years could experience an increase in their blood pressure.

The State Water Resources Control Board, Division of Drinking Water continues to research the health effects of low levels of arsenic, which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and other circulatory problems. Some people who drink water containing arsenic in excess of the MCL over many years could experience skin damage or problems with their circulatory system, and may have an increased risk of getting cancer.

Nitrate in drinking water at levels above 10 ppm is a health risk for infants of less than six months of age. High nitrate levels in drinking water can cause blue baby syndrome. Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity. If you are caring for an infant you should ask advice from your health care provider.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Greenfield County Water District is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at: <http://www.epa.gov/safewater/lead>.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk for infections. These people should seek advice about drinking water from their health care providers.

EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800) 426-4791.

Please call our office if you have questions. We at Greenfield County Water District work continuously to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

PRSRRT STD
US POSTAGE
PAID
BAKERSFIELD CA
PERMIT # 53

551 TAFT HIGHWAY • BAKERSFIELD, CALIFORNIA 93307

GREENFIELD COUNTY
WATER DISTRICT

