

Kinneloa Irrigation District • 1999 Kinclair Drive, Pasadena, California 91107-1017 Phone (626) 797-6295 • Fax (626) 794-5552 • E-mail: kinneloa@outlook.com • www.KinneloaIrrigationDistrict.info

We test the drinking water quality for many constituents as required by state and federal regulations. This report shows the results of our monitoring for the period of January 1 - December 31, 2014, and prior years.

Este informe contiene información muy importante sobre su agua potable. Tradúzcalo ó hable con alguien que lo entienda bien.

Kinneloa Irrigation District (KID) is pleased to provide you with this Consumer Confidence Report (CCR), which contains information about the quality of drinking water that is delivered to you. This report meets the California requirements for reporting water quality information to customers of public water systems and addresses frequently asked questions! In general, the sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Other educational information in this report informs you about drinking water safety and, hopefully, helps you to understand the challenges of delivering a safe and protected supply of drinking water.

In 2014, KID distributed approximately 724.57 acre feet of water to its customers. This is equivalent to 236 million gallons. One acre foot is enough water to cover one acre of land, one foot deep with water, or 325,851 gallons. Your tap water was delivered from two vertical wells and five horizontal wells. The vertical wells pump from the Raymond Basin down to 464 feet below the ground surface. The horizontal wells are tunnels in the mountainside that collect water via gravity. The tunnels and wells feed reservoirs where the waters can be mixed. Chlorine disinfectant is added to prevent bacterial growth in the reservoirs and the distribution pipeline. KID has emergency interconnections with the City of Pasadena, and none of these was used in 2014.

Frequently Asked Questions

- Where does our water come from?
- What are the possible sources of contaminants in tap water?
- How is our drinking water treated?
- What, if any, contaminants have been detected in our drinking water?
- Is there reason for concern about radon and nitrate in our water?
- Are certain people more vulnerable to the effects of some contaminants in drinking water?
- What is the status of our fluoride variance?
- Were there any violations of drinking water regulations?
- What are the definitions for all those regulatory and technical terms in the report?
- Who can I contact for more information and when does the Board of Directors meet?

Contaminants that may be present in source water include: 1) microbial contaminants. such as virus and bacteria, that may come from sewage treatment plants, septic agricultural livestock systems, operations, and wildlife: 2) inorganic contaminants, such as salts and metals, that can be naturally occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming; 3) pesticides and herbicides that may come from a varietv of sources such as agriculture, urban storm water runoff, and residential uses; 4) organic chemical contaminants, including synthetic and volatile organic chemicals, that are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, agricultural application, and septic systems; 5) radioactive contaminants, that can be naturally occurring or be the result of oil and gas production and mining activities.

As in past years, the Water Quality Chart compares the quality of your tap water to state drinking water standards. More than 100 regulated contaminants have been tested that were not detected in drinking water delivered by KID; the list of non-detected contaminants is not included in the chart. With the exception of nitrate, each contaminant detected in our groundwater sources occurs in your drinking water from erosion of natural deposits in soils. Fluoride is the only chemical in your water that exceeded the maximum allowable level set by the State Board. KID has a fluoride variance from the State Board which gives us permission to exceed the fluoride standard. The conditions of the variance are described in detail on page four of this report.

The Kinneloa Irrigation District serves approximately **1900** people in 552 households, a school, nursery, church and fire station in the north-central part of Los Angeles County with the city limits of Pasadena on the west, south and east and the Angeles National Forest to the north. The service area covers 500 acres and additionally encompasses 500 acres of watershed area. The General Manager reports to a five member Board of Directors. The Board meets the third Tuesday every month at the KID office located at 1999 Kinclair Drive, Pasadena and the public is invited. For more you the office information, may contact at (626) 797-6295.

In order to ensure that tap water is safe to drink, the U.S. Environmental Protection Agency (USEPA) and the State Board prescribe regulations that limit the amount of

certain contaminants in water provided by public water systems. State Board regulations also establish limits for contaminants in bottled water that provide the same protection for public health. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the U.S. Environmental Protection Agency's Safe Drinking Water Hotline (1-800-426-4791).

The water quality charts list all the regulated drinking water contaminants and unregulated contaminants requiring monitoring. Certain regulated chemicals are monitored less frequently than once each year. The results from the most recent testing done in accordance with the monitoring regulations and the respective sampling year are noted in each table. Some of the data, although more than one year old, are representative of the current drinking water quality.

Definitions of terms used in the water quality charts:

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

| KIN | | RRIGAT | ION DIS | TRICT GF | ROUNDV | VATER QU/ | ALITY |
|--|-------------------|---------------|-----------------------|------------------------|-------------------|------------------------------|---|
| Chemical | MCL | PHG (MCLG) | Average Amount | Range of Detections | MCL Violation? | Most Recent Sampling Date | Typical Source of Contaminant |
| Radiologicals | | | | | | | · |
| Gross Alpha Radiation (pCi/L) | 15 | (0) | 2.3 | 0 - 6.26 | No | 2012 | Erosion of Natural Deposits |
| Radium 228 (pCi/L) | 5*** | 0.019 | 0.9 | 0 - 0.18 | No | 2012 | Erosion of Natural Deposits |
| Uranium (pCi/L) | 20 | 0.43 | 8.0 | 2.5 - 13 | No | 2012 | Erosion of Natural Deposits |
| Inorganic Chemicals | | | | | | · | |
| Nitrate (ppm as NO3) | 45 | 45 | 10.3 | 2.3 - 20 | No | 2014 | Fertilizers, Septic Tanks |
| Arsenic (ppb) | 10 | 0.004 | 2.1 | ND - 7.2 | No | 2013 | Erosion of Natural Deposits |
| Fluoride (ppm)* | 3 | 1 | 2.0 | 0.99 - 3.1 | No | 2014 | Erosion of Natural Deposits |
| Hexavalent Chromium (ppb) | 10 | 0.02 | 0.1 | 0 - 2.0 | n/a | 2013 | Discharge from Steel and Pulp Mills; Chrome Plating; Runoff/ Leaching from Natural Deposits |
| Secondary Standards** | | | | | | | |
| Chloride (ppm) | 500** | n/a | 15.2 | 7.0 - 33 | No | 2013 | Erosion of Natural Deposits |
| Specific Conductance (µS/cm) | 1,600** | n/a | 426 | 350 - 620 | No | 2013/2014 | Erosion of Natural Deposits; Substances That Form Ions When in Water |
| Sulfate (ppm) | 500** | n/a | 31.5 | 16.0 - 62 | No | 2013 | Runoff/Leaching from Natural Deposits |
| Total Dissolved Solids (ppm) | 1000** | n/a | 380 | 190 - 380 | No | 2013/2014 | Runoff/Leaching from Natural Deposits |
| Unregulated Constituents | s of Interest | | | | | · | |
| Sodium (ppm) | Not Regulated | n/a | 22.2 | 13 - 54 | n/a | 2013 | Erosion of Natural Deposits |
| Hardness (ppm) | Not Regulated | n/a | 173 | 77 - 260 | n/a | 2013 | Erosion of Natural Deposits |
| nnh = parts-per-billion: ppm = parts-p | or million: nCi/l | | nor litor: ntu | = nonholomot | ic turbidity ur | nite: ND = not detec | ted: MCL = Maximum Contaminant |

ppb = parts-per-billion; **ppm** = parts-per-million; **pCi/L** = picocuries per liter; **ntu** = nephelometric turbidity units; **ND** = not detected; **MCL** = Maximum Contaminant Level; **MCLG** = Maximum Contaminant Level Goal; **PHG** = California Public Health Goal; **n/a** = not applicable. * See Fluoride note on page 4.
** Contaminant is regulated by a secondary standard to maintain aesthetic qualities (taste, odor, color). *** Radium 226 + 228 = MCL5 (pCi/L).

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency.

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste and appearance of drinking water.

Primary Drinking Water Standards (PDWS): MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Variances and Exemptions: State Board permission to exceed an MCL or not comply with a treatment technique under certain conditions.

Maximum Residual Disinfectant Level (MRDL): The highest level of disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Treatment Technique (TT): is a required process intended to reduce the level of a contaminant in drinking water.

ND: Not detectable at testing limit.

ppm: Parts per million or milligrams per liter (mg/L).

ppb: Parts per billion or micrograms per liter (µg/L).

ppt: Parts per trillion or nanograms per liter (ng/L).

pCi/L: Picocuries per liter (a measure of radiation).

Lead: If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Kinneloa Irrigation District is responsible for providing high guality drinking water but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (1-800-426-4791) or at www.epa.gov/safewater/lead.

Nitrate: None of KID's groundwater sources exceed one-half of the MCL. Nitrate in drinking water at levels above 45 mg/L is a health risk for infants of less than six months of age. Such nitrate levels in drinking water can interfere with the capacity of the infant's blood to carry oxygen, resulting in a serious illness; symptoms include shortness of breath and blueness of the skin. Nitrate levels above 45 mg/L may also affect the ability of the blood to carry oxygen in other individuals, such as pregnant women and those with certain specific enzyme deficiencies. If you are caring for an infant, or you are pregnant, you should ask advice from your health care provider. Nitrate levels may rise guickly for short periods of time because of rainfall or agricultural activity. Testing in 2014 showed detectable nitrate in KID's groundwater sources at levels well below the action level of concern.

| | MCL | PHG | Average Amount | Range of Detections | MCL Violation? | Typical Source of Contaminant |
|-----------------------------|-----|-----|-------------------|------------------------|-------------------|--|
| Chlorine residual (ppm) | 4 | 4 | 1.11 | 0.75 - 1.46 | No | Drinking Water Disinfectant |
| Haloacetic Acids (ppb) | 60 | n/a | 2.3 | ND - 4.6 | No | Byproduct of Drinking Water Disinfection |
| Fluoride (ppm) | 3* | 1 | 1.5 | 1.1 - 2.0 | No | Naturally Present in Groundwater |
| Total Trihalomethanes (ppb) | 80 | n/a | 9.0 | 3.8 - 16 | No | Byproduct of Drinking Water Disinfection |
| Turbidity (ntu) | 5** | n/a | 0.25 | ND - 1.0 | No | Soil Runoff |
| Odor (ton) | 3** | n/a | 1 | 1 - 3 | No | Naturally Present in Groundwater |

Six distribution system locations are tested for fluoride quarterly at the request of the State Board.

* See Fluoride note on page 4.

** Containment is regulated by a secondary standard to maintain aesthetic qualities (taste, odor, color).

| LEAD AND COPPER ACTION LEVELS AT RESIDENTIAL TAPS | | | | | | | | |
|---|-------------------------|---------------|-----------------------------|--|------------------|----------------------------------|--|--|
| | Action Level (AL) | MCLG (PHG) | 90th Percentile Value | Sites Exceeding AL/Number of Sites | AL Violation? | Typical Source of Contaminant | | |
| Copper (ppm) | 1.3 | 0.3 | 0.16 | 0 / 20 | No | Corrosion of Household Plumbing | | |
| Lead (ppb) | 15 | 0.2 | 0 | 1 / 20 | No | Corrosion of Household Plumbing | | |

In June 2013, 20 residences were tested for lead and copper at the tap. Copper was detected in 12 samples but never exceeded the regulatory action level. Lead was detected in one sample but never exceeded the regulatory level.



Phone (626) 797-6295 • Fax (626) 794-5552 • E-mail: kinneloa@outlook.com • www.KinneloalrrigationDistrict.info

Fluoride occurs naturally at levels exceeding the state MCL of 2 milligrams-per-liter (mg/L) in two of KID groundwater sources. Even though these sources mix with groundwater from other, lower fluoride sources before being delivered to residences, it is not always possible to dilute the fluoride below the MCL, especially in the rainy season when tunnel water provides most of the supply. On November 19, 1993, the State Board issued KID a variance from the State's fluoride drinking water standard. The variance is State Board permission to exceed an MCL or not comply with a treatment technique under certain conditions. The variance allows KID to exceed 2 mg/L but not exceed 3 mg/L in the distribution system. In addition, this variance requires KID to notify its customers whenever the fluoride level exceeds 2 mg/L.

Groundwater is protected from many infectious organisms, such as the parasite cryptosporidium, by the natural filtration action of water percolating through soils. There is no indication that cryptosporidium has breached this natural soil filter and entered the KID water supply. However, some people may be more vulnerable to contaminants in drinking water than the general Immuno-compromised persons, such as population. persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/ AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Radon is a radioactive gas that you cannot see, taste, or smell. It is found throughout the United States. Radon can move up through the ground and into a home through cracks and holes in the foundation. Radon can build up to high levels in all types of homes. Radon can also get into indoor air when released from tap water from showering, washing dishes, and other household activities. Compared to radon entering the home through

soil, radon entering the home through tap water will in most cases be a small source of radon in indoor air. Radon is a known human carcinogen. Breathing air containing radon can lead to lung cancer. Drinking water containing radon may also cause increased risk of stomach cancer. If you are concerned about radon in your home, test the air in your home. Testing is inexpensive and easy. Fix your home if the level of radon in your air is 4 picocuries per liter of air (pCi/L) or higher. There are simple ways to fix a radon problem that are not too costly. For additional information, call your state radon program (1-800-745-7236), the EPA's Safe Drinking Water Act Hotline (1-800-426-4791) or the National Safety Council Radon Hotline (1-800-767-7236). KID voluntarily tested for radon in seven of its groundwater sources in 2005 and levels in these seven sources ranged between 261-1370 picocuries-per-liter and averaged 622 picocuries-per-liter.

Arsenic: While your drinking water meets the current state and federal standards for arsenic, it does contain low levels of arsenic. The arsenic standard balances the current understanding of arsenic's possible health effects against the cost of removing arsenic from drinking water. The U.S. Environmental Protection Agency continues to research the health effects of low levels of arsenic, which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and circulatory problems.

An assessment of the drinking water sources for Kinneloa was completed in August 2002. The assessment concluded that Kinneloa's sources are considered most vulnerable to nitrate contamination. A copy of the complete assessment is available at Kinneloa's office located at 1999 Kinclair Drive, Pasadena, California. You may request to review the assessment by contacting (626) 797-6295.

La NOTA: Este informe contiene información muy importante sobre su agua potable. Tradúzcalo ó hable con alguien que lo entienda bien.