

2014 Water Quality Report

East Los Angeles District



Este informe contiene información muy importante sobre su agua potable. Tradúzcalo o hable con alguien que lo entienda bien.

Table of Contents

Welcome	From the Manager	
Your Water System	Your Water System Inside the Water Quality Laboratory	
	DWSAPP	
2014 Test Results	Fluoride	
	Water Hardness	
	Possible Contaminants	
	About Lead	
	Key Definitions	
	Water Quality Table	
More Information	Resources	

Welcome



At California Water Service (Cal Water), protecting our customers' health and safety is our highest priority. But as your local water provider, we deliver more than just safe drinking water—we deliver quality, service, and value.

Quality. We are dedicated to providing a high-quality water supply to our customers. We have rigorous safeguards in place to make sure that our water meets or surpasses all health standards, and we are pleased to announce that, in 2014, we met every primary state and federal standard. In California, we test 68,000 water samples per year to ensure we are in compliance with strict state and federal standards.

Service. Beyond providing a clean, reliable water supply whenever you need it, we also work diligently to ensure that supplies are adequate to meet demand, even as we endure the worst drought in California history. To help customers meet new, state-mandated water-use reduction targets, we offer a wide variety of conservation programs and rebates. Our dedicated team of professionals is here to assist you with both routine business and after-hours emergencies.

Value. The costs of providing water and treatment continue to increase, but we are working to ensure that our water stays affordable. We do this in part by investing in infrastructure that is built to last and only replacing equipment when it is nearing the end of its useful life. We also work to find cost-effective solutions for securing, testing, treating, storing, and delivering the water to you. We do all it takes to deliver a clean, reliable water supply right to your home, for less than a penny per gallon in nearly all of our service areas.

This annual water quality report shows any constituents that were detected in your water in 2014, and how your water compares to state and federal water quality standards. This report also provides information about the steps we take to protect your health and safety and answers questions you may have about your water quality.

If you have any questions or concerns, you can contact us by phone or email, through our web site, or in person at your local Customer Center. For important announcements and other water-related news, please visit calwater.com or watch for information in your monthly bill.

Sincerely,

Dan Armendariz, District Manager, East Los Angeles District


EAST LOST ANGELES DISTRICT 2000 SOUTH TUBEWAY AVENUE COMMERCE, CA 90040 (323) 722-8601

Your Water System

Cal Water has provided high-quality water utility services in the East Los Angeles area since 1928. In addition to the customers in our East Los Angeles system, we serve customers through an operating contract with the City of Commerce. To meet our customers' needs, we use a combination of local groundwater and purchased water from the Metropolitan Water District of Southern California (MWD), which is imported from the Colorado River and the State Water Project in northern California. The East Los Angeles water system currently includes 272 miles of pipeline, 10 active wells, 26 booster pumps, 16 storage tanks, and three MWD connections.

In 2014, Cal Water constructed a new well and installed one mile of 16" main line to tie into the system. We also installed an auxiliary power unit to help maintain uninterrupted service to customers if power is lost, and replaced and installed boosters that supply water in the northern section of the district.

If you have any questions, suggestions, or concerns, please contact our local Customer Center, either by phone or through the contact link at www.calwater.com.



Water professionals collect samples from throughout the water system for testing at our state-of-the-art water quality laboratory, which is certified through the stringent Environmental Laboratory Accreditation Program (ELAP). Scientists, chemists, and microbiologists test the water for more than 140 contaminants with equipment so sensitive it can detect levels as low as one part per trillion. In order to maintain the ELAP certification, all of our scientists must pass blindstudy proficiency tests each year for every water quality test performed.

Water quality test results are entered into our Laboratory Information Management System (LIMS), a sophisticated software program that enables us to react quickly to changes in water quality and analyze water quality trends in order to plan effectively for future needs.

DIVISION OF DRINKING WATER

On July 1, 2014, Gov. Jerry Brown transferred the State's Drinking Water Program from the California Department of Public Health to the State Water Resources Control Board's Division of Drinking Water. The transition was created to consolidate all major water quality programs within a single department. According to the Governor's office, this consolidation will allow the State to better manage and protect water resources and ensure safe drinking water for Californians.

Visit www.swrcb.ca.gov/drinking water/programs for more information about water quality requirements or the Drinking Water Program.

CROSS-CONNECTION CONTROL

To ensure that the high-quality water we deliver is not compromised in the distribution system, Cal Water has a robust cross-connection control program in place. Cross-connection control is critical to ensuring that activities on customers' properties do not affect the public water supply. Our cross-connection control specialists ensure that all of the existing backflow prevention assemblies are tested annually, assess all non-residential connections, and enforce and manage the installation of new commercial and residential assemblies. Last year, our specialists oversaw installation of 2,381 new assemblies and testing of 21,547 backflow prevention assemblies company-wide.

Number of samples collected




TABLE OF CONTENTS WELCOME YOUR WATER 2014 RESULTS MORE INFO


DWSAPP

By the end of 2003, Cal Water had submitted to the California Department of Public Health, now the Division of Drinking Water, a Drinking Water Source Assessment and Protection Program (DWSAPP) report for each water source in the water system. The DWSAPP report identifies possible sources of contamination to aid in prioritizing cleanup and pollution prevention efforts. All reports are available for viewing or copying at our Customer Center.

The water sources in the East Los Angeles system are considered most vulnerable to contamination from gas stations, confirmed leaks, known contaminant plumes, chemical/petroleum storage, metal fabrication, and plastic producers.

We encourage customers to join us in our efforts to prevent water pollution and protect our most precious natural resource.





Number of constituents tested annually since 2005


Sampled year number of constituents

FLUORIDE

State law requires Cal Water to add fluoride to drinking water if public funding is available to pay for it, and it is a practice endorsed by the American Medical Association and the American Dental Association to prevent tooth decay.

In this area, local water is blended with purchased water that has fluoride in it. Show the table in this report to your dentist to see if he or she recommends giving your children fluoride supplements.

More information about fluoridation, oral health, and related issues can be found on the State Water Resources Control Board's Division of Drinking Water (DDW) web site at www.waterboards.ca.gov/drinking_water/certlic/ drinkingwater/Fluoridation.shtml. For general information on water fluoridation, visit us online at www.calwater.com.



Water Hardness

We use water testing equipment so sensitive it can

detect levels as low as

1 part per trillion.

Water's "hardness" is a measure of the amount of minerals (generally calcium, magnesium, and carbonate) it contains. Water is considered soft if its hardness is less than 75 parts per million (ppm), moderately hard at 75 to 150 ppm, hard at 150 to 300 ppm, and very hard at 300 ppm or higher.

Hard water is generally not a health concern, but it can have an impact on how well soap lathers and is significant for some industrial and manufacturing processes. Hard water may also lead to mineral buildup in pipes or water heaters.

Some people with hard water opt to buy a water softener for aesthetic reasons. However, some water softeners add salt to the water, which can cause problems at wastewater treatment plants. In addition, people on low-sodium diets should be aware that some water softeners increase the sodium content of the water.



[That's equivalent to 1 drop of soap

in enough dishwater to fill a string of railroad tank cars 10 miles long!



Possible Contaminants

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk.

More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline at (800) 426-4791.

The sources of drinking water (both tap and bottled) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or human activity.

CONTAMINANTS THAT MAY BE PRESENT IN SOURCE WATER INCLUDE:

Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

Inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.

Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.

Organic chemical contaminants, including synthetic and volatile organic chemicals, which are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.

Radioactive contaminants, which can be naturally occurring or the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the EPA and the Division of Drinking Water (DDW) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. DDW regulations also establish limits for contaminants in bottled water, which must provide the same protection for public health.


Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised people, such as those with cancer undergoing chemotherapy, those who have undergone organ transplants, and those with HIV/AIDS or other immune system disorders; some elderly people; and infants can be particularly at risk from infections. These people should seek advice from their health care providers about drinking water. EPA/Centers for Disease Control and Prevention (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline at (800) 426-4791.

About Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water comes primarily from materials and components associated with service lines and home plumbing.

The water delivered by Cal Water to your meter meets all water quality standards for lead, but your home plumbing can affect water quality. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to two minutes before using water for drinking or cooking. Be sure to capture the flushed water in a bucket instead of letting it go down your drain to prevent water waste. You can use the water in your garden, to water house plants, or to clean your car or outdoor furniture.

If you are concerned about lead in your water, you may wish to have your water tested by a private lab. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at www.epa.gov/safewater/lead.



Key Definitions



Maximum Contaminant Level (MCL)

The highest level of a contaminant that is allowed in drinking water. Primary MCLs protect public health and are set as close to the PHGs (or MCLGs) as are economically and technologically feasible. Secondary MCLs relate to the odor, taste, and appearance of drinking water.

Exceeded Standard

Out of compliance with a primary MCL, a secondary MCL, or an action level, as determined by the Division of Drinking Water (DDW). For some compounds, compliance is determined by averaging the results for one source over a year.

Regulatory Action Level (AL)

The concentration of a contaminant which, if exceeded, triggers treatment or other required action by the water provider.

Maximum Contaminant Level Goal (MCLG)

The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the United States Environmental Protection Agency (EPA).

Maximum Residual Disinfectant Level (MRDL)

The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG)

The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Notification Level (NL)

A health-based advisory level for an unregulated contaminant in drinking water. It is used by DDW to provide guidance to drinking water systems.

Primary Drinking Water Standard (PDWS)

MCLs and MRDLs for contaminants that affect health, along with their monitoring, reporting, and water treatment requirements.

Public Health Goal (PHG)

The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency's Office of Environmental Health Hazard Assessment without regard to cost or available detection and treatment technologies.

Treatment Technique (TT)

A required process intended to reduce the level of a contaminant in drinking water.

Table Introduction

Cal Water tests your water for more than 140 regulated contaminants and dozens of unregulated contaminants. This table lists only those contaminants that were detected.

In the table, water quality test results are divided into two major sections: "Primary Drinking Water Standards" and "Secondary Drinking Water Standards and Unregulated Compounds." Primary standards protect public health by limiting the levels of certain constituents in drinking water. Secondary standards are set for substances that don't impact health but could affect the water's taste, odor, or appearance. Some unregulated substances (hardness and sodium, for example) are included for your information.

TABLE KEY	
μS/cm	measure of specific conductance
n/a	not applicable
ND	not detected
NTU	nephelometric turbidity unit
pCi/L	picoCuries per liter (measure of radioactivity)
ppm	parts per million (milligrams per liter)
ppb	parts per billion (micrograms per liter)
ppt	parts per trillion (nanograms per liter)
SMCL	secondary maximum contaminant level





Primary Drinking Water Standards

Purchased Groundwater Surface Water

Radiological	Year Tested	Unit	MCL (SMCL)	PHG (MCLG)	Exceeded Standard?	Range	Average	Range	Average	Source of Substance
Gross alpha particle activity	2006–2014	pCi/L	15	(0)	No	ND-6	0.7	ND-5	1	Erosion of natural deposits
Gross beta particle activity	2014	pCi/L	50	0	No	n/	n/a		3.3	Decay of natural and man-made deposits
Radium 226	2010–2014	pCi/L	5	0.05 (0)	No	ND-2 0.3		ND		Erosion of natural deposits
Radium 228	2006–2014	pCi/L	5	0.019 (0)	No	ND-1	ND-1 0.07)	Erosion of natural deposits
Uranium	2006–2014	pCi/L	20	0.43	No	ND-3	1.9	2–3	2.7	Erosion of natural deposits
Inorganic Chemicals	Year Tested	Unit	MCL (SMCL)	PHG (MCLG)	Exceeded Standard?	Range	Average	Range	Average	Source of Substance
Aluminum ¹	2014	ppm	1 (0.2)	0.6	No	N	D	ND-0.3	0.1	Erosion of natural deposits; residue from some surface water treatment processes
Arsenic ²	2012–2014	ppb	10	0.004	No	ND-8.2	1.4	ND-2.2	0.7	Erosion of natural deposits; runoff from orchards; glass and electronics production wastes
Barium	2012–2014	ppm	1	2	No	ND-0.16	0.1	ND-0.1	0.07	Discharges of oil-drilling waste and from metal refineries; erosion of natural deposits
Chromium 6+	2014	ppb	10	0.02	No	ND-2.4	1	ND		Discharge from electroplating factories, leather tanneries, wood preservation, chemical synthesis, refractory production, and textile manufacturing facilities; erosion of natural deposits

¹For aluminum there was a result that was over the SMCL at 0.2 ppm. Even though there was a result at 0.3 ppm, there is not an exceedance since compliance is computed using the average, which was 0.1 ppm. The SMCL for aluminum is 0.2 ppm.

²While your drinking water meets the federal and state standards for arsenic, it does contain low levels of arsenic. The arsenic standards balance the current understanding of arsenic's possible health effects against the costs of removing arsenic from drinking water. The EPA continues to research the health effects of low levels of arsenic, which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects, such as skin damage and circulatory problems.

(Continued)



Inorganic Chemicals	Year Tested	Unit	MCL (SMCL)	PHG (MCLG)	Exceeded Standard?	Range	Average	Range	Average	Source of Substance
Chromium	2012–2014	ppb	50	(100)	No	ND-3.3	1.1	ND		Discharge from steel and pulp mills and chrome plating; erosion of natural deposits
Nitrate (as nitrate) ³	2014	ppm	45	45	No	ND-29	20	ND		Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits
Perchlorate	2014	ppb	6	6	No	ND-3.7	1	ND		Perchlorate is an inorganic chemical used in solid rocket propellant, fireworks, explosives, flares, matches, and a variety of industries. It usually gets into drinking water as a result of environmental contamination from historic aerospace or other industrial operations that used or use, store, or dispose of perchlorate and its salts.
Inorganic Chemicals	Year Tested	Unit	MCL (SMCL)	PHG (MCLG)	Exceeded Standard?	Highest Level	Lowest Monthly Percent	Highest Level	Lowest Monthly Percent	Source of Substance
Turbidity (surface water requiring filtration) ⁴	2014	NTU	TT	n/a	No	n/	a	0.1	100	Soil runoff
	Year		MCL	PHG	Exceeded	D	istribution :	System-Wide	е	
Inorganic Chemicals	Tested	Unit	(SMCL)	(MCLG)	Standard?	Range		Avera	age	Source of Substance
Fluoride ⁵	2014	ppm	2	1	No	0.1-	0.1–0.9		6	Erosion of natural deposits; water additive that promotes strong teeth; discharge from fertilizer and aluminum factories

³The average nitrate level was 20 ppm, with a maximum level of 29 ppm. We are closely monitoring the nitrate levels. Nitrate in drinking water at levels above 45 ppm is a health risk for infants of less than six months of age. Such nitrate levels in drinking water can interfere with the capacity of the infant's blood to carry oxygen, resulting in a serious illness; symptoms include shortness of breath and blueness of the skin. Nitrate levels above 45 ppm may also affect the ability of the blood to carry oxygen in other individuals, such as pregnant women and those with certain specific enzyme deficiencies. If you are caring for an infant or you are pregnant, you should seek advice from your health care provider.

⁴For surface water systems, the treatment technique dictates that the turbidity level of the filtered water be less than or equal to 0.3 NTU in 95% of the measurements taken each month and shall not exceed 1 NTU at any time. Turbidity is a measurement of the cloudiness of water. We monitor it because it is a good indicator of the effectiveness of our filtration system.

⁵Cal Water does not add fluoride to its groundwater supply. However, low levels of fluoride occur naturally. In November 2007, Metropolitan Water District of Southern California (MWD) began fluoridating their treated surface water, which Cal Water purchases. Since the system receives a blend of groundwater with naturally occurring fluoride and fluoridated surface water, fluoride levels are checked throughout the distribution system every month to verify the actual levels at various locations. The optimal fluoride level for the East Los Angeles system is 0.8 ppm with a control range of 0.7–1.0 ppm.

(Continued)



	Year		MCL	PHG	PHG Exceeded		eeded Groundwater		l Surface ter	
Organic Chemicals	Tested	Unit	(SMCL)	(MCLG)	Standard?	Range	Average	Range	Average	Source of Substance
1,1-Dichloroethylene	2014	ppb	6	10 (7)	No	ND-2.9	0.6	NI)	Discharge from industrial chemical factories
Tetrachloroethylene (PCE)	2014	ppb	5	0.06	No	ND-1.1	0.2	ND		Discharge from factories, dry cleaners, and auto shops (metal degreaser)
Trichloroethylene (TCE)	2014	ppb	5	1.7	No	ND-0.7	0.1	ND		Discharge from metal-degreasing sites and other factories
DBP Precursor	Year Tested	Unit	MRDL	MRDLG	Exceeded Standard?	Range	Highest Running Annual Average	Range	Highest Running Annual Average	Source of Substance
Total organic carbon ⁶	2014	ppm	TT	n/a	No	ND-0.6	0.4	1.3–2.9	2.3	Various natural and manmade sources
Disinfectant and Disinfection Byproducts	Year Tested	Unit	MCL (SMCL)	PHG (MCLG)	Exceeded Standard?	Range	Highest Running Annual Average	Range	Highest Running Annual Average	Source of Substance
Bromate ⁷	2014	ppb	10	(0)	No	n/	а	4.4–13	7.8	Byproduct of drinking water chlorination

⁶Total Organic Carbon (TOC) has no health effects; however, TOC provides a medium for the formation of disinfection byproducts. These byproducts include trihalomethanes (THMs) and haloacetic acids (HAAs). Drinking water containing these byproducts in excess of the MCL may lead to adverse health effects such as liver, kidney, or nervous system problems, and may lead to an increased risk of cancer. Concerns regarding disinfection byproducts are based upon exposure over many years.

⁷For bromate, there was a result that was over the MCL at 13 ppb. Even though there was a result at 13 ppb, there is not an exceedance since compliance is computed using the highest running annual average, which was 7.8 ppb. The MCL for bromate is 10 ppb.

(Continued)



						Distribution System-Wide		
Disinfectant and Disinfection Byproducts	Year Tested	Unit	MCL (SMCL)	PHG (MCLG)	Exceeded Standard?	Range	Highest Running Annual Average	Source of Substance
Chloramine	2014	ppm	4	4	No	0.2–3.7	1.8	Drinking water disinfectant added for treatment
Total haloacetic acids	2014	ppb	60	n/a	No	10.2–24	17.5	Byproduct of drinking water chlorination
Total trihalomethanes	2014	ppb	80	n/a	No	19.7–43.9	36.2	Byproduct of drinking water chlorination

Other Regulated Substances

						Distribution System-Wide		
Metals	Year Tested	Unit	AL	PHG (MCLG)	Exceeded Standard?	90 th Percentile	# Sites > AL / Total # Sites Sampled	Source of Substance
Copper	2014	ppm	1.3	0.3	No	0.2	0 of 51	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives

Secondary Drinking Water Standards and Unregulated Compounds Purchased Groundwater Surface Water

Inorganic Chemicals	Year Tested	Unit	SMCL	PHG (MCLG)	Exceeded Standard?	Range	Average	Range	Average	Source of Substance
Boron	2014	ppm	NL=1	n/a	No	0.	3	0.14-0.16	0.15	Erosion of natural deposits
Calcium	2012–2014	ppm	n/a	n/a	No	63–110	84	22–61	47	Erosion of natural deposits
Chloride	2012–2014	ppm	500	n/a	No	63–160	82	75–91	83	Erosion of natural deposits; seawater influence
Color	2012–2014	Units	15	n/a	No	ND-5	0.5	1–2	1	Naturally occurring organic matter
Hardness	2012–2014	ppm	n/a	n/a	No	210–400	296	110–250	200	Erosion of natural deposits
Magnesium	2012–2014	ppm	n/a	n/a	No	11–33	21	11–21	17	Erosion of natural deposits



Inorganic Chemicals	Year Tested	Unit	SMCL	PHG (MCLG)	Exceeded Standard?	Range	Average	Range	Average	Source of Substance
Manganese ⁸	2012–2014	ppb	50	n/a	Yes	ND-61	15	ND		Leaching from natural deposits
Molybdenum	2014	ppb	n/a	n/a	No	1.6-4.8	3.5	n/a	a	Erosion of natural deposits
Odor	2012–2014	Units	3	n/a	No	ND-3	1	3–6	3	Naturally occurring organic matter
pН	2014	Units	n/a	n/a	No	6.5–9.3	7.6	8.1–8.4	8.2	Inherent characteristic of water
Sodium	2012–2014	ppm	n/a	n/a	No	57–81	68	57–85	75	Erosion of natural deposits; seawater influence
Specific conductance	2012–2014	μS/cm	1600	n/a	No	670–1100	827	520–900	763	Erosion of natural deposits; seawater influence
Strontium	2014	ppb	n/a	n/a	No	440–980	728	n/a	a	Erosion of natural deposits
Sulfate	2012–2014	ppm	500	n/a	No	78–120	103	44–200	139	Runoff/leaching from natural deposits; industrial wastes
Total dissolved solids	2012–2014	ppm	1000	n/a	No	400–670	524	280–560	453	Runoff/leaching from natural deposits
Turbidity (groundwater)	2012–2014	NTU	5	n/a	No	ND-1.5	0.2	n/a		Soil runoff
Vanadium	2014	ppb	NL=50	n/a	No	ND-5	3	NI)	Erosion of natural deposits; manufacturing of alloys and steel

⁸Manganese occassionally exceeds the secondary maximum contaminant level value (SMCL) of 50 ppb in one groundwater well. SMCLs were established to protect you against unpleasant aesthetic effects, such as color, taste, odor, and/or the staining of plumbing fixtures (e.g., tubs and sinks) and clothing when washed. Exceeding these SMCLs do not pose a health risk.

(Continued)




					Purchased Surface Water			r		
Disinfection Byproducts	Year Tested	Unit	MCL (SMCL)	PHG (MCLG)	Exceeded Standard?	Rar	Range		Annual age	Source of Substance
Chlorate	2014	ppb	NL=800	n/a	No	21–105		82		Byproduct of drinking water chlorination
n-Nitrosodimethylamine	2014	ppt	NL=10	3	No	ND-5		2		Byproduct of drinking water chlorination; industrial processes
						Groundwater		Purchased Surface r Water		
Organic Chemicals	Year Tested	Unit	SMCL	PHG (MCLG)	Exceeded Standard?	Range	Highest Annual Average	Range	Highest Annual Average	Source of Substance
1,4-Dioxane ⁹	2014	ppb	NL=1	n/a	Yes	ND-7.8	4	n/a		Industrial solvent or solvent stabilizer for chlorinated solvents or volatile organic compounds
Chlorodifluoromethane (Freon 22)	2014	ppt	n/a	n/a	No	ND-0.2	0.1	n/a	a	Refrigerant

⁹Some groundwater wells contain 1,4-dioxane at levels greater than the notification level (NL) established by the State Water Resources Control Board, Division of Drinking Water (DDW). An NL is defined as a health-based advisory level for an unregulated contaminant in drinking water. DDW uses it to provide guidance to drinking water systems. DDW reccomends taking a well out of service if the concentrations in the well exceed 35 times the NL.

thank you.

Thanks for taking the time to learn more about your water quality! Even more information awaits you at www.calwater.com. Visit our web site to get information about your account, water use history, water rates, and water system.

You will also find water-saving tips and news about water conservation programs and rebates available in your area.



- **Drought news**
- Lead in water
- Water treatment and disinfection
- Protecting the water supply