

2015

Florence-Graham Water System

Consumer Confidence Report on Water Quality for 2014







Providing Quality Drinking Water in California Since 1929

Golden State Water Company is pleased to present our Annual Water Quality Report for 2014.

Our team of more than 550 water professionals is committed to ensuring you have reliable, high-quality water service available whenever you need it. Bringing you clean drinking water is serious business.

Golden State Water strictly adheres to federal and state drinking water quality guidelines required by the United States Environmental Protection Agency (USEPA), the State Water Resources Control Board's Division of Drinking Water (DDW) and the California Public Utilities Commission (CPUC). To ensure the quality of your drinking water, we routinely sample to monitor water quality, testing for more than 230 regulated and unregulated elements in our water distribution systems. In 2014 alone, we invested more than half a million dollars on laboratory testing to meet regulatory standards.

If drinking water standards are ever compromised, we are required to take immediate action, notify customers in timely fashion and restore normal service.

We pride ourselves on getting the job done right. Our team of experts is equipped to provide customers with the most efficient and effective service possible. Golden State Water strives to constantly improve our water production and delivery systems and adequately maintain wells, pumps and pipelines. Our philosophy is to invest in comprehensive preventive maintenance programs so our water infrastructure reliably provides you with high-quality drinking water, 24 hours a day, seven days a week.

Our customers are our top priority and we strive to provide the latest news and updates about their water service. Golden State Water's Customer Service Center representatives are available around-the-clock to answer your water quality questions and address your concerns. We encourage customers to visit www.gswater.com to learn more about your customer service area, water quality, conservation rebates and water-use efficiency tips.

Given current drought conditions and the forecast for continued dry conditions, water remains a critical issue and Californians must stay diligent with their efforts to reduce water usage at their homes and businesses. We encourage customers to visit gswater.com/drought to learn more about the state's water-use restrictions and conservation goals, as well as resources to help improve your water-use efficiency.

On behalf of the men and women at Golden State Water who serve you, thank you for providing us the opportunity to be your water provider. Please call our 24-hour Customer Service Center with any questions or feedback about this report at 1-800-999-4033.

Sincerely,



Robert Sprowls
President and Chief Executive Officer
Golden State Water Company



Sunil Pillai General Manager, Central District Golden State Water Company

About the Company

Golden State Water Company, a subsidiary of American States Water Company (AWR), provides water service to approximately one million Californians located within 75 communities throughout 10 counties in Northern, Coastal and Southern California. The Company also distributes electricity to more than 24,000 customers in the Big Bear recreational area of California. AWR's contracted services subsidiary, American States Utility Services, Inc., provides operations, maintenance and construction management services for water and wastewater systems located on military bases throughout the country.

Drought in California

California recently entered its fourth consecutive dry year, and Golden State Water is asking all customers to use water responsibly. We encourage customers to visit gswater.com/drought to learn more about the state's water-use restrictions and reduction goals, as well as resources to help improve your water-use efficiency.

Thanks to years of proactive planning and continued long-term investments in water infrastructure, Golden State Water (working collaboratively with regional wholesale water suppliers) has maintained a stable water supply for our customers during this unprecedented drought.

Golden State Water Company will continue working closely with the communities we serve to ensure they are making informed water-use decisions to meet all approved reduction goals.

Where Does My Water Come From?

Water delivered to customers in the Florence-Graham System is a blend of groundwater pumped from the Central Groundwater Basin and imported water from the Colorado River Aqueduct and the State Water Project (imported and distributed by the Metropolitan Water District of Southern California). The Central Groundwater Basin is bounded on the north by the La Brea Uplift; on the east by the Elysian, Repetto, Merced and Puente hills; on the southeast by the Orange County Groundwater Basin; and on the west by the Newport-Inglewood Fault Zone.

Glossary of Terms

Maximum Contaminant Level (MCL)

The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the public health goals and maximum contaminant level goals as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste and appearance of drinking water.

California Notification Level (NL)

Non-regulatory, health-based advisory levels established by the Division of Drinking Water (DDW) for contaminants in drinking water for which an MCL has not been established.

Maximum Contaminant Level Goal (MCLG)

The level of contaminant in drinking water below which there is no known or expected risk to health. Maximum contaminant level goals are set by the United States Environmental Protection Agency (USEPA).

Maximum Residual Disinfectant Level (MRDL)

The highest level of a disinfectant allowed in drinking water. There is convincing evidence that the addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG)

The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Primary Drinking Water Standard (PDWS)

MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements and water treatment requirements.

Public Health Goal (PHG)

The level of a contaminant in drinking water below which there is no known or expected risk to health. Public health goals are set by the California Environmental Protection Agency (CalEPA).

Regulatory Action Level (AL)

The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Cross Connection Control Program

Golden State Water Company's Cross Connection Control Program provides a level of certainty that the water in the company's distribution system is protected from possible backflow of contaminated water from commercial or industrial customers' premises. For additional information, visit http://www.gswater.com/protecting-our-drinking-water/.

Hydrant Flushing

Hydrant flushing is an essential maintenance procedure that all water providers must perform periodically ensure the delivery of water that meets state and federal drinking water standards.

Even in drought conditions, flushing is a necessary part of maintaining

If You Have Questions - Contact Us

For information about your water quality or to find out about upcoming opportunities to participate in public meetings, please contact our 24-hour Customer Service Center at 1-800-999-4033. Visit us online at www.gswater.com or email us at customerservice@gswater.com.

Este informe contiene información muy importante sobre su agua de beber. Tradúzcalo o hable con alguien que lo entienda bien.

the water system and the quality of the water within it. Golden State Water has modified procedures, given the current drought in California, to minimize the amount of water released during flushing activities. Water used for flushing represents less than 1 percent of the total water usage in each of our water systems.

For more information about hydrant flushing, visit http://www.gswater.com/flushing-info/

For People with Sensitive Immune Systems

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised people, such as those individuals with cancer undergoing chemotherapy, those who have undergone organ transplants, those with HIV/AIDS or other immune system disorders, some elderly populations, and infants, can be particularly at risk from infections. These people should seek advice from their health care providers.

The USEPA and Centers for Disease Control issue guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants. To obtain a copy of these guidelines, please call the USEPA's Safe Drinking Water Hotline at 1-800-426-4791.

Connect with us to learn more!

Visit www.qswater.com to learn how to:

- Access the latest Water Quality Report for your area
- Get the latest updates and news regarding the drought and state/local restrictions
- Learn more about water-use efficiency, including programs and rebates in your area
- Understand your water bill and learn about payment options
- Obtain information about programs for low-income customers (CARW)
- > Sign up to receive email updates about your water service.

For additional information, please contact our 24-hour Customer Service Center at **1-800-999-4033** or email us at customerservice@gswater.com.

Measurements

Water is sampled and tested consistently throughout the year to ensure the best possible quality.

Contaminants are measured in:

- Parts per million (ppm) or milligrams per liter (mg/L)
- Parts per billion (ppb) or micrograms per liter (μg/L)
- Parts per trillion (ppt) or nanograms per liter (ng/L)
- Grains per gallon (grains/gal) A measurement of water hardness often used for sizing household water softeners. One grain per gallon is equal to 17.1 mg/L of hardness.
- MicroSiemens per centimeter (μS/cm) A measurement of a solution's ability to conduct electricity
- Nephelometric Turbidity Units (NTU) A measurement of the clarity of water. Turbidity in excess of 5 NTU is noticeable to the average person.
- PicoCuries per liter (pCi/L) A measurement of radioactivity in water.

If this is difficult to imagine, think about these comparisons:

Parts per million: 1 second in 12 days 1 inch in 16 miles 1 drop in 14 gallons Parts per billion: 1 second in 32 years 1 inch in 16,000 miles 1 drop in 14,000 gallons Parts per trillion:

1 second in 32,000 years 1 inch in 16 million miles 10 drops in enough water to fill the Rose Bowl

YOUR WATER MEETS ALL CURRENT FEDERAL AND STATE REQUIREMENTS

Florence Graham Water System – Source Water Quality											
Primary Standards - Health Based (units)	Primary MCL	PHG (MCLG)	Range of Detection	Average Level	Most Recent Sampling Date	Typical Source of Constituent					
Turbidity											
Highest single measurement of the treated surface water (NTU)	TT = 1.0	n/a	n/a	0.06	2014	Soil runoff					
Lowest percent of all monthly readings less than 0.3 NTU (%)	TT = 95	n/a	n/a	100%	2014	Soil runoff					
Inorganic Constituents											
Aluminum (mg/L)	1	0.6	ND - 0.31	ND	2014	Erosion of natural deposits; residue from some surface water treatment processes					
Arsenic (µg/L)	10	0.004	ND - 2.2	ND	2014	Erosion of natural deposits; runoff from orchards, glass and electronics production					
Barium (mg/L)	1	2	ND - 0.13	0.10	2014	wastes Discharges of oil drilling wastes and from metal refineries; erosion of natural deposits					
Fluoride, naturally ocurring (mg/L)	2.0	1	0.33 - 0.43	0.10	2014	Erosion of natural deposits; discharge from fertilizer and aluminum factories					
Fluoride, total (mg/L) (a)	2.0	1	0.4 - 1.3	0.38	2014	Water additive that promotes strong teeth					
r tuoride, totat (mg/L) (a)	2.0	1	0.4 - 1.3	0.6	2014	Discharge from electroplating factories, leather tanneries, wood preservation, chemical					
Hexavalent Chromium (µg/L)	10	0.02	ND - 6.8	2.0	2014	synthesis, refractory production, and textile manufacturing facilities; erosion of natural deposits					
Nitrate [as NO3] (mg/L)	45	45	ND - 30	8.0	2014	Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits					
Perchlorate (μg/L)	6	1	ND - 4.6	ND	2014	Perchlorate is an inorganic chemical used in solid rocket propellant, fireworks, explosions, flares, matches, and a variety of industries. It usually gets into drinking water as a result of environmental contamination from historic aerospace or other industrial operations that used or use, store or dispose of perchlorate and its salts					
Selenium (µg/L)	50	30	ND - 5.3	ND	2014	Discharge from petroleum, glass, and metal refineries; erosion of natural deposits; discharge from mines and chemical manufacturers; runoff from livestock lots (feed additive)					
Volatile Organic Constituents					·						
cis-1,2-Dichloroethylene (μg/L)	6	100	ND - 1.8	ND	2014	Discharge from industrial chemical factories; major biodegradation byproduct of TCE and PCE groundwater contamination					
Tetrachloroethylene [PCE] (µg/L)	5	0.06	ND - 1.2	ND	2014	Discharge from factories, dry cleaners, and auto shops (metal degreaser)					
Trichloroethylene [TCE] (µg/L)	5	1.7	ND - 3.5	ND	2014	Discharge from metal degreasing sites and other factories					
Radioactive Constituents											
Gross Alpha Activity (pCi/L)	15(b)	(0)	ND - 11	4.5	2014	Erosion of natural deposits					
Gross Beta Activity (pCi/L)	50(c)	(0)	ND - 6.8	ND	2014	Decay of natural and manmade deposits					
Combined Radium (pCi/L)	5(d)	(0)	ND - 1.4	ND	2014	Erosion of natural deposits					
Uranium (pCi/L)	20	0.43	2.0 - 7.7	4.2	2014	Erosion of natural deposits					
Secondary Standards - Aesthetic (units)	Secondary MCL	PHG (MCLG)	Range of Detection	Average Level	Most Recent Sampling Date	Typical Source of Constituent					
Aluminum (μg/L)	200	n/a	ND - 310	ND	2014	Erosion of natural deposits; residue from some surface water treatment processes					
Color (units)	15	n/a	ND - 1	ND	2014	Naturally-occurring organic materials					
Chloride (mg/L)	500	n/a	24 - 92	59	2014	Runoff/leaching from natural deposits; seawater influence					
Copper (mg/L)	1	n/a	ND - 0.076	ND	2014	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives					
Foaming Agents [MBAS] (µg/L)	500	n/a	ND - 220	22	2014	Municipal and industrial waste discharges					
Iron (μg/L)	300	n/a	ND - 480	ND	2014	Leaching from natural deposits; industrial wastes					
Manganese (μg/L)	50	n/a	ND - 29	ND	2014	Leaching from natural deposits					
OdorThreshold (units)	3	n/a	ND - 3	ND	2014	Naturally-occurring organic materials					
Specific Conductance (uS/cm)	1600	n/a	590 - 1100	890	2014	Substances that form ions when in water; seawater influence					
Sulfate (mg/L)	500	n/a	63 - 241	140	2014	Runoff/leaching from natural deposits; industrial wastes					
Turbidity (units)	5	n/a	ND - 1.9	0.19	2014	Soil runoff					
Total Dissolved Solids (mg/L)	1000	n/a	330 - 650	500	2014	Runoff/leaching from natural deposits					
Zinc (mg/L)	5	n/a	ND - 0.06	ND	2014	Runoff/leaching from natural deposits; industrial wastes					
Other Parameters (units)	Notification Level	PHG (MCLG)	Range of Detection	Average Level	Most Recent Sampling Date	Typical Source of Constituent					
Alkalinity (mg/L)	n/a	n/a	80 - 230	170	2014						
Calcium (mg/L)	n/a	n/a	26 - 110	78	2014	The first transfer of the second seco					
Hardness [as CaCO3] (mg/L)	n/a	n/a	110 - 380	280	2014	The sum of polyvalent cations present in the water, generally magnesium and calcium; the cations are usually naturally occurring					
Hardness [as CaCO3] (grains/gal)	n/a	n/a	6.4 - 22	16	2014						
Magnesium (mg/L)	n/a	n/a	12 - 27	21	2014						
pH (pH units)	n/a	n/a	7.6 - 8.3	7.9	2014						
Potassium (mg/L)	n/a	n/a	2.6 - 4.8	3.9	2014						
Sodium (mg/L)	n/a	n/a	39 - 99	59	2014	Refers to the salt present in the water and is generally naturally occurring					
Unregulated Drinking Water	Notification	PHG	Range of	Average	Most Recent						
N-Nitrosodimethylamine [NDMA] (ng/L)	Level 10	(MCLG)	Detection ND - 5	Level 1	Sampling Date 2014						
it itta osouilletiiytallille [itDMA] (iig/L)	10	n/a	נ - שאו	1	2014						

Florence Graham Water System – Distribution Water Quality										
Disinfection Byproducts and Disinfectant Residuals (units)	Primary MCL (MRDL)	PHG (MRDLG)	Range of Detection	Average Level	Most Recent Sampling Date	Typical Source of Constituent				
Bromate (µg/L)	10	0.1	ND - 13	7.8	2014	Byproduct of drinking water disinfection				
Chlorine [as Cl2] (mg/L)	(4.0)	(4)	ND - 2.1	1.2	2014	Drinking water disinfectant added for treatment				
HAA5 [Total of Five Haloacetic Acids] (μg/L)	60	n/a	ND - 25	8.0	2014	Byproduct of drinking water disinfection				
TTHMs [Total of Four Trihalomethanes] (µg/L)	80	n/a	ND - 36	12	2014	Byproduct of drinking water disinfection				
Inorganic Constituents (units)	Action Level	PHG (MCLG)	Sample Data	90th % Level	Most Recent Sampling Date	Typical Source of Constituent				
Copper (mg/L)	1.3	0.3	None of the 30 samples collected exceeded the action level.	0.51	2013	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives				

⁽a) Our water system treats your water by adding fluoride to the naturally occurring level to help prevent dental caries in consumers. State regulations require the fluoride levels in the treated water to be maintained within a range of 0.7-1.3 mg/L with an optimum dose of 0.8 mg/L.

⁽b) MCL is based on Gross Alpha minus Uranium. (c) DDW considers 50 pCi/L to be the level of concern for beta particles. (d) MCL is based on combined Radium-226 + Radium-228.

Source Water Assessment

GSWC conducted assessments in 2002 for each groundwater well serving the customers of its Florence-Graham System.

Groundwater sources in this system are considered most vulnerable to the following activities not associated with detected contaminants: cement/concrete plants, dry cleaners, fire stations, food processing, furniture repair/manufacturing, hardware/lumber/parts stores, sewer collection system, and water supply wells.

Groundwater sources in this system are considered most vulnerable to the following activities associated with contaminants detected in the water supply: airport maintenance/fueling areas, automobile repair and body shops, chemical/petroleum processing/storage, electrical/electronic manufacturing, fleet/truck/bus terminals, gas stations, junk/scrap/salvage yards, landfills/dumps, machine shops, metal plating/finishing/fabricating, motor pools, and plastics/synthetics producers.

A copy of the assessment may be viewed at:

DDW Los Angeles District Office 500 N. Central Ave., Suite 500, Glendale, CA 91203

or

Golden State Water Company, Santa Fe Springs Office 12035 Burke St., Suite 1, Santa Fe Springs, CA 90670

You may request a summary of the assessment be sent to you by contacting:

DDW Los Angeles District Office at 1-818-551-2004

For more details, contact Lisa Miller, Water Quality Engineer, at 1-800-999-4033.

In December 2002, the Metropolitan Water District of Southern California (MWD) completed a source water assessment of its Colorado River and State Water Project supplies.

Colorado River supplies are considered to be most vulnerable to the following: increasing urbanization in the watershed, recreation, urban/stormwater runoff, and wastewater.

State Water Project supplies are considered to be most vulnerable to the following: agriculture, recreation, urban/stormwater runoff, wastewater, and wildlife.

A copy of the assessment can be obtained by contacting MWD by phone at 1-213-217-6850, option 3.

Laboratory Analyses

Through the years, we have taken thousands of water samples to determine the presence of any radioactive, biological, inorganic, volatile organic, or synthetic organic contaminants in your drinking water. The table we provide shows only detected contaminants in the water.

Even though all the substances listed here are under the Maximum Contaminant Level (MCL), we feel it is important that you know exactly what was detected and how much of these substances were present in your water. Compliance (unless otherwise noted) is based on the average level of concentration below the MCL. The state allows us to monitor for some contaminants less than once per year because the concentrations do not change frequently. Some of our data, while representative, is more than a year old.

Lead — If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Golden State Water is responsible for providing high-quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to two minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information about lead in drinking water, testing methods and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline at 1-800-426-4791 or at www.epa.gov/safewater/lead.

Chloramination — The water purchased by GSWC from Metropolitan Water District of Southern California (MWD) contains chloramine. Chloramine is added to the water for public health protection. Chloraminated water is safe for people and animals to drink, and for all other general uses. Three special user groups, including kidney dialysis patients, aquarium owners, and businesses or industries that use water in their treatment process, must remove chloramine from the water prior to use.

Hospitals or dialysis centers should be aware of chloramine in the water

and should install proper chloramine removal equipment, such as dual carbon adsorption units. Aquarium owners can use readily available products to remove or neutralize chloramine. Businesses and industries that use water in any manufacturing process or for food or beverage preparation should contact their water treatment equipment supplier regarding specific equipment needs.

Should you have any questions or concerns regarding chloramine in your water, please contact MWD at 1-213-217-6850, option 3.

Fluoridation — GSWC began adding fluoride to its treated water supply in March 2013. Fluoride has been added to the water that GSWC purchases from Metropolitan Water District of Southern California (MWD) since November 2007. Customers should see no difference in the taste, color or odor of their water as a result of fluoridation. Fluoridation does not change the way you normally use water for fish, pets, or cooking. Parents and guardians of children who receive fluoride supplements should consult the child's doctor or dentist. For information regarding fluoridation of your water, please contact us at 800-999-4033, or visit the Department of Drinking Water's fluoridation website at www. waterboards.ca.gov/drinking_water/certlic/drinkingwater/Fluoridation. shtml

Nitrate — Nitrate in drinking water at levels above 45 mg/L is a health risk for infants of less than six months of age. Such nitrate levels in drinking water can interfere with the capacity of the infant's blood to carry oxygen, resulting in a serious illness; symptoms include shortness of breath and blueness of the skin. Nitrate levels above 45 mg/L may also affect the ability of the blood to carry oxygen in other individuals, such as pregnant women and those with certain specific enzyme deficiencies. If you are caring for an infant, or you are pregnant, you should ask for advice from your health care provider.

Aluminum — The secondary MCL for aluminum is set for aesthetic reasons and there is no health concern associated with the aluminum levels in this water system.

Bromate — Some people who drink water containing bromate in excess of the MCL over many years may have an increased risk of getting cancer.

Iron — The secondary MCL for iron is set for aesthetic reasons and there is no health concern associated with the iron levels detected in this water system.

Turbidity — Turbidity is a measure of the cloudiness of the water. It is monitored because it is a good indicator of the effectiveness of surface water filtration.

Risk to Tap and Bottled Water

Drinking water, including bottled water, may reasonably be expected to contain small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline at 1-800-426-4791.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the layers in the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, which can pick up substances resulting from the presence of animal or human activity.

To be certain that tap water is safe to drink, the USEPA and the DDW prescribe regulations limiting the amount of contaminants in water provided by public water systems. United States Food and Drug Administration (USFDA) and DDW regulations also provide the same public health protection by establishing limits for contaminants in bottled water.

Contaminants in Drinking Water Sources May Include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife
- Inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, and farming
- Pesticides and herbicides that may come from a variety of sources such as agriculture, urban stormwater runoff and residential uses
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff and septic systems
- Radioactive contaminants that can be naturally occurring or be the result of oil and gas production and mining activities