

# IDYLLWILD WATER DISTRICT

## Newsletter and Consumer Confidence Report

Summer 2015

We have provided each customer with the enclosed removable insert that provides information regarding the quality of water that you received from the Idyllwild Water District during 2014. Last year's water quality report (Consumer Confidence Report) met all state and federal regulations. IWD operates two water treatment facilities. The first treatment process is our aeration facility, which receives water directly from our wells at the Foster Lake area and aerates the well water to prevent any corrosion in our water system as well as our customer's plumbing. The well water then progresses to our iron and manganese filtration plant. This plant improves the well water by removing iron and manganese before it is pumped into the six Foster Lake storage tanks where it gravity feeds into the distribution system and into your household tap. Idyllwild Water District works diligently to provide its customers a safe and high quality water. Our well water from the Foster Lake wells is both purified by aeration and filtered to provide better quality water. Our water costs are .012 cents per gallon of water or just over one cent per gallon of water. Imagine how much you can save compared to the price of bottled water.



Foster Lake is Empty!

The District uses Foster Lake to recharge water and maintains the groundwater levels to the surrounding Foster Lake wells. We receive water directly from Lilly Creek into Foster Lake. Our other source for Foster Lake is stream water that is diverted and pumped across town into the Lake. This is Strawberry Creek water, which along with Lilly Creek is the sole source of creek water for protecting our Foster Lake wells during drought situations. Foster Lake has been dry and we have not diverted water from Strawberry Creek for two years due to drought. Water on the hill is a precious resource and it takes all of us working together to conserve and to protect the quality of our groundwater.

The District is dedicated to preserving our watershed and sustaining our environment, now and into the future. In the past few months, the District has rehabilitated our horizontal and older vertical wells to increase water production, and added a new tank for additional water storage capacity. These efforts will provide additional production capacity which cushions against extended drought. We have recently upgraded the inverters for our solar array to reduce our dependence and costs from So. Calif. Edison. Saving water and power is essential to ensure we have sustainable supplies for the future.

# IDYLLWILD WATER DISTRICT

## 2014 Consumer Confidence Report

We test the drinking water as required by state and federal regulations. This report shows the results of our monitoring for the period of January 1 - December 31, 2014 and may include earlier monitoring data.

**Este informe contiene información muy importante sobre su agua potable. Tradúzcalo ó hable con alguien que lo entienda bien.**

Type of water source(s) in use: Groundwater

Name & location of source(s): Water in 2014 was supplied from 11 out of our 24 wells located in the Idyllwild area.

Drinking Water Source Assessment information: Completed in 2002, 2006,2007 and can be reviewed in our office at 25945 State Hwy. 243-Idyllwild, CA.

Time and place of regularly scheduled board meetings for public participation: **Third Wednesday of the month**  
**IWD Boardroom at 6:00 p.m.-25945 State Hwy. 243-Idyllwild, CA**

For more information, contact: **Tom Lynch, General Manager** Phone: **( 951 ) 659-2143**

The following tables list all the drinking water contaminants that we detected from testing for the 2014 calendar year. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The state requires us to monitor for certain contaminants less than once a year because the concentrations of these contaminants are not expected to vary significantly from year to year. Some of the data, though representative of the water quality, may be from more than one year of sample results.

**Sampling Results Showing Detection of Lead and Copper**

Lead and Copper	No. of samples collected	90 <sup>th</sup> percentile level detected	No. of sites exceeding AL	AL	PHG	Typical source of contaminant
Lead (ppb)	10	0.0074	None	15	2	Internal corrosion of household water plumbing systems; erosion of natural deposits.
Copper (ppm)	10	0.45	None	1.3	0.17	Internal corrosion of household water plumbing systems; erosion of natural deposits; leaching from wood preservatives.

**Sampling Results for Sodium and Hardness**

Chemical or constituent	Sample date	Level detected	Range of detections	MCL	PHG/ MCLG	Typical source of contaminant
Sodium (ppm)	2012-2014	16	11 - 25	none	none	Generally found in ground and surface water.
Hardness (ppm)	2012-2014	40	35 - 93	none	none	Generally found in ground and surface water.

**Detection of Disinfectant Byproducts**

Chemical or constituent	Sample date	Highest Running Annual Average	Range of detections	MCL [MRDL]	PHG/ (MCLG) [MRDLG]	Typical source of contaminant
Chlorine (ppm)	2014	1.13	0.86 – 1.27	[ 4.0 (as Cl <sub>2</sub> ) ]	[4.0(asCl <sub>2</sub> )]	Drinking water disinfectant added for treatment
Total Trihalomethanes (TTHMs) (ppb)	2014	31	31	80	n.a.	By-product of drinking water disinfection
Haloacetic Acids (HAA5) (ppb)	2014	29	29	60	n.a.	By-product of drinking water disinfection

### Detection of Contaminants with a Primary Drinking Water Standard

Chemical or constituent	Sample date	Level detected	Range of detections	MCL	PHG/ (MCLG)	Typical source of contaminant
Gross alpha activity (pCi/L)	2013-2014	0.721	0.02-4.24	15	( 0 )	Erosion of natural deposits.
Uranium (pCi/L)	2013-2014	0.63	0.00 – 5.93	20	.43	Erosion of natural deposits
Fluoride (ppm)	2012-2014	0.1	< 0.1-0.2	2.0	1	Erosion of natural deposits
Nitrate (ppm)	2014	2.9	N.D – 4.5	45	45	Leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits
Aluminum(ppm)	2012 - 2014	<0.05	<0.05 – 0.51	1	0.6	Erosion of natural deposits

### Detection of Contaminants with a Secondary Drinking Water Standard

Chemical or constituent	Sample date	Level detected	Range of detections	MCL	PHG/ MCLG	Typical source of Contaminant
Total dissolved solids (ppm)	2012-2014	124	78-240	1000	n.a.	Runoff/leaching of natural deposits.
Chloride (ppm)	2012-2014	8.3	2.4 - 26	500	n.a.	Runoff/leaching of natural deposits.
Sulfate (ppm)	2012-2014	1.8	<0.50 - 3.5	500	n.a.	Runoff/leaching of natural deposits.
Specific Conductance	2012-2014	163	130 - 320	1600	n.a.	Substances that form ions when in water/ sea water influence.
Turbidity (units)	2012-2014	3.1	0.40 – 6.6	5	n.a.	Soil runoff <b>**Note</b>
Aluminum (ppb)	2012-2014	< 50	<50 - 510	200	n.a.	Erosion of natural deposits <b>**Note</b>
Iron (ppb)	2012-2014	134	<100 - 180	300	n.a.	Leaching from natural deposits
Foaming Agents (MBAS) ppb	2012-2014	<80	ND - <80	500	n.a.	Municipal and Industrial waste discharges
Zinc (ppm)	2012-2014	<0.05	<0.05-0.047	5.0	n.a.	Runoff/leaching of natural deposits
Manganese(ppb)	2012-2014	< 20	ND - <20	50	n.a.	Leaching from natural deposit

**\*\*Note:** Well #15 had a high turbidity level of 6.6 Nephelometric Turbidity Unit (NTU) which is above the MCL, however this well water is blended with additional wells, which brought it into the acceptable range.

**\*\*Note:** Dutch Flats Well #4 had a one time high aluminum reading due to non-use. This well was not utilized during 2014 and previous readings have been less than the MCL.

**The sources of drinking water** (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

#### Contaminants that may be present in source water include:

- *Microbial contaminants*, such as viruses and bacteria that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- *Inorganic contaminants*, such as salts and metals that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- *Pesticides and herbicides* that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- *Organic chemical contaminants*, including synthetic and volatile organic chemicals that are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.
- *Radioactive contaminants* that can be naturally-occurring or be the result of oil and gas production and mining activities.

**In order to ensure that tap water is safe to drink**, the USEPA and the California Department of Public Health (Department) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. Department regulations also establish limits for contaminants in bottled water that provide the same protection for public health.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Idyllwild Water District is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components.

When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Infants and young children are typically more vulnerable to lead in drinking water than the general population. It is possible that lead levels at your home may be higher than at other homes in the community as a result of materials used in your home's plumbing. Additional information is available from the USEPA Safe Drinking Water Hotline (1-800-426-4791) and available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>.

**Terms and abbreviations used in the tables are as follows;**

**Public Health Goal (PHG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

**Maximum Contaminant Level Goal (MCLG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency.

**Maximum Contaminant Level (MCL):** The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

**Maximum Residual Disinfectant Level (MRDL):** The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

**Maximum Residual Disinfectant Level Goal (MRDLG):** The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

**Primary Drinking Water Standard:** MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

**Regulatory Action Level (AL):** The concentration of a contaminant which, when exceeded, triggers treatment or other requirements that a water system must follow.

**n.a.:** not applicable

**N.D.:** not detectable at testing limit

**ppm:** parts per million or milligrams per liter

**ppb:** parts per billion or micrograms per liter

**pCi/L:** picocuries per liter (a measure of radiation)

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

In August 2013 CDPH proposed an MCL for chromium-6 of 0.010 milligram per liter (equivalent to 10 µg/L). The [CDPH Office of Regulations' webpage](#) includes the regulations, the initial statement of reasons, the final statement of reasons, and other information. On April 15, 2014, CDPH submitted the hexavalent chromium MCL regulations package to the Office of Administrative Law (OAL) for its review for compliance with the Administrative Procedure Act. On May 28, OAL approved the regulations, which were effective on July 1, 2014, with testing to be completed by January 1, 2015. IWD has not yet performed the required testing and is not in compliance with the testing regulations. IWD will complete their testing for chromium-6 on July 1, 2015. The test results will be available in the IWD office after July 1, 2015 and the test results will be included in the 2016 Consumer Confidence Report.

## IWD ENHANCEMENTS

The Governor's Office of Emergency Services has declared a statewide drought emergency and has imposed restrictions on all California residents to reduce water consumption by 25%. Therefore, in compliance with State guidelines we are asking all customers to restrict outside landscape irrigation to the State mandated twice per week.

The District is doing all it can to minimize the effects of the drought on our customers. We have taken many positive actions to keep our systems functioning efficiently, keep our costs low and insure our sustainability. These actions have included the following:

- Upgrading and adding to our water storage capacity with the new Goldenrod and Tollgate tanks with a combined storage of 500,000 gallons.
- Upgraded and improved the efficiency of our solar power production by replacing our old power inverter with three new efficient inverters.
- Rehabilitated and restored production of our horizontal wells and several vertical wells. These wells had been inactive for years and they are now restored and capable of increasing our water production by approximately 20%.
- We have received approval from the state for a \$2,045,000 award to construct a water recycling system for our wastewater. The project includes improving our existing sewer plant from secondary treatment to tertiary treatment. This will enable us to use recycled water for landscape irrigation.
- Installing over 10,000 feet of effluent lines.
- We have submitted further grant applications for several additional projects which will improve water production, make additional infrastructure improvements and upgrade our existing systems to contain costs and enhance our system performance.
- We are reviewing our policies and regulations to insure they are consistent with new state guidelines.
- We have been able to reduce our insurance premiums and cost overhead in an effort to keep customer rates low.
- We have undertaken a comprehensive review of our energy consumption in conjunction with a consultant and So. Calif. Edison. They have provided us with new protocols and procedures for operating our various pumps and motors in more efficient fashion potentially saving 20% - 25% of energy costs.



Tollgate Tank



Sewer Effluent Line



**IDYLLWILD WATER DISTRICT**  
**25945 HIGHWAY 243**  
**P.O. BOX 397**  
**IDYLLWILD, CA 92549-0397**

PRSRT STD  
AUTO  
U.S. POSTAGE  
PAID  
San Jacinto, CA  
Permit No. 51

**Board of Directors**

Jim Billman, President  
John Cook, Vice President  
Warren Monroe, Director  
Mike Freitas, Director  
Dean Lattin, Director

## *Help Us Save Water*

- Stop Leaks – Check appliances and outside systems such as sprinklers for leaks. Get to know your water meter – it provides important information about consumption and leaks. Common leaks waste 10% of the water used in many homes.
- Replace Old Toilets – Toilet flushing is the top water user in the home. If you haven't replaced your toilet in 10 years or more, you'll benefit from the new high efficiency models. Check the internal flapper for leaks by adding a little food coloring to the tank. If the colored water shows up in the toilet bowl-it's time to replace the rubber flapper.
- Buy an efficient Clothes Washer - Washers are the second-largest water user in the home. New "Energy Star" certified models use 50% less water and energy per load.
- Visit our website @[www.idyllwildwater.net](http://www.idyllwildwater.net)

Some of the above suggestions can save \$200.00 per year in water and energy costs. If you need more information, call us at (951) 659-2143.