2015 Consumer Confidence Report

Water System Name: SCOTT AND SCUDDER Report Date: 8/2/2016
We test the drinking water quality for many constituents as required by state and federal regulations. This report shows the results of our monitoring for the period of January 1 - December 31, 2015 and may include earlier monitoring data.
Este informe contiene información muy importante sobre su agua potable. Tradúzcalo ó hable con alguien que lo entienda bien.
Type of water source(s) in use: <u>Groundwater</u>
Name & general location of source(s): Well # 2 Located at 28700 Bouquet Canyon Road. Well #3 located at 28750 Bouquet Canyon Road.
Drinking Water Source Assessment information: A source water assessment was conducted for the Well 02 of the Camps
Scott & Scudder water system in March, 2022. The source is considered most vulnerable to the following activities not associated
with any detected contaminants: Septic systems-low density [<1/acre] This well source is suspected to be under the influence of
Surface water. The well is located within 50 feet of a stream. Coliform has been detected in the past and nitrate levels in one well
has exceeded ½ the action level. The water system has installed automatic chlorinators to address the intermittent presence of
coliforms detected in the water. The well for this water system is considered vulnerable to activities located north of the complex.
these activities include, onsite sewage disposal system, small and large horse stables.
the source water assessment for Well 03 of the Camps Scott & Scudder water system was conducted on April, 2002. The source is
considered most vulnerable to the following activities not associated with any detected contaminants: Grazing [>5 large animals or
equivalent per acre] and Septic systems – low density [<1/acre]. This well is located adjacent to a local stream and is subject to
localized flooding. The well is also suspected of being under the influence of surface water with periodic positive coliforms
detected in the water. To address this issue the water system utilizes an automatic chlorinator to maintain a chlorine residual and is
overseen by a state certified water operator.
A copy of the complete assessments for both wells may be viewed at: Los Angeles County Environmental Health 2525 Corporate
Place. Room 150 Monterey Park, CA 91754. You may request a summary of the assessment be sent to you by contacting Russ
Johnson, Chief Environmental Health Specialist at 323-881-4147
Time and place of regularly scheduled board meetings for public participation:
The regular meeting days are the Second and Fourth Wednesdays of each month at 6:15 pm. The meetings take place in the
Boardroom, located on the 1st floor of the Administration Building at: Rio Vista Water Treatment Plant 27234 Bouquet
Canyon Road, Santa Clarita, CA 91350
For more information, contact: <u>Joel Sears</u> Phone: <u>323-267-2333</u>

TERMS USED IN THIS REPORT

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (USEPA).

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no

Primary Drinking Water Standards (PDWS): MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Secondary Drinking Water Standards (SDWS): MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other

known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

requirements that a water system must follow.

Variances and Exemptions: State Board permission to exceed an MCL or not comply with a treatment technique under certain conditions.

ND: not detectable at testing limit

ppm: parts per million or milligrams per liter (mg/L)

ppb: parts per billion or micrograms per liter (μg/L)

ppt: parts per trillion or nanograms per liter (ng/L)

ppq: parts per quadrillion or picogram per liter (pg/L)

pCi/L: picocuries per liter (a measure of radiation)

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- *Microbial contaminants*, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- *Inorganic contaminants*, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.
- Radioactive contaminants, that can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the USEPA and the State Water Resources Control Board (State Board) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. State Board regulations also establish limits for contaminants in bottled water that provide the same protection for public health.

Tables 1, 2, 3, 4, 5, 7, and 8 list all of the drinking water contaminants that were detected during the most recent sampling for the constituent. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The State Board allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the data, though representative of the water quality, are more than one year old.

TABLE 1 – SAMPLING RESULTS SHOWING THE DETECTION OF COLIFORM BACTERIA					
Microbiological Contaminants (complete if bacteria detected)	Highest No. of Detections	No. of months in violation	MCL	MCLG	Typical Source of Bacteria
Total Coliform Bacteria	(In a mo.)	0	More than 1 sample in a	0	Naturally present in the
	<u>0</u>		month with a detection		environment
Fecal Coliform or E. coli	(In the year)	0	A routine sample and a	0	Human and animal fecal waste
	<u>0</u>		repeat sample detect		
			total coliform and either		
			sample also detects fecal		
			coliform or E. coli		

TABLE 2	- SAMPLIN	NG RESUI	TS SHOV	VING THE I	DETECTION	ON OF LEA	D AND COPPER
Lead and Copper (complete if lead or copper detected in the last sample set)	Sample Date	No. of samples collected	90 th percentile level detected	No. sites exceeding AL	AL	PHG	Typical Source of Contaminant
Lead (ppm)	9/30/2015	10	0.11	3	0.015	0.2	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits
Copper (ppm)	9/30/2015	10	0.56	0	1.3	0.3	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
	TABLE 3	- SAMPL	ING RESU	JLTS FOR S	SODIUM A	AND HARD	NESS
Chemical or Constituent (and reporting units)	Sample Date	Level Detecto]	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant
Sodium (ppm)	07/12/11 - 07/13/11	65		65-65	none	none	Salt present in the water and is generally naturally occurring
Hardness (ppm)	7/12/11- 07/13/11	255		250-260	none	none	Sum of polyvalent cations present in the water, generally magnesium and calcium, and are usually naturally occurring

TABLE 4 – DET	ECTION O	F CONTAMIN	NANTS WITH A	PRIMARY	DRINKING	WATER STANDARD
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant
Turbidity (NTU)	07/12/11 - 7/13/11	0.28	ND - 0.28	TT	N/A	Soil runoff
Gross Alpha particle activity (pCi/L)	07/12/11 - 7/13/11	2.65	3.26 - 3.26	15	0	Erosion of natural deposits
Aluminum (ppm)	12/29/15	0068	ND0074	1	0.6	Erosion of natural deposits; residue from some surface water treatmer processes
Antimony (ppb)	07/12/11 - 7/13/11	1.2	ND – 1.2	6	20	Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder
Arsenic (ppb)	12/29/15	1.6	2.0 – 2.1	10	0.004	Erosion of natural deposits; runoff from orchards; glass and electronic production wastes
Barium (ppm)	07/12/11 - 7/13/11	0.0455	0.044 - 0.047	1	2	Discharges of oil drilling wastes and from metal refineries; erosion of natural deposits
Chromium (ppb)	07/12/11 - 7/13/11	0.49	0.47 – 0.50	50	100	Discharge from steel and pulp mills and chrome plating; erosion of natural deposits
Fluoride (ppm)	07/12/11 - 7/13/11	0.49	0.47 - 0.50	2.0	1	Internal corrosion of household water plumbing systems; discharges from

						industrial
						manufacturers; erosion of natural deposits
Nickel (ppb)	12/29/15	3.2	0.90 – 1.0	100	12	Erosion of natural deposits; discharge from metal factories
Nitrate (ppm)	12/29/15	6	6	45	45	Runoff and leaching from fertilizer
						use; leaching from
						septic tanks sewage; erosion of natural
						deposits
	12/29/1					Discharge from petroleum,
Selenium (ppb)	5	32	0.45 - 0.65	50	30	glass and metal refineries; erosion of
(44.0)						natural deposits; discharge from
						mines and chemical
						manufacturers; runoff from livestock lots
						(feed additive)
Character M(nah)	12/29/15	0.46	NT A	50	100	Discharge from steel and pulp
Chromium VI(ppb)		0.46	NA	50	100	mills and chrome plating; erosion of natural deposits
TABLE 5 – DETE	CTION OF	CONTAMINA	NTS WITH A S	ECONDAR	RY DRINKIN	G WATER STANDARD
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant
Al., (n.,h)	07/12/11	7.4	ND 0074	200		Erosion of natural deposits; residue
Aluminum (ppb)	7/13/11	7.4	ND0074	200	0	from some surface water treatment
						processes
Copper (ppm)	07/12/11	9.4	na	1	0	Internal corrosion of household
Соррег (ррпп)	-	7.4	na	1	U	plumbing systems; erosion of
	7/13/11					natural deposits; leaching from
	07/12/11					wood preservatives Leaching from natural
Iron (ppb)	-	23	ND – 23	300	0	deposits;
	7/13/11					industrial wastes
Manganese (ppb)	12/29/15	24	0.60 – 1.1	50	0	Leaching from natural deposits
Transgamese (ppe)		2.	0.00		Ů	-
Odor Threshold (Units)	07/12/11	1.0	1.0	3	0	Naturally-occurring organic
Odor Threshold (Chits)	7/13/11	1.0	1.0	3	U	materials
TE 1:1: (ATTENT)	12/29/15	1.2	0.20	_	0	G II G
Turbidity (NTU)		1.2	0.28	5	0	Soil runoff
	07/12/11					Runoff/leaching from
Zinc (ppm)	- 7/13/11	1.2	na	5	0	natural deposits; industrial wastes
	07/12/11					Runoff/leaching from
Total Dissolved Solids	-	430	420 – 440	1,000	0	natural
(ppm)	7/13/11					deposits
Conductivity (Us/cm)	07/12/11	750	740 – 760	1,600	0	Substances that form ions when in
Conductivity (Os/Ciii)	7/13/11	750	, 10 700	1,000	Ü	water; seawater influence
GIV. IV.	07/12/11		,	500		Runoff/leaching from natural
Chloride (ppm)	- 7/13/11	42.5	41 – 44	500	0	deposits; seawater influence
	07/12/11					Runoff/leaching from
Sulfate (ppm)	-	55.5	53 – 58	500	0	natural
	7/13/11					deposits; industrial wastes

THMs	12/29/15	.0067	N/A	80	NA	
Barium	12/29/15	77	N/A	1	2	Discharges of oil drilling and erosion of natural deposits
Potassium (ppm)	07/12/11 - 7/13/11	1.85	1.8 – 1.9	N/A	Leaching from natural deposits	
	TABLE (6 – DETECTIO	N OF UNREGUI	LATED C	ONTAMINA	NTS
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	Notific	ation Level	Health Effects Language

^{*}Any violation of an MCL, MRDL, or TT is asterisked. Additional information regarding the violation is provided later in this report.

Additional General Information on Drinking Water

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Lead-Specific Language for Community Water Systems: If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. [INSERT NAME OF UTILITY] is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. [Optional: If you do so, you may wish to collect the flushed water and reuse it for another beneficial purpose, such as watering plants.] If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/lead.

Summary Information for Violation of a MCL, MRDL, AL, TT, or Monitoring and Reporting Requirement

VIOLATION OF A MCL, MRDL, AL, TT, OR MONITORING AND REPORTING REQUIREMENT						
Violation	Evalenation	Dunction	Actions Taken to Correct	Health Effects		
violation	Explanation	Duration	the Violation	Language		

For Water Systems Providing Ground Water as a Source of Drinking Water

FECAL	TABLE 7 – SAMPLING RESULTS SHOWING FECAL INDICATOR-POSITIVE GROUND WATER SOURCE SAMPLES						
Microbiological Contaminants (complete if fecal-indicator detected)	Total No. of Detections	Sample Dates	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant		
E. coli	(In the year)	none	0	(0)	Human and animal fecal waste		
Enterococci	(In the year)	n/a	ТТ	n/a	Human and animal fecal waste		
Coliphage	(In the year)	n/a	TT	n/a	Human and animal fecal waste		

Summary Information for Fecal Indicator-Positive Ground Water Source Samples, Uncorrected Significant Deficiencies, or Ground Water TT

SPECIAL	NOTICE OF FECAL IND	DICATOR-POSITIVE GR	OUND WATER SOURCE	SAMPLE
	SPECIAL NOTICE FOR	UNCORRECTED SIGNI	FICANT DEFICIENCIES	
	VIOLA	TION OF GROUND WA	TER TT	
TT Violation	Explanation	Duration	Actions Taken to Correct the Violation	Health Effects Language

For Systems Providing Surface Water as a Source of Drinking Water

TABLE 8 - SAMPLING RESULTS SHOWI	NG TREATMENT OF SURFACE WATER SOURCES
Treatment Technique ^(a) (Type of approved filtration technology used)	
Turbidity Performance Standards ^(b) (that must be met through the water treatment process)	Turbidity of the filtered water must: 1 – Be less than or equal to NTU in 95% of measurements in a month. 2 – Not exceed NTU for more than eight consecutive hours. 3 – Not exceed NTU at any time.
Lowest monthly percentage of samples that met Turbidity Performance Standard No. 1.	
Highest single turbidity measurement during the year	
Number of violations of any surface water treatment requirements	

Summary Information for Violation of a Surface Water TT

TT Violation	Explanation	Duration	Actions Taken to Correct the Violation	Health Effects Language
n/a				
Sumr	nary Information fo	r Operating Und	er a Variance or Exemp	tion

Turbidity (measured in NTU) is a measurement of the cloudiness of water and is a good indicator of water quality and filtration performance. Turbidity results which meet performance standards are considered to be in compliance with filtration requirements.

^{*} Any violation of a TT is marked with an asterisk. Additional information regarding the violation is provided below.