

## 2016 Water Quality Report

East Los Angeles District



Este informe contiene información muy importante sobre su agua potable. Tradúzcalo o hable con alguien que lo entienda bien.

## **Table of Contents**

Your Water System	
Inside the Water Quality Laboratory	
DWSAPP	
Fluoride	
Water Hardness	
Possible Contaminants	
About Lead	
Key Definitions	
Water Quality Table	
Resources	
	Inside the Water Quality Laboratory DWSAPP  Fluoride Water Hardness Possible Contaminants About Lead Key Definitions Water Quality Table

## Welcome



At California Water Service (Cal Water), we are committed to providing our customers with a reliable supply of high-quality water, 24 hours per day, 7 days per week, 365 days per year. With that in mind, we strive to deliver quality, service, and value in everything we do. This rings especially true when it comes to your water quality, because protecting our customers' health and safety is our highest priority.

Quality: We have rigorous safeguards in place to ensure the water we provide to you meets or surpasses increasingly stringent water quality standards. In California, we conducted 408,168 tests on 61,528 water samples for 326 constituents last year. We are pleased to confirm that, in 2016, we met every primary state and federal water quality standard.

Service: We work hard to make sure that this high-quality water supply is there any time customers turn on the tap. That means maintaining and upgrading the infrastructure to ensure it reliably moves water from the source to your tap. It also means having dedicated and skilled professionals here to assist you both with routine service needs and if there is ever an after-hours emergency. And, it means having robust conservation program with tools and rebates to help you use water efficiently – especially important since we live in a traditionally drier climate.

Value: While the costs to provide water service continues to increase across the country, we are working to ensure that our water stays affordable. We do this in part by investing in infrastructure that is built to last, maintaining it, and replacing equipment when it is nearing the end of its useful life. We also work to find cost-effective solutions to secure, test, treat, store, and deliver the water to you, all so that we can continue to serve you for less than a penny per gallon in nearly all of our service areas.

This annual water quality report shows any constituents that were detected in your water in 2016, and how your water compares to state and federal water quality standards. This report also provides information about the steps we take to protect your health and safety and answers questions you may have about your water quality.

If you have any questions or concerns, you can contact us by phone or email, online at www.calwater.com, or in person at our local Customer Center. For important water service announcements, please visit our web site or watch for information in your monthly bill, and be sure your contact information is up to date by visiting ccu.calwater.com.

#### Sincerely,

Henry Wind, Interim District Manager, East Los Angeles District

EAST LOS ANGELES DISTRICT 2000 SOUTH TUBEWAY AVENUE COMMERCE, CA 90040 (323) 722-8601

## **Your Water System**

Cal Water has provided high-quality water utility services in the East Los Angeles area since 1928. In addition to the customers in our East Los Angeles system, we serve customers through an operating contract with the City of Commerce. To meet our customers' needs, we use a combination of local groundwater and purchased water from the Metropolitan Water District of Southern California (MWD), which is imported from the Colorado River and the State Water Project in northern California. The East Los Angeles water system currently includes 272 miles of pipeline, nine active wells, 26 booster pumps, 16 storage tanks, and three MWD connections.

In 2015, Cal Water constructed a new well and replaced 4.6 miles of pipeline. Improvements were also made to a pump facility with the construction of a new greensand treatment plant. Two water tanks received new interior coatings, one of which included a new cathodic system and seismic retrofitting. Additional improvements were made at several stations with the replacement of three booster pumps, which maintain pressure in the water system.

If you have any questions, suggestions, or concerns, please contact our local Customer Center, either by phone or through the contact link at <a href="https://www.calwater.com">www.calwater.com</a>.



#### WATER QUALITY LABORATORY

Water professionals collect samples from throughout the water system for testing at our state-of-the-art water quality laboratory, which is certified through the stringent Environmental Laboratory Accreditation Program (ELAP). Scientists, chemists, and microbiologists test the water for more than 140 constituents with equipment so sensitive it can detect levels as low as one part per trillion. In order to maintain the ELAP certification, all of our scientists must pass blind-study proficiency tests each year for every water quality test performed. Water quality test results are entered into our Laboratory Information Management System (LIMS), a sophisticated software program that enables us to react quickly to changes in water quality and analyze water quality trends in order to plan effectively for future needs.

#### **CROSS-CONNECTION CONTROL**


To ensure that the high-quality water we deliver is not compromised in the distribution system, Cal Water has a robust cross-connection control program in place. Cross-connection control is critical to ensuring that activities on customers' properties do not affect the public water supply. Our cross-connection control specialists ensure that all of the existing backflow prevention assemblies are tested annually, assess all non-residential connections, and enforce and manage the installation of new commercial and residential assemblies. Last year, our specialists oversaw installation of 2,795 new assemblies and testing of 36,293 backflow prevention assemblies company-wide.

Our customers are our first line of defense in preventing water system contamination through backflow. A minor home improvement project can create a potentially hazardous situation, so careful adherence to plumbing codes and standards will ensure the community's water supply remains safe. Please be sure to utilize the advice or services of a qualified plumbing professional.

Many water use activities involve substances that, if allowed to enter the distribution system, would be aesthetically displeasing or could present health concerns. Some of the most common cross-connections are:

- Garden hoses connected to a hose bib without a simple hose-type vacuum breaker (available at a home improvement store)
- Improperly installed toilet tank fill valves that do not have the required air gap between the valve or refill tube
- Landscape irrigation systems that do not have the proper backflow prevention assembly installed on the supply line

## Number of samples collected




## **DWSAPP**


By the end of 2003, Cal Water had submitted to the Division of Drinking Water (DDW) a Drinking Water Source Assessment and Protection Program (DWSAPP) report for each water source in the water system. The DWSAPP report identifies possible sources of contamination to aid in prioritizing cleanup and pollution prevention efforts. All reports are available for viewing or copying at our Customer Center.

The water sources in the East Los Angeles system are considered most vulnerable to contamination from:

- Gas stations
- Confirmed leaks
- Known contaminant plumes
- Chemical/petroleum storage
- Metal fabrication
- Plastic producers

We encourage customers to join us in our efforts to prevent water pollution and protect our most precious natural resource.






#### **FLUORIDE**

State law requires Cal Water to add fluoride to drinking water if public funding is available to pay for it, and it is a practice endorsed by the American Medical Association and the American Dental Association to prevent tooth decay.

In this area, local water is blended with purchased water that has fluoride in it. Show the table in this report to your dentist to see if he or she recommends giving your children fluoride supplements.

More information about fluoridation, oral health, and related issues can be found on the DDW web site at www.waterboards.ca.gov/drinking water/certlic/drinkingwater/Fluoridation.shtml. For general information on water fluoridation, visit us online at www.calwater.com.



# We use water testing equipment so sensitive it can

detect levels as low as

1 part per trillion.

That's equivalent to:

o: Second in 32,000 years.

Hardness is a measure of the magnesium, calcium, and carbonate minerals in the water. Water is considered **soft** if its hardness is less than 75 parts per million (ppm), **moderately hard** at 75 to 150 ppm, **hard** at 150 to 300 ppm, and **very hard** at 300 ppm or higher.

Hard water is generally not a health concern, but it can have an impact on how well soap lathers and is significant for some industrial and manufacturing processes. Hard water may also lead to mineral buildup in pipes or water heaters.

Some people with hard water opt to buy a water softener for aesthetic reasons. However, some water softeners add salt to the water, which can cause problems at wastewater treatment plants. In addition, people on low-sodium diets should be aware that some water softeners increase the sodium content of the water.



## **Possible Contaminants**

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk.

More information about contaminants and potential health effects can be obtained by calling the United States Environmental Protection Agency (EPA) Safe Drinking Water Hotline at (800) 426-4791.

The sources of drinking water (both tap and bottled) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or human activity.

#### CONTAMINANTS THAT MAY BE PRESENT IN SOURCE WATER INCLUDE:

Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

Inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.

Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.

Organic chemical contaminants, including synthetic and volatile organic chemicals, which are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.

Radioactive contaminants, which can be naturally occurring or the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the EPA and DDW prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. DDW regulations also establish limits for contaminants in bottled water, which must provide the same protection for public health.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised people, such as those with cancer undergoing chemotherapy, those who have undergone organ transplants, and those with HIV/AIDS or other immune system disorders; some elderly people; and infants can be particularly at risk from infections. These people should seek advice from their health care providers about drinking water. EPA/Centers for Disease Control and Prevention (CDC) guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline at (800) 426-4791.

## **About Lead**

As the water quality crisis in Flint, Michigan, continues to be top of mind for many Americans, Cal Water wants to assure you about the quality of your water.

We are compliant with health and safety codes mandating use of leadfree materials in water system replacements, repairs, and new installations. We have no known lead service lines in our systems. We test and treat (if necessary) water sources to ensure that the water delivered to customer meters meets all water quality standards and is not corrosive toward plumbing materials.

The water we deliver to your home meets lead standards, but what about your home's plumbing? In California, lead in drinking water comes primarily from materials and components used for in-home plumbing (for example, lead solder used to join copper plumbing, and brass and other lead-containing fixtures). Therefore, the Lead and Copper Rule is a critical part of our water quality monitoring program. This rule requires us to test water inside a representative number of homes that have plumbing most likely to contain lead and/or lead solder. This test, along with other water quality testing, tells us if the water is corrosive enough to cause lead from home plumbing to leach into the water. If the Action Level (the concentration of a contaminant which, when exceeded, triggers action which a water system must follow before it becomes a health concern) is exceeded, either at a customer's home or system-wide, we work with the customer to investigate the issue. If the problem is system-wide, we will implement corrosion control treatment at the source before the lead levels create a health issue.

If your home's plumbing contains lead piping or pipe fittings, lead solder, or brass fixtures that may contain lead, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to two minutes before using water for drinking or cooking.

If you are concerned about lead in your water, you may wish to have your water tested by a lab. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <a href="https://www.epa.gov/safewater/lead">www.epa.gov/safewater/lead</a>.

Additionally, in January 2017, the State of California issued new guide-lines on lead testing in schools. We are committed to supporting our school districts' efforts to protect students and ensure that the drinking water at their school sites meet lead limits. We have already begun working with school districts serving kindergarten through 12th grade to develop sampling plans unique to each school site, test samples, and conduct follow-up monitoring if any school needs to take corrective action on its plumbing fixtures. Beginning in next year's water quality report, we will publish a summary of local school lead testing in the prior year. For more information, please see our Testing for Lead in Schools web page.

In your system, results from our lead monitoring program, conducted in accordance with the Lead and Copper Rule, were non-detectable for the presence of lead.

#### **Maximum Contaminant Level (MCL)**

The highest level of a contaminant that is allowed in drinking water. Primary MCLs protect public health and are set as close to the PHGs (or MCLGs) as are economically and technologically feasible. Secondary MCLs relate to the odor, taste, and appearance of drinking water.

#### In Compliance

Does not exceed any applicable primary MCL, secondary MCL, or action level, as determined by DDW. For some compounds, compliance is determined by averaging the results for one source over a one-year period.

#### **Regulatory Action Level (AL)**

The concentration of a contaminant which, if exceeded, triggers treatment or other required action by the water provider.

#### **Maximum Contaminant Level Goal (MCLG)**

The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the EPA.

#### **Maximum Residual Disinfectant Level (MRDL)**

The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

#### **Maximum Residual Disinfectant Level Goal (MRDLG)**

The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

#### **Notification Level (NL)**

A health-based advisory level for an unregulated contaminant in drinking water. It is used by DDW to provide guidance to drinking water systems.

#### **Primary Drinking Water Standard (PDWS)**

MCLs and MRDLs for contaminants that affect health, along with their monitoring, reporting, and water treatment requirements.

#### **Public Health Goal (PHG)**

The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency's Office of Environmental Health Hazard Assessment without regard to cost or available detection and treatment technologies.

#### **Treatment Technique (TT)**

A required process intended to reduce the level of a contaminant in drinking water.

Cal Water tests your water for more than 140 regulated contaminants and dozens of unregulated contaminants. This table lists only those contaminants that were detected.

In the table, water quality test results are divided into two major sections: "Primary Drinking Water Standards" and "Secondary Drinking Water Standards and Unregulated Compounds." Primary standards protect public health by limiting the levels of certain constituents in drinking water. Secondary standards are set for substances that don't impact health but could affect the water's taste, odor, or appearance. Some unregulated substances (hardness and sodium, for example) are included for your information.

TABLE KEY	
μS/cm	microsiemens per centimeter (measure of specific conductance)
cyst/L	cysts per liter
n/a	not applicable
ND	not detected
NTU	nephelometric turbidity unit
pCi/L	picoCuries per liter (measure of radioactivity)
ppm	parts per million (milligrams per liter)
ppb	parts per billion (micrograms per liter)
ppt	parts per trillion (nanograms per liter)
SMCL	secondary maximum contaminant level
TON	threshold odor number





#### **Purchased Surface** Water

#### **Primary Drinking Water Standards**

Groundwater

									•••	
Radiological	Year Tested	Unit	MCL	PHG (MCLG)	In Compliance	Range	Average	Range	Average	Source of Substance
Gross alpha particle activity	2010–2016	pCi/L	15	(0)	Yes	ND-5.7	1.3	ND-5	0.6	Erosion of natural deposits
Gross beta particle activity	2016	pCi/L	50	0	Yes	n/	a	ND-6	3.0	Decay of natural and manmade deposits
Radium 226	2010–2016	pCi/L	5	0.05 (0)	Yes	ND-1.89	0.2	ND	ND	Erosion of natural deposits
Radium 228	2016	pCi/L	5	0.019 (0)	Yes	n/	а	ND	ND	Erosion of natural deposits
Uranium	2010–2016	pCi/L	20	0.43	Yes	ND-3.03	1.3	ND-4	2.4	Erosion of natural deposits
Inorganic Chemicals	Year Tested	Unit	MCL (SMCL)	PHG (MCLG)	In Compliance	Range	Average	Range	Average	Source of Substance
Aluminum	2016	ppm	1 (0.2)	0.6	Yes	n/	a	ND-0.2	0.1	Erosion of natural deposits; residue from some surface water treatment processes
Arsenic <sup>1</sup>	2015–2016	ppb	10	0.004	Yes	ND-7	1.6	ND-3.1	1.1	Erosion of natural deposits; runoff from orchards; glass and electronics production wastes
Barium	2015–2016	ppm	1	2	Yes	ND-0.16	0.1	ND-0.14	0.08	Discharges of oil-drilling waste and from metal refineries; erosion of natural deposits
Chromium 6+	2016	ppb	10	0.02	Yes	1.6	1.6	ND	ND	Discharge from electroplating factories, leather tanneries, wood preservation, chemical synthesis, refractory production, and textile manufacturing facilities; erosion of natural deposits

<sup>&</sup>lt;sup>1</sup>While your drinking water meets the federal and state standards for arsenic, it does contain low levels of arsenic. The arsenic standards balance the current understanding of arsenic's possible health effects against the costs of removing arsenic from drinking water. The EPA continues to research the health effects of low levels of arsenic, which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects, such as skin damage and circulatory problems.



Inorganic Chemicals	Year Tested	Unit	MCL	PHG (MCLG)	In Compliance	Range	Average	Range	Average	Source of Substance
Chromium	2014	ppb	50	(100)	Yes	ND-2.2	0.9	ND	ND	Discharge from steel and pulp mills and chrome plating; erosion of natural deposits
Nitrate (as N) <sup>2</sup>	2016	ppm	10	10	Yes	ND-5	4	ND-1.1	0.32	Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits
Perchlorate	2014–2016	ppb	6	6	Yes	ND-2.4	0.37	ND	ND	Inorganic chemical used in solid rocket propellant, fireworks, explosives, flares, matches, and a variety of industries; usually gets into drinking water as result of environmental contamination from historic aerospace or other industrial operations that used or use, store, or dispose of perchlorate and its salts
Inorganic Chemicals	Year Tested	Unit	MCL (SMCL)	PHG (MCLG)	In Compliance	Highest Level	Lowest Monthly Percent	Highest Level	Lowest Monthly Percent	Source of Substance
Turbidity (surface water requiring filtration) <sup>3</sup>	2016	NTU	TT	n/a	Yes	n/	a	0.1	100.00	Soil runoff

<sup>&</sup>lt;sup>2</sup>The average nitrate level was 4 ppm, with a maximum level of 5 ppm. We are closely monitoring the nitrate levels. Nitrate in drinking water at levels above 10 ppm is a health risk for infants of less than six months of age. Such nitrate levels in drinking water can interfere with the capacity of the infant's blood to carry oxygen, resulting in a serious illness; symptoms include shortness of breath and blueness of the skin. Nitrate levels above 10 ppm may also affect the ability of the blood to carry oxygen in other individuals, such as pregnant women and those with certain specific enzyme deficiencies. If you are caring for an infant or you are pregnant, you should seek advice from your health care provider.

<sup>&</sup>lt;sup>3</sup>For surface water systems, the treatment technique dictates that the turbidity level of the filtered water be less than or equal to 0.3 NTU in 95% of the measurements taken each month and not exceed 1 NTU at any time. Turbidity is a measurement of the cloudiness of water. We monitor it because it is a good indicator of the effectiveness of our filtration system.



				PHG	ln	Distribution System-Wide				
Inorganic Chemicals	Year Tested	Unit	MCL	(MCLG)			Range		age	Source of Substance
Fluoride <sup>4</sup>	2014–2016	ppm	2	1	Yes	0.28-	0.28–0.31		30	Erosion of natural deposits; water additive that promotes strong teeth; discharge from fertilizer and aluminum factories
				PHG	In	Ground	lwater	Purchased ater Surface Water		
Organic Chemicals	Year Tested	Unit	MCL	(MCLG)	Compliance	Range	Average	Range	Average	Source of Substance
1,1-Dichloroethane (11DCA)	2014	ppb	5	3	Yes	ND-0.23	0.06	ND	ND	Discharge from industrial chemical factories
1,1-Dichloroethylene (DCE)	2014–2016	ppb	6	10 (7)	Yes	ND-1.1	0.17	ND	ND	Discharge from industrial chemical factories
Tetrachloroethylene (PCE)	2014–2016	ppb	5	0.06	Yes	ND-1.02	0.22	ND	ND	Discharge from factories, dry cleaners, and auto shops (metal degreaser)
Trichloroethylene (TCE)	2014–2016	ppb	5	1.7	Yes	ND-1.72	0.29	ND	ND	Discharge from metal-degreasing sites and other factories
DBP Precursor	Year Tested	Unit	MRDL	MRDLG	In Compliance	Range	Highest Running Annual Average	Range	Highest Running Annual Average	Source of Substance
Total organic carbon <sup>5</sup>	2015–2016	ppm	TT	n/a	Yes	ND-0.98	0.39	1.6–3.7	2.4	Various natural and manmade sources

<sup>&</sup>lt;sup>4</sup>Cal Water does not add fluoride to our groundwater supply; however, low levels of fluoride occur naturally. Metropolitan Water District of Southern California (MWD) fluoridates its treated surface water, which Cal Water purchases. Since the system receives a blend of groundwater with naturally occurring fluoride and fluoridated surface water, fluoride levels are checked throughout the distribution system every month to verify the actual levels at various locations. The optimal fluoride level for the East Los Angeles system is 0.8 ppm, with a control range of 0.7–1.0 ppm.

<sup>&</sup>lt;sup>5</sup>Total organic carbon (TOC) has no health effects; however, TOC provides a medium for the formation of disinfection byproducts. These byproducts include trihalomethanes (THMs) and haloacetic acids (HAAs). Drinking water containing these byproducts in excess of the MCL may lead to adverse health effects such as liver, kidney, or nervous system problems, and may lead to an increased risk of cancer. Concerns regarding disinfection byproducts are based upon exposure over many years.

(Continued)



Disinfectant and Disinfection Byproducts	Year Tested	Unit	MCL	PHG (MCLG)	In Compliance	Range	Highest Running Annual Average	Range	Highest Running Annual Average	Source of Substance
Bromate <sup>6</sup>	2016	ppb	10	(0)	Yes	n/	n/a ND-13		7.4	Byproduct of drinking water chlorination
						Distribution System-Wide			e	
Disinfectant and Disinfection Byproducts	Year Tested	Unit	MCL	PHG (MCLG)	In Compliance	Ran	Highest Running Range Annual Average			Source of Substance
Chloramine	2016	ppm	4	4	Yes		n/a			Drinking water disinfectant added for treatment
Haloacetic acids	2016	ppb	60	n/a	Yes	ND-	ND-29		3	Byproduct of drinking water chlorination
Total trihalomethanes	2016	ppb	80	n/a	Yes	0.7–	57.8	24	.0	Byproduct of drinking water chlorination

#### **Other Regulated Substances**

						Distribution System-Wide		
Metals	Year Tested	Unit	AL	PHG (MCLG)	In Compliance	90 <sup>th</sup> Percentile	# Sites > AL / Total # Sites Sampled	Source of Substance
Lead	2014	ppb	15	0.2	Yes	ND	0 of 51	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
Copper	2014	ppm	1.3	0.3	Yes	0.20	0 of 51	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives

(Continued)



## Secondary Drinking Water Standards and Unregulated Compounds

Purchased
Surface
Groundwater Water

3										
Inorganic Chemicals	Year Tested	Unit	SMCL	PHG (MCLG)	In Compliance	Range	Average	Range	Average	Source of Substance
Boron	2016	ppm	NL=1	n/a	Yes	0.14-0.22	0.16	0.14-0.27	0.19	Erosion of natural deposits
Calcium	2015–2016	ppm	n/a	n/a	Yes	59.8–96	67.1	27–79	56	Erosion of natural deposits
Chloride	2016	ppm	500	n/a	Yes	66–69.4	67.8	78–104	97	Erosion of natural deposits; seawater influence
Color	2014–2016	Units	15	n/a	Yes	ND-10	0.45	1–2	1.6	Naturally occurring organic matter
Hardness	2014–2016	ppm	n/a	n/a	Yes	200–330	272.5	87–306	222	Erosion of natural deposits
Magnesium	2015–2016	ppm	n/a	n/a	Yes	10.2–23	16.7	10–27	20	Erosion of natural deposits
Manganese <sup>7</sup>	2015–2016	ppb	50	n/a	Yes	ND-57	19	ND	ND	Leaching from natural deposits
Molybdenum	2015–2016	ppb	n/a	n/a	Yes	1.6-4.8	3.5	n/a	а	Erosion of natural deposits
Odor <sup>8</sup>	2015–2016	Units	3	n/a	Yes	ND-17	3	2–3	6.5	Naturally occurring organic matter
pН	2015–2016	Units	n/a	n/a	Yes	6.7–8.8	7.4	8.1–8.6	8.2	Inherent characteristic of water
Sodium	2015–2016	ppm	n/a	n/a	Yes	57–87	70	62–106	93	Erosion of natural deposits; seawater influence
Specific conductance	2016	μS/cm	1600	n/a	Yes	779–798	786	475–1050	856	Erosion of natural deposits; seawater influence
Strontium	2014–2016	ppb	n/a	n/a	Yes	440–980	727	n/a	а	Erosion of natural deposits
Sulfate	2016	ppm	500	n/a	Yes	102.94– 106.14	105	29–262	179	Runoff/leaching from natural deposits; industrial wastes
Total dissolved solids	2014–2016	ppm	1000	n/a	Yes	380–560	495	261–659	525	Runoff/leaching from natural deposits

<sup>&</sup>lt;sup>6</sup>For bromate, there was one result that was over the MCL at 13 ppb. Even though there was a result at 13 ppb, there is not an exceedance since compliance is computed using the highest running annual average, which was 7.4 ppb. The MCL for bromate is 10 ppb.

<sup>&</sup>lt;sup>7</sup>Manganese occasionally exceeds the SMCL of 50 ppb in one groundwater well. SMCLs were established to protect you against unpleasant aesthetic effects, such as color, taste, odor, and/or the staining of plumbing fixtures (e.g., tubs and sinks) and clothing when washed. Exceeding these SMCLs does not pose a health risk.



Inorganic Chemicals	Year Tested	Unit	SMCL	PHG (MCLG)	In Compliance	Range	Average	Range	Average	Source of Substance
Turbidity (groundwater)	2014–2016	NTU	5	n/a	Yes	ND-1.2	0.11	ND	ND	Soil runoff
Vanadium	2016	ppb	NL=50	n/a	Yes	0.82–4.8	3.3	ND-8.9	3.3	Erosion of natural deposits; manufacturing of alloys and steel
			MCL	PHG	In	Ground	Groundwater		ased Water	
Disinfection Byproducts	Year Tested	Unit	(SMCL)	(MCLG)	Compliance	Range	Average	Range	Average	Source of Substance
Chlorate	2014	ppb	NL=800	n/a	Yes	33–210	121.00	26–60	47	Byproduct of drinking water chlorination
n-Nitrosodimethylamine	2014	ppt	NL=10	3	Yes	57	57.00	ND-5.1	2.1	Byproduct of drinking water chlorination; industrial processes

<sup>&</sup>lt;sup>8</sup>Odor occasionally exceeds the SMCL of 3 Units. SMCLs were established to protect you against unpleasant aesthetic effects, such as color, taste, odor, and/or the staining of plumbing fixtures (e.g., tubs and sinks) and clothing when washed. Exceeding these SMCLs does not pose a health risk.



					Groundwater		water	Purch Surface		
Organic Chemicals	Year Tested	Unit	SMCL	PHG (MCLG)	In Compliance	Range	Highest Annual Average	Range	Highest Annual Average	Source of Substance
1,4-Dioxane <sup>9</sup>	2015–2016	ppb	NL=1	n/a	Yes	ND-7.5	3.91	n/a		Industrial solvent or solvent stabilizer for chlorinated solvents or volatile organic compounds
Perfluorooctanesulfonic acid <sup>10</sup>	2014–2015	ppb	HA = 0.07	n/a	Yes	ND-0.06	0.01	n/a		Manmade compound
Chlorodifluoromethane (Freon 22)	2014	ppt	n/a	n/a	Yes	ND-0.18	0.05	n/a	a	Refrigerant


<sup>&</sup>lt;sup>9</sup>Some groundwater wells contain 1,4-dioxane at levels greater than the notification level (NL) established by the DDW. An NL is defined as a health-based advisory level for an unregulated contaminant in drinking water. DDW uses it to provide guidance to drinking water systems. DDW recommends taking a well out of service if the concentrations in the well exceed 35 times the NL.

<sup>&</sup>lt;sup>10</sup>Perfluorooctanesulfonic acid (PFOS) was detected in one of the active wells during 2013–2014 Unregulated Contaminant Monitoring Rule (UCMR) testing. There is no MCL, SMCL, or NL for PFOS; however, the EPA has established a lifetime health advisory (HA) of 0.07 parts per billion (ppb). Lifetime HAs are not regulatory limits but reflect reasonable, health-based concentrations above which action should be taken to reduce exposure. Cal Water is working closely with DDW and EPA to conduct extensive monitoring and identify the best available treatment technology. Studies indicate that long-term exposure to PFOS and PFOA over certain levels could have adverse health effects, including developmental effects to fetuses during pregnancy or breastfed infants; cancer; or liver, immunity, thyroid, and other effects. The HA limit is the level below which concentrations are not expected to result in adverse health effects over a lifetime of exposure; it has been set to reflect a margin of protection for even the most sensitive populations.

## Thank you.

Thanks for taking the time to learn more about your water quality! Even more information awaits you at <a href="https://www.calwater.com">www.calwater.com</a>. Visit our web site to get information about your account, water use history, water rates, and water system.

You will also find water-saving tips and news about water conservation programs and rebates available in your area.



- Conservation Resources
- Lead in water
- Water treatment and disinfection
- Protecting the water supply