

# 2018 Consumer Confidence Report

Water System Name: **Mi Wuk Village Mutual Water Company** Report Date: **May 2019**

*We test the drinking water quality for many constituents as required by state and federal regulations. This report shows the results of our monitoring for the period of January 1 to December 31, 2018 and may include earlier monitoring data.*

**Este informe contiene información muy importante sobre su agua para beber. Favor de comunicarse Mi Wuk Village Mutual Water Company a (209) 586-3304 para asistirlo en español.**

**Type of water source(s) in use:** Our Sources are Ground Water from three Hard Rock Wells in use during the Fall, Winter, and Spring, and one Surface Water Source From the Main Tuolumne Canal which Originates at Lyons Reservoir, in use during the Summer.

**Name & general location of source(s):** Wells #1,2,&3 are Located In the West Side of Mi Wuk Village, And The Main Tuolumne Ditch Intake is Located off South Fork Road in Twain Harte we purchase raw water at this site from Tuolumne Utilities' District

**Drinking Water Source Assessment information:** Source water assessments for all sources were completed in May of 2003. A complete copy may be viewed at the Mi Wuk Village Mutual Water Company office or you may request a summary from the chief operator. All the Wells are considered most vulnerable to golf courses, high density housing, high density septic systems, transportation corridors (freeways/State highways), water supply wells, historic gas stations, automobile body shops, and machine shops not associated with any detected contaminants. Well 3 is additionally considered most vulnerable to machine shops and drinking water treatment plants associated with contaminants detected in the raw well water. The Main Tuolumne Ditch is considered most vulnerable to historic waste dumps/ landfills and electrical/electronic manufacturing associated with contaminants detected in the raw water, and managed forests and historic gas stations not associated with any detected contaminants. **Although these activities exist in areas near one or more of Mi Wuk Village Mutual Water Company's sources, physical barriers, treatment systems and monitoring programs are in place to ensure that water supplied to our customers is not adversely affected.**

**Time and place of regularly scheduled board meetings for public participation:** The fourth Friday of each month at 9:30 a.m. in our office

**For more information, contact: Mi Wuk Village Mutual Water Company Phone: (209) 586-3304**

## TERMS USED IN THIS REPORT

**Maximum Contaminant Level (MCL):** The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

**Maximum Contaminant Level Goal (MCLG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (U.S. EPA).

**Public Health Goal (PHG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

**Maximum Residual Disinfectant Level (MRDL):** The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

**Maximum Residual Disinfectant Level Goal (MRDLG):** The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

**Primary Drinking Water Standards (PDWS):** MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

**Secondary Drinking Water Standards (SDWS):** MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

**Treatment Technique (TT):** A required process intended to reduce the level of a contaminant in drinking water.

**Regulatory Action Level (AL):** The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

**ND:** not detectable at testing limit

**ppm:** parts per million or milligrams per liter (mg/L)

**ppb:** parts per billion or micrograms per liter (µg/L)

**ppt:** parts per trillion or nanograms per liter (ng/L)

**ppq:** parts per quadrillion or picogram per liter (pg/L)

**pCi/L:** picocuries per liter (a measure of radiation)

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

**Contaminants that may be present in source water include:**

- *Microbial contaminants*, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- *Inorganic contaminants*, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- *Pesticides and herbicides*, that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- *Organic chemical contaminants*, including synthetic and volatile organic chemicals, that are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.
- *Radioactive contaminants*, that can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the U.S. EPA and the State Board prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The U.S. Food and Drug Administration regulations and California law also establish limits for contaminants in bottled water that provide the same protection for public health.

The following Tables list all of the drinking water contaminants that were detected during the most recent sampling for the constituent. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The State Board allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the data, though representative of the water quality, are more than one year old. Any violation of an AL, MCL, MRDL, or TT is asterisked. Additional information regarding the violation is provided later in this report.

SAMPLING RESULTS SHOWING THE DETECTION OF LEAD AND COPPER								
Lead and Copper (complete if lead or copper detected in the last sample set)	Sample Date	No. of Samples Collected	90 <sup>th</sup> Percentile Level Detected	No. Sites Exceeding AL	AL	PHG	No. of Schools Requesting Lead Sampling	Typical Source of Contaminant
Lead (ppb)	2017	10	10	1	15	0.2	Not applicable	Internal corrosion of household water plumbing systems; erosion of natural deposits
Copper (ppm)	2017	10	0.11	0	1.3	0.3	Not applicable	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives

SAMPLING RESULTS FOR SODIUM AND HARDNESS						
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant
Sodium (ppm)	Ditch:2018 Wells:2017	1.6	6.8 (5.5-8.4)	none	none	Salt present in the water and is generally naturally occurring
Hardness (ppm)	Ditch:2018 Wells:2017	11	31.7 (28.0-36.0)	none	none	Sum of polyvalent cations present in the water, generally magnesium and calcium, and are usually naturally occurring

DETECTION OF CONTAMINANTS WITH A <u>PRIMARY</u> DRINKING WATER STANDARD						
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant
Aluminum (ppm)	Ditch: 2018 Wells: 2017	0.100	<.050	1	0.6	Erosion of natural deposits
Nitrate (ppm)	Ditch: 2018 Wells: 2018	ND	1.3(1.2-1.2)	10 (as N)	10 (as N)	Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits
TTHMs [Total Trihalomethanes] (ppb)	Distribution System: 2018	Running Annual Average and Range 27.6 (4.1-94.0)		80 (Running Annual Average)	n/a	By-product of drinking water chlorination
HAA5s [Haloacetic Acids] (ppb)	Distribution System: 2018	Running Annual Average and Range 25.4 (3.1-92.0)		60 Running Annual Average	n/a	By-product of drinking water chlorination
Chlorine (ppm) [40 samples]	Distribution System: 2018	Average and Range 1.04 (0.30-1.74)	[4.0 (as Cl <sub>2</sub> )]	[4 (as Cl <sub>2</sub> )]	Drinking water disinfectant added for treatment	

DETECTION OF CONTAMINANTS WITH A <u>SECONDARY</u> DRINKING WATER STANDARD						
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	SMCL	PHG (MCLG)	Typical Source of Contaminant
Color (CU)	Ditch: 2018 Wells: 2017	25.0*	<3.0	15	n/a	Naturally-occurring organic materials
Iron (ppb)	Ditch: 2018 Wells: 2017	670*	<100.0	300	n/a	Leaching from natural deposits
Manganese (ppb)	Ditch: 2018 Wells: 2017	120.0*	<20.0	50	n/a	Leaching from natural deposits
Color (CU)	Ditch: 2018 Wells: 2017	25.0*	<3.0	15	n/a	Naturally-occurring organic materials
Iron (ppb)	Ditch: 2018 Wells: 2017	670*	<100.0	300	n/a	Leaching from natural deposits
Manganese (ppb)	Ditch: 2018 Wells: 2017	120.0*	<20.0	50	n/a	Leaching from natural deposits
Color (CU)	Ditch: 2018 Wells: 2017	25.0*	<3.0	15	n/a	Naturally-occurring organic materials
Iron (ppb)	Ditch: 2018 Wells: 2017	670*	<100.0	300	n/a	Leaching from natural deposits

## Additional General Information on Drinking Water

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the U.S. EPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. U.S. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

**Lead-Specific Language:** If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing **Mi Wuk Village Mutual Water Company** is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. [**OPTIONAL:** If you do so, you may wish to collect the flushed water and reuse it for another beneficial purpose, such as watering plants.] If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (1-800-426-4791) or at <http://www.epa.gov/lead>.

### Summary Information for Violation of a MCL, MRDL, AL, TT, or Monitoring and Reporting Requirement

**Manganese, Iron, and Color MCL Violation in the raw ditch water:** *Manganese was found at levels that exceed the secondary MCL of 50 µg/L, Iron was found at levels exceeding the secondary MCL of 300 µg/L and Color was found at levels exceeding the secondary MCL of 15 CU. Manganese, Iron, and Color MCL's are set to protect you against unpleasant aesthetic effects (e.g., color, taste, and odor) and the staining of plumbing fixtures (e.g., tubs and sinks) and clothing while washing. The high Manganese, iron levels are due to leaching of natural deposits.*

### For Systems Providing Surface Water as a Source of Drinking Water

SAMPLING RESULTS SHOWING TREATMENT OF SURFACE WATER SOURCES	
Treatment Technique <sup>(a)</sup> (Type of approved filtration technology used)	Conventional Filtration and Disinfection
Turbidity Performance Standards <sup>(b)</sup> (that must be met through the water treatment process)	Turbidity of the filtered water must: 1 – Be less than or equal to 0.3 NTU in 95% of measurements in a month. 2 – Not exceed 1.0 NTU for more than eight consecutive hours. 3 – Not exceed 5.0 NTU at any time.
Lowest monthly percentage of samples that met Turbidity Performance Standard No. 1.	100.0 %
Highest single turbidity measurement during the year (3610 measurements taken.)	0.206
Number of violations of any surface water treatment requirements	None

(a) A required process intended to reduce the level of a contaminant in drinking water.

(b) Turbidity (measured in NTU) is a measurement of the cloudiness of water and is a good indicator of water quality and filtration performance. Turbidity results which meet performance standards are considered to be in compliance with filtration requirements.